

PM-10

Reg # 4-375

194



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

4-375

Date of Issuance:

28 JUN 1995

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

Registration
 Reregistration

Name of Pesticide Product:

Bonide
Porch, Patio, Garden
And Ornamental Spray

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bonide Products, Inc.
2 Wurz Ave.
Yorkville, NY 13495

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 4-375".
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

/s/
Richard P. Keigwin, Jr.

Date:

28 JUN 1995

[Handwritten mark]

194

BONIDE

294
ACCEPTED
with COMMENTS
In EPA Letter Dated

28 JUN 1995

Under the Federal Insecticide,
Fungicide, and Plant Fungicide Act
as amended, for the pesticide
registered under EPA Reg. No.

4-375

PORCH, PATIO, GARDEN AND ORNAMENTAL SPRAY

KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES

A FAST ACTING EFFECTIVE WAY TO KILL WASPS AND HORNETS, MOSQUITOES,
GNATS, MOTHS AND HOUSEFLIES; SPIDERS, ANTS AND ROACHES, APHIDS,
GYPSY MOTH CATERPILLARS, JAPANESE BEETLES AND MORE THAN 30 OTHER
YARD AND GARDEN INSECTS.

USE OUTDOORS ON FLOWERS, ROSES, TREES, AND SHRUBS, ORNAMENTALS,
AND VEGETABLES - AND AROUND PORCH, PATIO AND GARAGE.

PROVIDES EFFECTIVE, FAST-ACTING, KILLING POWER WITH NO
OBJECTIONABLE RESIDUE.

CAN BE USED ON VEGETABLES TILL DAY OF HARVEST

READY-TO-USE, NO MIXING NEEDED

CONTAINS NATURAL PYRETHRUM

EPA Est. No.

EPA Reg. No.

ACTIVE INGREDIENTS:

Pyrethrins	0.04%
*Piperonyl Butoxide, Technical	0.40%
**INERT INGREDIENTS:	99.56%
	100.00%

*Equivalent to min. 0.32% (butylcarbityl) (6-propylpiperonyl) ether and 0.08% related
compounds

Keep Out of Reach of Children
CAUTION
Harmful if swallowed

NET CONTENTS

2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. If swallowed, induce vomiting by touching finger to back of throat. Contact a physician or Poison Control Center immediately. Remove pets, from areas being treated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

DO NOT TRANSPORT OR STORE UNDER 32° F.

If freezing occurs, thaw and agitate vigorously.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: SHAKE BEFORE USING. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "steam" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage.

TO OPERATE: SHAKE BEFORE USING. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 21 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

VEGETABLES

Use outdoors throughout the growing season. Apply spray thoroughly on upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied to day of harvest.

INSECTS CONTROLLED: Aphids, Asparagus Beetles, blister beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-Striped Cabbageworms, Diamondback caterpillars, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Leafhoppers, Mexican Bean Beetles, Stink Bugs, 12-Spotted Cucumber Beetles, Webworms, and Whiteflies.

BEST COPY AVAILABLE

494

CROPS: Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cucumbers, Eggplant, Kale, Lettuce, Melons, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Squash, Sweet Corn, Tomatoes and Turnips.

ORNAMENTALS, TREES, SHRUBS AND ROSES Apply as a fine mist, spraying plants on the upper and lower leaf surfaces.

INSECTS CONTROLLED: Aphids (red, black, and green peach), Bagworms, Thrips, Flea Beetles, Japanese Beetles, Lace Bugs, Violets, Leaf Rollers, Leaf-tiers, Mimosa Webworm Larvae, Plant Bugs and Whiteflies. Repeat treatment weekly, or as needed to control infestations.

PORCHES, PATIOS AND GARAGES

Spray the surface areas and hit the insects whenever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat if necessary.

Wasps & Hornets: Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat if necessary.

Spiders: Spray directly on spiders and web. Repeat if necessary.

To kill Cockroaches, Palmetto Bugs, Earwigs, Sowbugs, Centipedes, Millipedes, Crickets, Silverfish and Clovermites.

Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, and sheds. Spray directly on insects where possible. Repeat treatment if necessary.

OUTDOORS:

To Kill Mosquitoes, Gnats (midges), Houseflies, Biting Flies, and Small Flying Moths (millers), apply spray to shrubs, bushes, and grassy areas. Spray these areas with a slow

sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

To kill Gypsy Moth Caterpillars and adults, Adult Japanese Beetles and Eastern Tent Caterpillars on contact:

On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

Buyer's Guarantee Limited to Label Claims

Manufactured by

BONIDE PRODUCTS, INC. • YORKVILLE, NY 13495

4