


4-375

9/8/2003

Page 184



PORCH, PATIO, GARDEN

AND ORNAMENTAL SPRAY

FOR HOUSEHOLD USE ONLY

[Alternate Brand Names: Pump-N-Shoot Ant and Spider Spray; Pump-N-Shoot Garden Spray Insecticide; Pump-N-Shoot Hornet & Wasp Spray; Pump-N-Shoot Roach, Ant & Spider Spray]

Optional Marketing Statements:

Kills Gypsy Moth Caterpillars and Japanese Beetles

A Fast Acting Effective Way to Kill Wasps and Hornets, Mosquitoes, Gnats, Moths and Houseflies; Spiders, Ants and Roaches, Aphids, Gypsy Moth Caterpillars, Japanese Beetles and More Than 30 Other Yard and Garden Insects

Use Outdoors on Flowers, Roses, Trees, and Shrubs, Ornamentals, and Vegetables – and Around Porch, Patio and Garage

Provides Effective, Fast-Acting Killing Power with No Objectionable Residue

Can Be Used on Vegetables Til Day of Harvest

Ready-to-Use, No Mixing Needed

Contains Natural Pyrethrum

ACTIVE INGREDIENTS:

- Pyrethrins (CAS #8003-34-7)..... 0.04%
- *Piperonyl Butoxide, Technical (CAS #51-03-6) 0.40%

OTHER INGREDIENTS:..... 99.56%

TOTAL..... 100.00%

*Equivalent to min. 0.32% (butylcarbityl)(6-propylpiperonyl) ether and 0.08% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for additional precautionary statements

NET CONTENTS: _____

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Telecommunications Network at 1-800-858-7378 for emergency medical treatment information.	
If Swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Remove pets from areas being treated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. Do not transport or store under 32° F. If freezing occurs, thaw and agitate vigorously.

Disposal: *If empty* – Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

TO OPERATE: SHAKE BEFORE USING. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage.

TO OPERATE: SHAKE BEFORE USING. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

TO OPERATE PUMP-N-SHOOT SPRAY BOTTLE: SHAKE BEFORE USING. Remove cap. Fill sprayer bottle with product to within one inch of top. Replace the cap. Pump the bottle 4 or 5 times by alternately pulling the cap up and pushing it down. Once the spray bottle is pumped up, follow label instruction for application directions. Once pumped up, the spray bottle will shoot a straight stream up to 20 feet. Spray water through the sprayer after each use. The sprayer should be rinsed thoroughly and pumped empty for storage.

VEGETABLES

Use outdoors throughout the growing season. Apply spray thoroughly on upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied to day of harvest.

INSECT CONTROLLED: Aphids, Asparagus Beetles, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-Striped Cabbageworms, Diamondback Caterpillars, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Leaf-tiers, Mexican Bean Beetles, Stink Bugs, 12 Spotted Cucumber Beetles, Webworms, and Whiteflies.

CROPS: Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cucumbers, Eggplant, Kale, Lettuce, Melons, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Squash, Sweet Corn, Tomatoes and Turnips.

ORNAMENTALS, TREES, SHRUBS AND ROSES: Apply as a fine mist, spraying plants on the upper and lower leaf surfaces.

INSECTS CONTROLLED: Aphids (red, black and green peach), Bagworms, Thrips, Flea Beetles, Lace Bugs, Leaf Rollers, Leaf-tiers, Mimosa Webworm Larvae, Plant Bugs and Whiteflies. Repeat treatment weekly, or as needed to control infestations.

PORCHES, PATIOS AND GARAGES: Spray the surface areas and hit the insects whenever possible. Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat if necessary. Wasps and Hornets: Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat if necessary. Spiders: Spray directly on spiders and web. Repeat if necessary.

To kill Cockroaches, Palmetto Bugs, Earwigs, Sowbugs, Centipedes, Millipedes, Crickets, Silverfish and Clover Mites. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, and sheds. Spray directly on insects where possible. Repeat treatment if necessary.

OUTDOORS: To kill Mosquitoes, Gnats (Midges), Houseflies, Biting Flies, and Small Flying Moths (Millers), apply spray to shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

To kill Gypsy Moth Caterpillars and adults, Adult Japanese Beetles and Eastern Tent Caterpillars on contact.

On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

Buyer's Guarantee Limited to Label Claims

Manufactured by:

Bonide Products, Inc.

Oriskany, NY 13424

