

Bonide Flea & Tick Spray for Lawns

EMULSIFIABLE CONCENTRATE FOR USE ON RESIDENTIAL LAWNS AND AROUND RESIDENTIAL PREMISES ONLY TO KILL FLEAS AND TICKS AND OTHER OUTDOOR INSECTS LISTED ON THIS LABEL. ALSO KILLS DEER TICKS AND OTHER IXODID SPECIES THAT CARRY AND TRANSMIT LYME DISEASE.

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate.....

0.44%

*INERT INGREDIENTS.....

99.56%

100.00%

*Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get immediate medical attention.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air or if not breathing, give artificial respiration, preferably mouth to mouth, get medical attention.
- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

Net Contents _____

Manufactured by:

**BONIDE PRODUCTS, INC.
YORKVILLE, NY 13495**


EPA Reg. No.
4-

EPA Est. No.
4-NY-1

ACCEPTED

AUG - 6 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4-384



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, absorbed through skin or inhaled, causes moderate eye irritation. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not spray plants used for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FLEA AND TICK CONTROL:

To kill fleas and ticks harboring in lawns and backyards, use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the Ixodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.

HOSE END SPRAYER APPLICATION

Amount of Product to Use Fluid Ounces*	Amount of Water to be Used	Area to be Treated
1-1/3 Fluid Ounces	3 Gallons	500 sq. ft. (50' x 10')
2-2/3 Fluid Ounces	6 Gallons	1,000 sq. ft. (50' x 20')
5-1/3 Fluid Ounces	12 Gallons	2,000 sq. ft. (50' x 40')

*NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons

FOR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

