

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-392	2. EPA Product Manager GEORGE T. LAROLCA	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BONIDE WASP & HORNET SPRAY	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) BONIDE PRODUCTS, INC 6301 SUTLIFE ROAD ORISKANY, NY 13424 <input checked="" type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION DEC 11 2000
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Additional Marketing Statements: "Kills exposed Termites, exposed Carpenter Ants, Carpenter Bees and listed wood destroying insects"
"Triple action instant knockdown formula."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name MATT VICKERS		Title DIR - REG. AFFAIRS		Telephone No. (Include Area Code) 315-736-8231	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title DIR - REG. AFFAIRS			
4. Typed Name MATT VICKERS		5. Date 11/20/00			

Alternate Brand Name
Bonide Flying + Crawling Insect Killer

9 6 7

FRONT PANEL

NOTIFICATION

DEC 11 2000

Alternate Brand Name:
Termite + Carpenter Ant Killer ^{BONIDE}
WASP & HORNET SPRAY

- * Contains Synergist Piperonyl Butoxide, Permethrin & Tetramethrin
- * Kills Fast
- * Quick kill
- * Kills Pantry Pests, Flying and Crawling Insects
- * Kills Wasps & Hornets on contact
- * Kills with residual action as Wasps & Hornets return to nest
- * Jet spray-will reach nests up to 20 feet above ground
- * Sprays up to 20 feet
- * Kills the entire nest
- * Kills nest and Insects with Residual Action
- * Kills Wasps, Hornets & Yellow Jackets- Triple Action
- * Drops Wasps, Hornets & Yellow Jackets instantly
- * Gives knockdown & kill of Wasps, Hornets & Yellow Jackets
- * Electrically non-conducting
- * Dielectric breakdown voltage of 47,300 volts
- * Can be used Indoors (attics and other places where nests are built) and Outdoors on Wasp & Hornet nests
- * Contains no CFC'S or other ozone substance. Federal Regulation prohibit CFC propellant in aerosols.
- * Instant Knockdown
- * Prevents nesting
- * Triple action formula
- * Acts as a barrier that prevents insects from entering the home

EPA Reg. No. 4-392

EPA Est. No. 4-NY-1

ACTIVE INGREDIENTS:

Tetramethrin (cas# 7696-12-0).....	0.10%
Permethrin (cas# 52645-53-1).....	0.25%
Piperonyl Butoxide, Technical (cas # 51-03-6)..	0.50%
OTHER INGREDIENTS:.....	<u>99.15%</u>
TOTAL:.....	100.00%

*Contains Petroleum Distillates
Tetraperm is a registered trademark of AgrEvo Environmental Health, Inc.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

ADDITIONAL MARKETING STATEMENTS:

*Kills exposed Termites, exposed Carpenter Ants, Carpenter Bees and listed wood destroying insects.
Net contents: _____
*Triple action instant knockdown formula


ACCEPTED
with COMMENTS
in EPA Letter Dated

JUL 25 2000

November 20, 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

4-392



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared or processed. ~~Not for use in USDA meat and poultry plants.~~ *Not for use in Federally Inspected Meat & Poultry Plants*

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

Storage and Disposal: Store in a cool, dry area. Do not transport or store below 32 degrees F. Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL

INDOORS:

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.



Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs, and Pillbugs: Spray into hiding places such as cracks and crevices behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

LOCALIZED TREATMENT OF WOOD DESTROY INSECTS: Kills exposed Termites and exposed Carpenter Ants, Carpenter Bees. Locate source of infestation inject 5-10 seconds spray into tunnels and cavities. For Carpenter Bees, Seal entrance openings with a small piece of stainless steel wool after spray application.


Indian Meal Moths, Angonmuols Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets, and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat as necessary.

Exposed stages of Confused Flour Beetles, Cigarette Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites in exposed adult and larvae stages: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Contact as many insects as possible. Spray 30 seconds for each 100 square feet of surface. Keep closed for 45 minutes to 1 hour after treatment. Space spray: Spray 20 seconds per 1000 cubic feet of space moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application weekly or as necessary. Infested stored food products should be disposed of, or treated using an approved product intended for this purpose.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves. Test spray in an inconspicuous place before use.

Bedbugs: Spray mattress, particularly around turfs and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use. Test spray in an inconspicuous place before use.

To control Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage directing the spray into cracks, joints and crevices.



page 3

After airing, infested articles may be treated by spraying lightly, keeping nozzle at least 3 feet from fabric to avoid staining. Test spray in an inconspicuous place before use.

Fleas in buildings--Space spray: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 square feet making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.


Fleas & Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS. Do not repeat treatment for (7) days. Do not use on puppies under twelve (12) weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In case of emergency, call 1-800-548-2423 (Animal Poison Control Center).

To Control, Fleas, Ticks and Lice on dogs: Note: Do not use on cats. Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations.

To Kill, Lice and Louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

In Animal Quarters and Milk Rooms: For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small-Flying Moths close windows and doors and spray at a rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.



To Treat Livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animal for slaughter within 5 days of last treatment.

To Control Blood Sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To Control Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For Control of Bedbugs and Mites, in poultry houses, spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.


OUTDOORS:

To kill Wasps, Hornets and Yellow Jackets ^{Carpenter Bees} under eaves, screens, window frames, doors, patios, cracks, holes or crevices wherever insects are noticed spray for about 1-2 seconds or until surfaces are moist. To prevent entrance of insects into the house spray around points where insects enter such as outside plumbing, faucets, etc., and cracks or crevices in foundation as well as along sills and ledges.

For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. (Remove protective cap.) Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill wasps and hornets returning to the nest. Wait at least 24 hours before removing the nest.

Flying Insects: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud Daubers: Spray directly on insects and their nests from approximately 2 feet away. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.



Crawling Insects: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Do not apply or contaminate feed, foodstuffs, dishes or utensils. Avoid Spraying vegetation directly.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Bonide Products, Inc.

Yorkville, NY 13495

