SIGNATURE OF APPROVING OFFICIAL

ATTACHMENT IS APPLICABLE

DATE

# Hot Pepper Wax Ready-For-Use

Insect Repellent for Fruits, Vegetables, and Indoor and Outdoor Ornamentals

ACTIVE INGREDIENT
Capsaicin and other capsaicinoids\*
INERT INGREDIENTS
TOTAL

0.00001125% 99.99998875% 100.0 %

#### Made From Hot Cayenne Peppers

This product contains 0.0000009 lbs. of Active Ingredient per Gallon

### Keep Out of Reach of Children

**CAUTION** 

with COMMENTS in EPA Letter Dated:

Manufactured for: OCT 30 1997

Bonide Products, Inc.

2 Wurz Avenue Fungiciae, and Radentické Act
Yorkville, NY 13495 amended, for the pesticide
registered under EPA Reg. No.

NET CONTENTS: 1 Quart 4 - 397

EPA Reg. No.: 4- GOT

EPA Est. No.: 4-NY-1

**9**7

Produced Under Patents:

Canada No.: 2,116,237

A8:

New Zealand No.: 254,436

United States No.: 5,466,459

Australia No.: 46487/93

Other Patents Pending

6/2/97

Page 1 of 2

g:\labels\hpw\bonide\insecrfu.lbI

<sup>\*</sup> Includes 0.0000075% capsaicin and 0.00000375% other capsaicinoids

#### BACK PANEL

## Hot Pepper Wax Ready-For-Use

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

Caution. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### FIRST AID

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

#### **ENVIRONMENTAL HAZARDS**

This product may be toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSECTS: To effectively repel aphids, spider mites, thrips, leaf miners, whiteflies, lace bugs, leafhoppers and scale, spray Hot Pepper Wax Ready-For-Use on foliage, stems, buds, fruits, and blooms. Hot Pepper Wax Ready-For-Use can be used on fruits, vegetables, citrus, root crops, legumes, indoor/outdoor ornamentals, and grasses.

APPLICATION AND TIMING: SHAKE WELL; Apply until foliage or surface is wet. Repeat application in 3-7 days for 2-3 weeks, until control is established. ONCE CONTROL IS ESTABLISHED, use every 2-4 weeks, as necessary to maintain control.

#### STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets. DISPOSAL: Do not reuse empty containers. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

#### WARRANTY

Buyer's guarantee limited to label claims.

, h