

4-401

7-10-2003

1-7

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-401	2. EPA Product Manager La Rocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide Lawn Spot Weeder	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc 6301 Sutliff Road Oriskany, NY 13424 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 2217-537 Product Name Gordon's Trimec Spot Weeder	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION
JUN 10 2003

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of optional marketing statement:
For the selective control of over 200 Lawn Weeds including:
Dandelions, Spurge + Oxalis
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Kate Connell		Title Registration Specialist		Telephone No. (Include Area Code) 315-734-8231	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature Kate Connell		3. Title Registration Specialist			
4. Typed Name Kate Connell		5. Date 10-4-03			



Bonide Lawn Spot Weeder

A Trimec® Turf Herbicide Formulation

Ready – to –Use, No Mixing, No Pouring. Aim at Weed and Spray

KEEP FROM FREEZING

EPA Reg. No. 4-401

EPA Est. No. 4-NY-1

NOTIFICATION

JUN 10 2003

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic acid.....	0.593%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	0.287%
***Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid).....	0.066%
INERT INGREDIENTS	<u>99.054%</u>
TOTAL	100.00%

This product contains:


- *0.493% 2,4-Dichlorophenoxyacetic acid equivalent
 - **0.237% 2-(2-methyl-4-chlorophenoxy) propionic acid equivalent
 - ***0.055% 3,6-dichloro-o-anisic acid equivalent
- Isomer specific by AOAC Methods
 TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET CONTENTS: _____





READ ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear goggles when applying this product. When using this product, wear long-sleeved shirt, pants, socks, shoes and rubber gloves.

After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not contaminate domestic or irrigation waters. Do not apply when weather conditions favor drift from target area.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until sprays have dried or dust has settled.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children or pets. Store and transport in upright position.


DISPOSAL: *If empty:* Do not reuse this container. Place in trash or offer for recycling if available. *If partially filled:* Call your local solid waste agency or 1-800-CLEANUP or www.cleanup.org for disposal instructions. Never place unused product down any indoor or outdoor drain.

OTHER USE PRECAUTIONS

Do not allow spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants since injury may result. Do not pour spray solutions near these plants. Avoid fine mist sprays. Coarse spray droplets are less likely to wind drift and cause damage to nontarget plants. Do not spray roots of desirable trees and shrubs. Do not exceed specific dosage; be particularly careful within dripline of tree and other ornamental species.

WHAT IT IS & HOW TO USE IT:

Bonide Lawn Spot Weeder contains Trimec® turf herbicide, a combination of three proven weed killer: 2, 4-D, Mecoprop and Dicamba. Together they control a wide range of broadleaf lawn weeds; some of which are listed on this label.



Use to spot treat weeds in the lawn. For best results, apply when weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at weed and spray. Only a short burst is needed. Over spraying only wastes the product and may cause damage to grasses such as centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and weeds gradually die. Up to 4 weeks may be required for complete kill. Be patient. **Bonide Lawn Spot Weeder** works slowly. Repeat 3 to 4 weeks if necessary.


For lawns with many weeds, requiring an overall treatment, spray with **Bonide Lawn Weed Killer w/Trimec®**, a concentrate you will have to mix with water in your hose end sprayer or hand operated sprayer.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKERS, NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.



CONTROLS:

- WEEDS -			
Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping jenny	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawk weed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains tickseed coreopsis	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia butonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Wavyleaf bullthistle
Broadleaf plantain	Goldenrod	Prairie sunflower	Western clematis
Broomweed	Ground ivy	Prickly lettuce	Western salsify
Buckhorn	Gumweed	Prickly sida	White mustard
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	Wild aster
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild buckwheat
Bull thistle	Healall	Prostrate spurge	Wild carrot
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild four-o'clock
Burclover	Heathaster	Puncturevine	Wild garlic
Burdock	Hedge bindweed	Purslane, common	Wild geranium
Burning nettle	Hedge mustard	Ragweed	Wild lettuce
Burweed	Hemp	Red sorrel	Wild marigold
Buttercup	Henbit	Redroot pigweed	Wild mustard
Buttonweed	Hoary cress	Redstem filaree	Wild onion
Canada thistle	Hoary plantain	Rough cinquefoil	Wild parsnip
Carolina geranium	Hoary vervain	Rough fleabane	Wild radish
Carpetweed	Horsenettle	Russian pigweed	Wild rape
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild strawberry
Catnip	Knawel	Scarlet pimpernel	Wild sweet potato
Catsear	Knotweed	Scotch thistle	Wild vetch
Chickweed, common	Kochia	Sheep sorrel	Woodsorrel
Chickweed, mouseear	Lambsquarters	Sheperdspurse	Woolly croton
Chicory	Lespedeza	Slender plantain	Woolly morningglory
Cinquefoil	Mallow	Smallflower galinsoga	Woolly plantain
Clover, crimson	Matchweed	Smooth dock	Wormseed
Clover, hop	Mexicanweed	Smooth pigweed	Yarrow
Clover, red	Milk vetch	Sorrel	Yellow rocket
Clover, strawberry	Morningglory	Sowthistle	Yellowflower pepperweed
Clover, sweet	Mouseear hawkweed	Spanishneedles	and other
Clover, white	Mugwort	Speedwell	broadleaf weeds

APPENDIX

I. The following instructions would appear on the bag, or be enclosed with the bag containing the trigger sprayer, or would appear on the container label.

A. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

<p>DIRECTIONS FOR USE OF TRIGGER SPRAYER</p> <ol style="list-style-type: none"> 1. Remove sprayer from bag. 2. Unscrew cap from bottle and remove foil seal. 3. Making sure that tube is properly inserted through the hole in cap, insert tube into bottle and screw on cap. 4. Open spray nozzle approximately on full turn. 5. TO PRIME- With sprayer directed at target area, operate trigger until spray begins (approximately 10 to 15 times). 6. Adjust the spray nozzle for desired spray pattern. <p>STORAGE OF TRIGGER SPRAYER</p> <ol style="list-style-type: none"> 1. Close spray nozzle 2. Hook the trigger on or under the bottle so that trigger is above the level of contents. 3. To prevent clogging of trigger, remove sprayer from bottle and pump clean water through the hose and trigger.
--

B. SUPPLEMENTAL LABELING FOR USE WITH ATTACHED TRIGGER SPRAYER.

<p>SPRAYER INSTRUCTIONS</p> <p><i>How to prime and care for your sprayer.</i></p> <ol style="list-style-type: none"> 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely. 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to coarse stream. 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage
--

II. Advertising claims that may be used by supplemental registrants and be presented on the container label.

- Kills (Controls) *(Number)* weed types, root and all
- Water-based *or* Water-based formulation
- Kills the weeds, not the lawn
- Kills the root
- For selective control of over 200 lawn weeds including dandelions, spurge, and oxalis.
- Kills entire weed or plant roots and all.
- Controls (Kills) *(desired weed species from attached listing may be inserted here.)* and many other broadleaf weeds.
- Kills (Controls) *(desired weed species from attached listing may be inserted here.)* and over *(Number)* broadleaf weeds.
- Kills *(Number)* weeds
- Kills weed roots
- Starts working overnight
- Rainfast in 6 hours
- Rainproof in 6 hours
- Effective for the control of clover, dandelions and many other broadleaf weeds.
- (Controls) Kills *(Number)* types of weeds
- Controls *(Number)* of weed species that infest turfgrass.
- Controls *(Number)* of major pests in many types of lawns (turfgrass).
- Controls dandelion, chickweed, and many other weeds as listed.
- Kills (Controls) Poison Ivy, Poison Oak.

MANUFACTURED BY:
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424