

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 1 3 2009

Nicole Russell Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4, 2008-1, and 98-10 (updated warranty statement)

Dear Ms. Russell:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4, 2008-1, and 98-10 dated June 17, 2009 for:

EPA Registration 4-406

Bonide Eight Garden & Home Insect Control

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4, 2008-1, and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4, 2008-1, and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P) Office of Pesticide Programs

20411

Please read instructions on	reverse before comp	leting form.		Form A	pprove	d. OMB No	. 2070-00	60. Approval expires 2-28-9
\$EPA	Environment: West	United States al Protect hington, DC 2	tion Agen	су	✓	Registi Amend Other		OPP Identifier Number
		Applicat	tion for P	esticide - Sec	ction	1		
1. Company/Product Number 4-406]	2. EPA Product Manager 3. Proposed Classification		Proposed Classification None Restricted			
4. Company/Product (Name Bonide Eight Garden &		ntrol	1	PM# 13				
5. Name and Address of Ap	plicant <i>(Include ZIP C</i>	ode)		6. Expedited Re	veiw.	In accord	ance wit	h FIFRA Section 3(c)(3)
Bonide Products, Inc. 6301 Sutliff Road			1	(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION				
Oriskany, NY 13424		e Russell				Λ	UG 13	2009
Check if this	is a new address			Product Name		<i>J</i> .	lou I o	2003
			Secti	on - II			•	
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency lette	r dated		Final printe Agency let "Me Too" Other - Exp	tter dat Applica	ation.	se to 	
			···					
NOTIFICATION: Updated the updated the warranty statemer. This notification is consistent labeling or the CSF of this property and further understands that and Bonide Products, Inc. ma	ent. with the provisions of loduct. Bonide Products oduct. Bonide Products if this notification is not	PR Notice 98- s, Inc. understa t consistent wi	10 and EPA re ands that it is a th the terms of	gulations at 40 CFR violation of 18 U. S PR Notice 98-10 ar	152.46 . C. Se ad 40 C	6, and no oth c. 1001 to wi FR 152.46, t	er changes	s have been made to the
			Section	n - III				
1. Material This Product Will	Be Packaged In:							<u> </u>
Child-Resistant Packaging Yes No	Unit Packaging Water S		Y.	No Plas		Metal Plastic Glass	,	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package	No. per wgt contains	r		Paper Other (Specify)
3. Location of Net Contents I	nformation	4. Size(s) Re	stail Container		5. Lo	ation of La		ons
✓ Label Container		1 qt.	qt. on label					
3. Manner in Which Label is A	Affixed to Product	Litho Paper Stend	graph r glued ciled	Othe	·			
			Section	n - IV				
I. Contact Point <i>(Complete i</i>	tems directly below f	or identificati	on of individu	al to be contacted,	if nece	ssary, to pi	ocess this	application.)
		Title Pesticide C	,		•	e No. (Include Area Code) 8231 ext 230		
I certify that the statem I acknowledge that any both under applicable is	knowlingly false or		d all attachme					6. Date Application Received (Stamped)
		3. Title Pesticide Co	de Compliance Specialist					
. Typed Name		5. Date	ate					
Nicole Russell			7/22/09					

Bonide Products, Inc.

30411

6301 Sutliff Rd. Oriskany, NY 13424

Phone (315) 736-8231 Fax (315) 736-7582

June 17, 2009

FedEx: 8685 1623 2296

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

RE: Bonide Eight Garden & Home Insect Control

EPA Reg. No. 4-406

Notification – Updated the Storage and Disposal section per PR Notice 2007-4, updated the Environmental Hazards section per PR Notice 2008-1 and updated the warranty statement.

To Whom It May Concern:

Enclosed, please find a completed form 8570-1, Notification and labeling for the above mentioned registration. Changes are in red text and highlighted in yellow. I trust you will find everything in order for approval.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bonide Products, Inc. Further understands that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and Bonide Products, Inc. May be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bonide Products, Inc. further understands that if this notification is not consistent with the guidance of PR Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and " penalties under sections 12 and 14 of FIFRA.

Should you have any questions or require additional information, please do not hesitate to contact me.

Sincerely,

Nicole Russell

Pesticide Compliance Specialist

Enclosure

Continuation of Section II

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bonide Products, Inc. Further understands that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and Bonide Products, Inc. May be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Notification of label change relative to PR Notice 2008-1. This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bonide Products, Inc. further understands that if this notification is not consistent with the guidance of PR Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.







AUG 1 3 2009



GARDEN & HOME INSECT CONTROL

Ready to Use

[ADDITIONAL BRAND NAME(S): Rose & Flower Ready to Use; Tomato & Vegetable Ready to Use; Home Pest Control Ready to Use; EIGHT Insect Control Garden & Home]

- ·READY-TO-USE
- ·IT'S THE LEAST YOU CAN DO FOR YOUR GARDEN.
- ·EASY TO USE
- ·FOR USE ON PLANTS.
- ·GENTLE TO MOST PLANTS.
- ·SAFE TO USE ON OVER 60 VARIETIES OF ORNAMENTALS*.
- ·FOR CONTROL OF VEGETABLE PESTS.
- ·CONTROLS MOST ORNAMENTAL PESTS.
- ·CONTROLS MOST GARDEN INSECT PESTS.
- ·USE INDOORS AND OUTDOORS.
- FOR USE IN AND AROUND THE HOME..
- ·FOR CONTROL OF VARIOUS PLANT PESTS.
- ·FOR PLANT PEST CONTROL.
- ·WATER-BASED.
- $\cdot \text{USE AROUND BUILDINGS, HOME, FLOWER AND VEGETABLE GARDENS, AND ON FRUIT,} \\$
- NUT AND ORNAMENTAL TREES.
- ·FOR RESIDENTIAL USE ONLY

KILLS OVER 100 DIFFERENT NAMED INSECTS

*When Used According to label instructions.

Protects your Roses, Flowers, and Vegetables from: Alfalfa loopers, Ants, Aphids, Armyworms, Asian ladybug, Bagworms, Beetles, Borers, Brown dog ticks, Budworms, Cabbageworms, Chinch bugs, Cicadas, Citrus black flies, Cluster flies, Codling moths, Corn earworms, Crickets, Cutworms, Earwigs, Elm spanworms, Fall Cankerworms, Fire ants, Fleas, Green fruitworms, Gnats, Grasshoppers, Houseflies, Inchworms, Japanese beetles, Leafhoppers, Leafminers, Leafrollers, Lone Star ticks, Lygus bugs, Mealybugs, Millipedes, Mole crickets, Mosquitoes, Moths, Navel Orange worms, Scales, Sod webworms, Sowbugs (pillbugs), Spider mites, Spring Cankerworms, Tent Caterpillars, Thrips, Tobacco Budworms, Weevils, Whiteflies and many others.

ACTIVE INGREDIENTS:

Permethrin(Cas. No. 52645-53-1)	0.02%
OTHER INGREDIENTS:	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See Side/Back Panel for Additional Precautionary Statements and First Aid)

Net Contents 32 FL. OZ. (1 QT.) 128 FL. OZ. (1 GAL.)

EPA Reg. No. 4-406 6/17/09 – Notification

EPA Est. No. 4-NY-1 Page 1 of 7 Pages

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Wash after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This pesticide is extremely toxic to fish. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Avoid contamination of ornamental fish ponds.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or for other commercial use, or for commercial seed production or for research purposes.

SHAKE WELL BEFORE USING

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry area away from heat or open flame.

<u>Disposal:</u> If empty – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For use, turn nozzle to spray position, point away from face, and squeeze trigger to spray.

INDOOR APPLICATION

Do not use in commercial food handling establishments, restaurants or other areas where food is commercially prepared or processed. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

HOUSEPLANTS

INDOORS: TO PROTECT PLANTS IN RESIDENTIAL GREENHOUSES AND LATHHOUSES, AND FOR INDOOR LANDSCAPING:

To kill insects on Indoor Landscaping direct the spray mist to hit as many insects as possible.

Plants:	Pests:	How to Use:
Ageratum, Ardisia, Aster, Baby's Breath, Begonia, Birdsnest Fern, Bleeding Heart, Carnation, Chrysanthemum, Citrus, Coleus, Crown of Thorns, Cockscomb, Cyclamen, Dracaena, Dumbcane, English Ivy, Fuchsia, Gladiolus, Grape Ivy, Juniper, Lily, Marigold, Orchid, Palm, Pansy, Peperomia, Petunia, Philodendron, Piggy-Back Plant, Poinsettia, Portulaca, Pothos, Prayer Plant, Purple Passion, Rabbits Foot Fern, Rose, Schefflera, Snapdragon, Snake Plant, Statice, Velvet Plant, Verbena, Zinnia	Aphids, Armyworms, Citrus Blackfly, Corn earworms, Exposed thrips, Fall cankerworms, Fungus gnats, Inchworms, Japanese beetles, Leafininers, Leafrollers, Mealybugs, Scales, Solder mites, Spring cankerworms, Whiteflies.	Contact and residual: Use sufficient spray to obtain full coverage of all foliage. If application is to be made indoors, remove infested plants from living areas prior to application. Apply in an area not likely to be occupied by people or pets (particularly fish). After spraying, plants can be returned to original location. Do not use more product than recommended, as this may cause some plant injury. Use with care on ferns, palms and fuchsia. As with all plants listed above, especially carnations, chrysanthemums, and roses, there exists a wide variety of species and cultivars, and therefore a wide variety of susceptibility to injury. To ascertain possible phytotoxicity, spray a few plants as described above, wait 24 hours, and check for possible injury. Repeat applications may be necessary to control citrus blackflies on non-bearing citrus, Adult Japanese beetles on roses.
Chrysanthemums	Armyworms, Cabbageworms, Cutworms, Leafrollers	

EPA Est. No. 4-NY-1 Page 2 of 7 Pages

INDOOR APPLICATION

s, 70F11

For spot application only. Do not use as a space spray Indoors. Do not apply on or into electrical switch boxes wiring or outlets. Do not allow children or pets on treated surfaces until spray has completely dried and area is ventilated. Do not use in commercial food handling establishments, restaurants or other areas where food is commercially prepared or processed. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

[OPTIONAL DIRECTIONS FOR USE FOR REFILLABLE PACKAGING USING BONIDE® EIGHT® INSECT CONTROL CONCENTRATE, EPA REG. NO. 4-408]

REFILLING: This pump sprayer bottle can be refilled with BONIDE[®] EIGHT[®] Insect Control Concentrate. Add 1 fl. oz. of concentrate and dilute with 1 gallon of water. (Add ¼ fl. oz. of concentrate and dilute with 1 quart of water.) Apply cap tightly and *shake well to mix.* Do not use any product other than BONIDE EIGHT Insect Control Concentrate to refill this container.

USE AS A SURFACE RESIDUAL SPRAY FOR CONTROL OF: ANTS, ASIAN LADYBUGS, BEDBUGS, BROWN DOG TICKS, CADELLES, CARPENTER ANTS, CARPET BEETLES, CENTIPEDES, CHEESE MITES, CLOTHES MOTHS, CLOVER MITES, COCKROACHES, CONFUSED FLOUR BEETLES, CRICKETS, DRUGSTORE BEETLES, EARWIGS, FIREBRATS, FLEAS, FLYING MOTHS, GNATS, GRAIN MITES, GRANARY WEEVILS, HOUSE FLIES, LICE AND LOUSE EGGS, LONE STAR TICKS, MEAL WORMS, MILLIPEDES, MOSQUITOES, PALMETTO BUGS, PILLBUGS, RUST RED FLOUR BEETLES, RICE WEEVILS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS AND WATERBUGS: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For Silverfish, spray bookcases. For Ants, spray trails, nests and points of entry. To reduce annoyance from Mosquitoes, Houseflies, Gnats and Flying Moths, apply every 2 weeks to the outside surfaces of screens, doors, window frames and outdoor light fixtures.

<u>TO CONTROL CARPET BEETLES:</u> Spray mist edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed. Do not allow children or pets in treated areas until spray has dried.

TO CONTROL BEDBUGS: Spray mist mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed. Do not use sprayed areas until completely dry.

TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS (ADULTS AND LARVAE): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Do not allow children or pets to access treated surfaces until completely dry.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated particles to dry thoroughly before use.

EPA Est. No. 4-NY-1 Page 3 of 7 Pages

EPA Reg. No. 4-406 6/17/09 – Notification

OUTDOOR APPLICATION DIRECTIONS FOR APPLYING ROSES & FLOWERS

Pests:	How to Use:
Aphids, armyworms,	Apply as a thorough spray,
Bagworms, Cabbage worms,	wetting the plants to the
Cicadas, Cornworms,	dripping point. Try to hit
cutworms, Exposed thrips,	underside of leaves and
Fall cankerworms, Fall	penetrate dense foliage. Spray
webworms, Fungus gnat,	in the late afternoon or
Inchworms, Japanese	evening, when the temperature
beetles, Leafminers,	ranges from 50° to 75°F and
Leafrollers, Mealybugs,	when there is little or no wind.
Scale crawlers, Spring	Spray at the first sign of
cankerworms, Spider mites,	insects. Repeat as necessary;
Whiteflies, Rose Chafer,	use intervals of 4-8 days.
Psyllids, Scale Insects.	Application can be made up to
	the day of collection.
	Aphids, armyworms, Bagworms, Cabbage worms, Cicadas, Cornworms, cutworms, Exposed thrips, Fall cankerworms, Fall webworms, Fungus gnat, Inchworms, Japanese beetles, Leafminers, Leafrollers, Mealybugs, Scale crawlers, Spring cankerworms, Spider mites, Whiteflies, Rose Chafer,

On Tent caterpillars, application should be made when caterpillars are young and tents are first noticed. For best results, apply in the late afternoon or evening, when caterpillars have returned to their tents. A few caterpillars may be seen escaping from the tent; however, they should die within several hours.

VEGETABLES

	VEGETABLES		
	Pests:	How to Use:	
Asparagus	Asparagus beetles, Cutworms	Apply as needed to ensure uniform	
(pre-harvest)		coverage. Can be applied up to 3	
		days prior to harvest.	
(post-harvest)	Larval stages of asparagus beetle;	Treat ferns or bush growth after	
	tarnished plant bug; Lygus bugs	spear harvest when insects are	
	and adult Japanese beetle.	present.	
Celery - See Leafy Vegetables			
Cole Crops:	Beet armyworm, Cabbage aphid,	Apply every 5 days or as needed.	
Broccoli, Brussels Sprouts, Cabbage,	Cabbage looper, Diamond back	Can be applied up to 1 day prior to	
Cauliflower	moth, Imported cabbageworm.	harvest.	
Corn - See Sweet Corn			
Cucurbits:	Aphids, Cabbage looper,	Apply as needed to ensure uniform	
Balsam pear (bitter melon), Chinese	Cucumber beetle (adults),	coverage. Can be applied up to the	
waxgourd (Chinese preserving	Cutworms, Leafhoppers,	day of the harvest.	
melon), citron melon, cucumber,	Leafminers, Melonworms,		
gherkin, edible gourds, melons	Pickleworm, Plant bugs, Squash		
including hybrids such as cantaloupe,	bugs.		
casaba, crenshaw, honeydew, honey			
balls, mango melon, muskmelon,			
Persian melon, pumpkin, summer &			
winter squash, watermelon.			
Eggplant	Colorado potato beetles,	Apply as needed to ensure uniform	
	Vegetable leafminers.	coverage. Can be applied up to 3	
		days prior to harvest.	
Horseradish	Imported crucifer weevils.	Apply as needed. Can be applied	
(Foliar application)		up to 22 days prior to harvest.	
Leafy Vegetables:	Alfalfa looper, Aphids, Beet	Apply every five to ten days:ase	
Amaranth, Arrugula, Celery, Celtuce,	Armyworm, Cabbage looper, Corn	needed. Do not make more than (
Chervil, Com salad, Chrysanthemum	ear worm, Cutworms, European	seven applications per crop. Can be	
(edible-leaved and garland), cress	corn borer, Fall armyworm, Green	applied up to one day prior to	
(garden and upland), Dandelion,	cloverworm, Southern armyworm,	harvest.	
Dock, Endive, Fennel, Lettuce (head	Tobacco budworm, Vegetable leaf	(((
and leaf), Okra, Parsley, Purslane	miner.	10,00	
(garden and winter), Rhubarb,		((((((((((((((((((((
Spinach, Swiss chard.		(((,	

VEGETABLE (CONT.)

	Pests:	How to Use:
Melons - See Cucurbits.		
Potatoes	Beet armyworm, Colorado potato beetle, Potato leafhopper, Potato tuberworm, Cabbage looper, cutworms, European corn borer, Potato psyllid, Tarnish plant bug.	Apply as needed. Can be applied up to 7 days prior to harvest.
Peppers	Vegetable leafminers, Cabbage looper, Flea beetle, Corn earworm, Pepper weevil, European corn borer.	Apply as needed. Can be applied up to 3 days prior to harvest.
Strawberries, Raspberries, Blueberries.	Strawberry weevils, Aphids, Spider mites, Lygus bugs, Flea beetles, Omnivorous leaftier, Spittlebugs, Japanese beetles, Field crickets, Red Spider, Leafroller, Weevils.	Allow 14 days between last application and harvest. Make no more than 8 foliar applications per growing season.
Sweet Corn	Corn earworm, European corn borer, Fall armyworm, Southern armyworm.	Apply every 5 days and when needed, but not more than 6 applications per season. Can be applied up to 1 day prior to harvest.
Tomatoes	Beet and southern armyworm, Tomato pinworm, Tomato fruitworm, Horn worms, Granulate cutworms, Colorado potato beetle, Cabbage looper.	Apply as needed for uniform coverage. Can be applied up to day of harvest.

HOME OWNER GROWN FRUIT AND NUT TREES

Apply to trees until foliage is dripping wet. Make sure to spray the undersides of leaves and into dense foliage.

Trees (fruit or nut):	Target Pests:	Use Directions:
Almonds, Pecans	Navel orange worm; Peach twig borer.	Apply when insects appear. Do not make more than 2 applications during the period when the outer hull of the almond has started to open. Do not make more than 5 applications per season. Can be applied up to 7 days prior to harvest.
Apples	Plum curculio; redbanded Leafroller, Rosyapple aphid, spotted tentiform Leafminer, Tarnished plant bug, White apple Leafroller, oblique banded Leafroller, Green fruitworm.	Apply when insects appear. Repeat as required to maintain control. Do not make more than 3 applications per season. Do not apply after petal fall.
Peaches	Lesser peach tree borer, Peach twig borer, Plum curculio, Tarnished plant bug, Green fruit worm, Oriental fruit moth.	Apply when insects first appear. Do not apply within 7 days of harvest. Do not make more than 8 applications per season.
Pears	Pear psylla, Green fruitworm and Codling moth.	Apply when needed. Do not apply more than 3 applications per season. Can be applied up to 14 days prior to harvest.

NUISANCE PESTS IN OUTDOOR AREAS

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

EPA Reg. No. 4-406 6/17/09 – Notification

EPA Est. No. 4-NY-1 Page 5 of 7 Pages

OUTSIDE SURFACES OF BUILDING

Use for control of Ants, Asian ladybugs, Clover mites, Crickets, Earwigs, Millipedes, Sowbugs (pillbugs) to help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

OTHER OUTDOOR AREAS

Use for control of Ants, Crickets, Earwigs, Fleas, Lone star ticks for treatment of localized infestations of these insects in areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. **For ants,** thoroughly wet hills and runways. Repeat application as reinfestations occur.

Fire Ant Control Individual Mound and Plant Container Treatment

Gently apply over the surface of each mound. Thoroughly wet mound and surrounding area of 3 x 4 ft. (12 sq. ft.) For best results apply in cool weather 65°F-80°F early or late in the day. Treat new mounds as they appear. Pressurized sprays may disturb ants and cause migration, which will reduce product effectiveness. <u>Use the same method as above for the control of Fire Ants that may nest in permanently placed containerized ornamentals plants.</u>

For use only as an aid in reducing annoyance from these insects on the following: Cluster flies, Flying moths, Gnats, House flies, Mosquitoes. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat as necessary.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured by Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

[Batch Code to be inserted at production]

©Bonide Products, Inc. All Rights Reserved

Optional Marketing Statements (Continued from page 1)

Protects your Houseplants, Roses, Flowers, Vegetables, Fruit, and Nuts from: Alfalfa Loopers, Ants, Aphids, Armyworms, Asian Ladybugs, Bagworms, Beetles, Borers, Budworms, Cabbageworms, Chinch Bugs, Cicadas, Citrus Black Flies, Codling Moths, Corn Earworms, Cutworms, Elm Spanworms, Fall Cankerworms, Green Fruitworms, Grasshoppers, Inchworms, Japanese Beetles, Leafhoppers, Leafminers, Leafrollers, Lygus bugs, Mealybugs, Mole Crickets, Naval Orange Worms, Scales, Sod Webworms, Sowbugs (pillbugs), Spider Mites, and Manay others. Spring Cankerworms, Tent Caterpillars, Thrips, Tobacco Budworms, Weevils, Whiteflies, and many others.

Protects your home from: Carpenter Ants, Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clovermites, Cheese Mites, Granary Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites, Cadelles, Fire Ants, Earwigs, Fleas, and Lone Star Ticks.

Use in and around the home on...Houseplants, Vegetables, Roses, Flowers, Ornamentals

EPA Reg. No. 4-406 6/17/09 – Notification

EPA Est. No. 4-NY-1 Page 6 of 7 Pages

NOTIFICATION

AUG 1 3 2009

EPA Est. No. 4-NY-1 Page 7 of 7 Pages