

4-406

07/05/2012

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

JUL 5 2012

Nicole Russell
Bonide Products, Inc
6301 Sutliff Rd
Oriskany, NY 13424

Subject Notification to Add "Stink Bug"
Bonide Eight Garden & Home Insect Control
EPA Reg No 4-406

Dear Ms Russell

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated May 9, 2012 for the product **Bonide Eight Garden & Home Insect Control (EPA Reg No 4-406)** The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10

If you have any questions, please call me directly at 703-305-0120

Sincerely,

Mark Suarez
Product Manager Team 13
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1 Company/Product Number 4-406	2 EPA Product Manager LaRocca	3 Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) Bonide Eight Garden & Home Insect Control	PM# 13	
5 Name and Address of Applicant (Include ZIP Code) Bonide Products Inc 6301 Sutliff Road Oriskany NY 13424 Attn Nicole Russell <input type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or NOTIFICATION to EPA Reg No <u>JUL 05 2012</u> Product Name _____	

Section - II

<input type="checkbox"/> Amendment Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Me Too Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below

Explanation Use additional page(s) if necessary (For section I and Section II)

NOTIFICATION Added Stink bugs
 This notification is consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46 and no other changes have been made to the labeling or the CSF of this product Bonide Products Inc understands that it is a violation of 18 U S C Sec 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98 10 and 40 CFR 152 46 this product may be in violation of FIFRA and Bonide Products Inc may be subject to enforcement action and penalties under section 12 and 14 of FIFRA

Section - III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt	No per container	If "Yes" Package wgt	No per container
3 Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) Retail Container 1 qt		5 Location of Label Directions <input checked="" type="checkbox"/> on label	
6 Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)					
Name Nicole Russell		Title Pesticide Compliance Specialist		Telephone No (Include Area Code) 315 736 8231 ext 230	
Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law					6 Date Application Received (Stamped)
2 Signature <i>Nicole Russell</i>		3 Title Pesticide Compliance Specialist			
4 Typed Name Nicole Russell		5 Date 5/9/12			



4/9
NOTIFICATION

JUL 0 5 2012



GARDEN & HOME INSECT CONTROL

Ready to Use

[ADDITIONAL BRAND NAME(S) Rose & Flower Ready to Use, Tomato & Vegetable Ready to Use, Home Pest Control Ready to Use EIGHT Insect Control Garden & Home, KGRO Multi purpose Insect Killer Ready To Use]

READY TO USE

IT S THE LEAST YOU CAN DO FOR YOUR GARDEN

EASY TO USE

FOR USE ON PLANTS

GENTLE TO MOST PLANTS

SAFE TO USE ON OVER 60 VARIETIES OF ORNAMENTALS*

FOR CONTROL OF VEGETABLE PESTS

CONTROLS MOST ORNAMENTAL PESTS

CONTROLS MOST GARDEN INSECT PESTS

USE INDOORS AND OUTDOORS

FOR USE IN AND AROUND THE HOME

FOR CONTROL OF VARIOUS PLANT PESTS

FOR PLANT PEST CONTROL

WATER BASED

USE AROUND BUILDINGS HOME, FLOWER AND VEGETABLE GARDENS AND ON FRUIT

NUT AND ORNAMENTAL TREES

FOR RESIDENTIAL USE ONLY

KILLS OVER 100 DIFFERENT NAMED INSECTS

*When Used According to label instructions

Protects your Roses, Flowers, and Vegetables from Alfalfa loopers Ants Aphids Armyworms Asian ladybug Bagworms, Beetles, Borers, Brown dog ticks, Budworms, Cabbageworms, Chinch bugs Cicadas Citrus black flies Cluster flies, Codling moths Corn earworms, Crickets Cutworms Earwigs Elm spanworms, Fall Cankerworms, Fire ants, Fleas Green fruitworms, Gnats, Grasshoppers Houseflies, Inchworms Japanese beetles, Leafhoppers Leafminers Leafrollers, Lone Star ticks, Lygus bugs Mealybugs Millipedes Mole crickets, Mosquitoes, Moths Navel Orange worms, Scales, Sod webworms, Sowbugs (pillbugs), Spider mites, Spring Cankerworms, Stink bugs, Tent Caterpillars Thrips Tobacco Budworms Weevils Whiteflies and many others

ACTIVE INGREDIENTS

Permethrin

(Cas No 52645-53-1)

0.02%

OTHER INGREDIENTS

99.98%

TOTAL

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Side/Back Panel for Additional Precautionary Statements and First Aid)

Net Contents

32 FL OZ (1 QT)

128 FL OZ (1 GAL)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Wash after handling and before smoking or eating Avoid contamination of feed and foodstuffs Remove pets and birds and cover fish aquaria before spraying Do not use on humans Do not allow children or pets to contact treated areas until surfaces are dry

Environmental Hazards

This pesticide is extremely toxic to fish To protect the environment, do not allow pesticide to enter or run off into storm drains drainage ditches gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Avoid contamination of ornamental fish ponds

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling Not for use on plants being grown for sale or for other commercial use or for commercial seed production or for research purposes

SHAKE WELL BEFORE USING

STORAGE AND DISPOSAL

Storage Store and transport in an upright position Do not contaminate water, food or feed by storage or disposal Store in a cool, dry area away from heat or open flame

Disposal *If empty* – Nonrefillable container Do not reuse or refill this container Place in trash or offer for recycling if available

If partly filled – Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

For use turn nozzle to spray position, point away from face and squeeze trigger to spray

INDOOR APPLICATION

Do not use in commercial food handling establishments, restaurants or other areas where food is commercially prepared or processed In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use Exposed food should be covered or removed

HOUSEPLANTS

INDOORS TO PROTECT PLANTS IN RESIDENTIAL GREENHOUSES AND LATHHOUSES, AND FOR INDOOR LANDSCAPING

To kill insects on Indoor Landscaping direct the spray mist to hit as many insects as possible

Plants	Pests	How to Use
Ageratum Ardisia, Aster Baby's Breath Begonia Birdsnest Fern Bleeding Heart Carnation Chrysanthemum Citrus Coleus Crown of Thorns Cockscomb Cyclamen Dracaena Dumbcane English Ivy Fuchsia Gladiolus Grape Ivy Juniper Lily Marigold Orchid Palm Pansy Peperomia Petunia Philodendron Piggy Back Plant Poinsetta, Portulaca, Pothos Prayer Plant Purple Passion Rabbits Foot Fern Rose Schefflera Snapdragon Snake Plant Statice Velvet Plant Verbena Zinnia	Aphids Armyworms Citrus Blackfly Corn earworms Exposed thrips Fall cankerworms Fungus gnats Inchworms Japanese beetles Leafminers Leafrollers Mealybugs Scales Solder mites Spring cankerworms Whiteflies	Contact and residual Use sufficient spray to obtain full coverage of all foliage If application is to be made indoors remove infested plants from living areas prior to application Apply in an area not likely to be occupied by people or pets (particularly fish) After spraying plants can be returned to original location Do not use more product than recommended as this may cause some plant injury Use with care on ferns palms and fuchsia As with all plants listed above especially carnations chrysanthemums and roses there exists a wide variety of species and cultivars and therefore a wide variety of susceptibility to injury To ascertain possible phytotoxicity spray a few plants as described above wait 24 hours and check for possible injury Repeat applications may be necessary to control citrus blackflies on non-bearing citrus Adult Japanese beetles on roses
Chrysanthemums	Armyworms Cabbageworms Cutworms Leafrollers	

INDOOR APPLICATION

For spot application only Do not use as a space spray Indoors Do not apply on or into electrical switch boxes, wiring or outlets Do not allow children or pets on treated surfaces until spray has completely dried and area is ventilated Do not use in commercial food handling establishments restaurants or other areas where food is commercially prepared or processed In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use Exposed food should be covered or removed Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur Do not allow the product to enter any drain during or after application

[OPTIONAL DIRECTIONS FOR USE FOR REFILLABLE PACKAGING USING BONIDE® EIGHT® INSECT CONTROL CONCENTRATE, EPA REG NO 4 408]

REFILLING This pump sprayer bottle can be refilled with BONIDE® EIGHT® Insect Control Concentrate Add 1 fl oz of concentrate and dilute with 1 gallon of water (Add ¼ fl oz of concentrate and dilute with 1 quart of water) Apply cap tightly and *shake well to mix*. Do not use any product other than BONIDE EIGHT Insect Control Concentrate to refill this container

USE AS A SURFACE RESIDUAL SPRAY FOR CONTROL OF ANTS, ASIAN LADYBUGS, BEDBUGS, BROWN DOG TICKS, CADELLES, CARPENTER ANTS, CARPET BEETLES, CENTIPEDES, CHEESE MITES, CLOTHES MOTHS, CLOVER MITES, COCKROACHES, CONFUSED FLOUR BEETLES, CRICKETS, DRUGSTORE BEETLES, EARWIGS, FIREBRATS, FLEAS, FLYING MOTHS, GNATS, GRAIN MITES, GRANARY WEEVILS, HOUSE FLIES, LICE AND LOUSE EGGS, LONE STAR TICKS, MEAL WORMS, MILLIPEDES, MOSQUITOES, PALMETTO BUGS, PILLBUGS, RUST RED FLOUR BEETLES, RICE WEEVILS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, STINK BUGS AND WATERBUGS Direct the spray into hiding places, cracks and crevices and behind shelves and drawers For Silverfish, spray bookcases For Ants spray trails nests and points of entry To reduce annoyance from Mosquitoes Houseflies, Gnats and Flying Moths, apply every 2 weeks to the outside surfaces of screens, doors, window frames and outdoor light fixtures

TO CONTROL CARPET BEETLES Spray mist edges of carpeting and under carpeting and rugs Make localized application to floor and baseboards Spray directly into cracks, crevices and infested areas of shelving Repeat treatment as needed Do not allow children or pets in treated areas until spray has dried

TO CONTROL BEDBUGS Spray mist mattresses lightly, particularly around tufts and seams Take beds apart and spray in all joints Treat baseboards, moldings and floors Repeat treatment as needed Do not use sprayed areas until completely dry

TO CONTROL FLEAS (ADULTS AND LARVAE) AND TICKS (ADULTS AND LARVAE) Thoroughly spray infested areas pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering Fresh bedding should be placed in animal quarters following treatment Repeat treatment as needed Do not allow children or pets to access treated surfaces until completely dry

TO CONTROL CLOTHES MOTHS Remove any infested articles from storage brush thoroughly, and air for several hours in sunlight, if possible Apply spray liberally to empty chests, closets, bureaus and other storage's directing the spray into cracks, joints and crevices After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining

TO KILL LICE AND LOUSE EGGS Spray in an inconspicuous area to test for possible staining or discoloration Inspect again after drying then proceed to spray entire area to be treated Spray from a distance of 8 to 10 inches Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned Allow all treated particles to dry thoroughly before use

**OUTDOOR APPLICATION
DIRECTIONS FOR APPLYING**

Do not water the treated area to the point of run off Do not make applications during rain All outdoor applications must be limited to spot or crack and crevice treatments only except for the following permitted uses

- (1) Treatment to soil or vegetation around structures,

- (2) Applications to lawns, turf, () other vegetation,
- (3) Applications to building foundations up to a maximum height of 3 feet

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack and crevice applications only

ROSES & FLOWERS

	<u>Pests</u>	<u>How to Use</u>
Ageratum Aster, Ardisia, Azalea, Baby's breath, Begonia Birds nest fern, Bleeding heart, Carnation, Chrysanthemum, Coleus Common Ninebark and Snowberry, Crown of thorns, cockscomb, Cyclamen, Dracaena, Dumbcane, English Ivy, Exacum, Fuchsia, Gladiolus, Grape Ivy, Gold Bells Hypoestes Ivy, Juniper, Lilac, Marigold, Mock Orange, Nannyberry, Orchid, Palm Pansy, Pea Shrub, Peperomia Petunia Philodendron, Piggy back Plant, Poinsettia Portulaca, Pothos Prayer Plant Purple Passion Rabbits foot fern, Rhododendron, Rose, Schefflera, Snapdragon Snake Plant Statice, Velvet Plant Verbena Zinnia	Aphids, armyworms, Bagworms, Cabbage worms, Cicadas Cornworms cutworms, Exposed thrips, Fall cankerworms, Fall webworms, Fungus gnat, Inchworms, Japanese beetles, Leafminers, Leafrollers Mealybugs, Scale crawlers, Spring cankerworms, Spider mites Stink bugs Whiteflies, Rose Chafer Psyllids, Scale Insects	Apply as a thorough spray, wetting the plants to the dripping point Try to hit underside of leaves and penetrate dense foliage Spray in the late afternoon or evening when the temperature ranges from 50° to 75°F and when there is little or no wind Spray at the first sign of insects Repeat as necessary use intervals of 4 8 days Application can be made up to the day of collection

On Tent caterpillars application should be made when caterpillars are young and tents are first noticed For best results, apply in the late afternoon or evening when caterpillars have returned to their tents A few caterpillars may be seen escaping from the tent, however, they should die within several hours

VEGETABLES

	<u>Pests</u>	<u>How to Use</u>
Asparagus (pre harvest)	Asparagus beetles, Cutworms	Apply as needed to ensure uniform coverage Can be applied up to 3 days prior to harvest
(post harvest)	Larval stages of asparagus beetle tarnished plant bug, Lygus bugs and adult Japanese beetle	Treat ferns or bush growth after spear harvest when insects are present
Celery See Leafy Vegetables		
Cole Crops Broccoli, Brussels Sprouts, Cabbage, Cauliflower	Beet armyworm, Cabbage aphid, Cabbage looper, Diamond back moth, Imported cabbageworm	Apply every 5 days or as needed Can be applied up to 1 day prior to harvest
Corn See Sweet Corn		
Cucurbits Balsam pear (bitter melon) Chinese waxgourd (Chinese preserving melon), citron melon, cucumber gherkin, edible gourds, melons including hybrids such as cantaloupe, casaba, crenshaw, honeydew, honey balls, mango melon muskmelon Persian melon pumpkin, summer & winter squash, watermelon	Aphids, Cabbage looper, Cucumber beetle (adults) Cutworms Leafhoppers Leafminers, Melonworms, Pickleworm, Plant bugs Squash bugs	Apply as needed to ensure uniform coverage Can be applied up to the day of the harvest
Eggplant	Colorado potato beetles, Vegetable leafminers	Apply as needed to ensure uniform coverage Can be applied up to 2 days prior to harvest
Horseradish (Foliar application)	Imported crucifer weevils	Apply as needed Can be applied up to 22 days prior to harvest
Leafy Vegetables Amaranth, Arrugula, Celery Celtuce, Chervil, Com salad Chrysanthemum (edible leaved and garland), cress (garden and upland) Dandelion, Dock, Endive, Fennel Lettuce (head and leaf), Okra, Parsley, Purslane	Alfalfa looper, Aphids, Beet Armyworm, Cabbage looper, Corn ear worm, Cutworms, European corn borer, Fall armyworm, Green cloverworm, Southern armyworm, Tobacco budworm, Vegetable leaf miner	Apply every five to ten days as needed Do not make more than seven applications per crop Can be applied up to one day prior to harvest

(garden and winter) Rhubarb Spinach Swiss chard		
--	--	--

8/9

VEGETABLE (CONT)

	<u>Pests</u>	<u>How to Use</u>
Melons See Cucurbits		
Potatoes	Beet armyworm, Colorado potato beetle, Potato leafhopper, Potato tuberworm, Cabbage looper, cutworms, European corn borer, Potato psyllid, Tarnish plant bug	Apply as needed Can be applied up to 7 days prior to harvest
Peppers	Vegetable leafminers, Cabbage looper, Flea beetle, Corn earworm, Pepper weevil European corn borer	Apply as needed Can be applied up to 3 days prior to harvest
Strawberries Raspberries Blueberries	Strawberry weevils Aphids Spider mites, Lygus bugs, Flea beetles, Omnivorous leafhopper Spittlebugs, Japanese beetles, Field crickets Red Spider Leafroller Weevils	Allow 14 days between last application and harvest Make no more than 8 foliar applications per growing season
Sweet Corn	Corn earworm European corn borer, Fall armyworm Southern armyworm	Apply every 5 days and when needed but not more than 6 applications per season Can be applied up to 1 day prior to harvest
Tomatoes	Beet and southern armyworm, Tomato pinworm, Tomato fruitworm Horn worms Granulate cutworms, Colorado potato beetle Cabbage looper	Apply as needed for uniform coverage Can be applied up to day of harvest

HOME OWNER GROWN FRUIT AND NUT TREES

Apply to trees until foliage is dripping wet Make sure to spray the undersides of leaves and into dense foliage

<u>Trees (fruit or nut)</u>	<u>Target Pests</u>	<u>Use Directions</u>
Almonds Pecans	Navel orange worm, Peach twig borer	Apply when insects appear Do not make more than 2 applications during the period when the outer hull of the almond has started to open Do not make more than 5 applications per season Can be applied up to 7 days prior to harvest
Apples	Plum curculio, redbanded Leafroller, Rosyapple aphid spotted tentiform Leafminer, Tarnished plant bug, White apple Leafroller oblique banded Leafroller, Green fruitworm	Apply when insects appear Repeat as required to maintain control Do not make more than 3 applications per season Do not apply after petal fall
Peaches	Lesser peach tree borer, Peach twig borer Plum curculio, Tarnished plant bug, Green fruit worm, Oriental fruit moth	Apply when insects first appear Do not apply within 7 days of harvest Do not make more than 8 applications per season
Pears	Pear psylla Green fruitworm and Codling moth	Apply when needed Do not apply more than 3 applications per season Can be applied up to 14 days prior to harvest

NUISANCE PESTS IN OUTDOOR AREAS

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs When spraying plants, do not operate closer than 18 inches Use sweeping motion Be cautious about wetting tender foliage, young plants and new growth Do not spray plants when temperatures exceed 90°F Contact insects directly whenever possible Repeat treatment as infestations occur

OUTSIDE SURFACES OF BUILDING

Use for control of Ants, Asian ladybugs, Clover mites Crickets, Earwigs, Millipedes, Sowbugs (pillbugs), Stink bugs to help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance Also, apply as a residual spray to outside surfaces of building, including porches, screens, window frames eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen Repeat treatment as needed to maintain effectiveness

OTHER OUTDOOR AREAS

Use for control of Ants, Crickets, Earwigs, Fleas, Lone star ticks for treatment of localized infestations of these insects in areas where there are weeds or bushy non crop areas, spray infested areas thoroughly

For ants, thoroughly wet hills and runways Repeat application as reinfestations occur

Fire Ant Control

Individual Mound and Plant Container

Treatment

Gently apply over the surface of each mound Thoroughly wet mound and surrounding area of 3 x 4 ft (12 sq ft) For best results apply in cool weather 65°F 80°F early or late in the day Treat new mounds as they appear Pressurized sprays may disturb ants and cause migration, which will reduce product effectiveness **Use the same method as above for the control of Fire Ants that may nest in permanently placed containerized ornamentals plants**

For use only as an aid in reducing annoyance from these insects on the following Cluster flies, Flying moths, Gnats, House flies Mosquitoes Spray outside surfaces of screens doors window frames or wherever these insects may enter the room Also treat surfaces around light fixtures on porches in garages and other places where these insects alight or congregate Repeat as necessary

For information on pesticide products (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Telecommunications Network at 1 800 858 7378

NOTICE To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions

**Manufactured by
Bonide Products, Inc
6301 Sutliff Road
Oriskany, NY 13424**

[Batch Code to be inserted at production]
©Bonide Products, Inc All Rights Reserved

Optional Marketing Statements (Continued from page 1)

Protects your Houseplants, Roses Flowers Vegetables, Fruit and Nuts from Alfalfa Loopers, Ants Aphids Armyworms, Asian Ladybugs, Bagworms Beetles Borers Budworms Cabbageworms, Chinch Bugs, Cicadas Citrus Black Flies, Codling Moths Corn Earworms, Cutworms Elm Spanworms, Fall Cankerworms, Green Fruitworms, Gnats, Grasshoppers, Inchworms Japanese Beetles, Leafhoppers, Leafminers, Leafrollers, Lygus bugs Mealybugs, Mole Crickets, Naval Orange Worms, Scales Sod Webworms, Sowbugs (pillbugs) Spider Mites, Spring Cankerworms, Tent Caterpillars Thrips, Tobacco Budworms Weevils Whiteflies, and many others

Protects your home from Carpenter Ants, Cockroaches Waterbugs, Palmetto Bugs, Scorpion, Millipedes Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clovermites, Cheese Mites, Grain Weevils, Confused Flour Beetles Rust Red Flour Beetles Drugstore Beetles, Meal Worms Grain Mites Cadelles, Fire Ants Earwigs Fleas and Lone Star Ticks

Use in and around the home on Houseplants Vegetables, Roses, Flowers, Ornamentals
KILLS OVER 100 NAMED INSECT PESTS
USE IN AND AROUND THE HOME TO CONTROL INSECT PESTS
USE IN AND AROUND THE GARDEN ON VEGETABLES ROSES, FLOWERS AND ORNAMENTALS