




**All Seasons[®]
Horticultural Spray
Ready to Use**



This product is intended for small garden use only.

- Use Indoors and Out
- Use Year Round
- Kills Insects by Smothering.
- Kills all Stages of Insects Including Eggs
- A Formulation for the Conscientious Home Gardener.
- For use on listed Fruits - Nuts – Vegetables – Shadetrees - Evergreens – Ornamentals – Flowers – Houseplants
- Kills Troublesome Insects such as Scale, Fungus Gnats, Aphids, Whitefly, Mites, Thrips, Mealybugs, Leafminers
- May be used up to the Day of Harvest

ACTIVE INGREDIENTS:

Petroleum Oil (Superior Paraffinic type U.R. Min. 92%)	2.00%
OTHER INGREDIENTS:	98.00%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 (See Back Panel for Additional Precautionary Information)

Net Contents: _____ oz.

2 7 4

All Seasons[®] Horticultural Spray Oil RTU

CONTROLS: Scale insects, Fungus Gnats, Thrips, Mealybugs, Apple Aphids, European Red Spider Mites, Leafminers, and many more...

— **USE** on Listed Fruits, Nuts, Vegetables, Roses, Flowers, Houseplants and in Home Greenhouses.

Read and use according to application directions.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-

— **Store and transport in an upright position.**

Buyer's Guarantee limited to label claims

**Manufactured by
BONIDE PRODUCTS, INC
Yorkville, NY 13495**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: DO NOT APPLY ALL SEASONS[®] HORTICULTURAL SPRAY OIL WITH SULPHUR SPRAYS OR WHERE SULPHUR IS ON THE FOLIAGE, TO DO SO MAY CAUSE FOLIAGE INJURY, LEAF DROP. DO NOT APPLY SPRAY OIL AT TEMPERATURES (ABOVE 90°F) OR WHEN PLANTS ARE DRY (SUFFERING FOR WANT OF MOISTURE) AS IT MAY CAUSE LEAF DROP DUE TO "SHOCK".

ALL SEASONS[®] Horticultural Spray Oil is a highly paraffinic oil, with emulsifier, spreader, and sticker. It envelops, and smothers eggs & insects on listed fruit trees, shade trees, vegetables, ornamentals, shrubs, and roses. All Seasons may be applied up to the day of harvest.

FOR FRUIT TREES, CITRUS, EVERGREENS, AND SHRUBS - To control Thrips, Adelgids, leafhopper, Scale Insects, European Red Spider Mites, Mealybugs and Whitefly Larvae on Citrus (Oranges, Lemons, Grapefruit, Tangerines, Limes), Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Pecans, Cherries), Shade Trees, Evergreens, Camellias, Azaleas, and Hardy Shrubs; SHAKE WELL. Apply enough liquid to wet entire surface of plant. Give special attention to undersides of limbs and foliage. Make application when the temperature is above 40°F. This application is also effective in the removal of sooty mold fungus through the control of Whitefly Larvae.

VEGETABLES

CROP	PEST	Comments
Asparagus, Beans, Beets, Corn, Cucurbits, Peppers, Radish, Squash, Tomato	Aphids, Mites, Beetle Larvae, Leafminers, Thrips, Leafhopper, Whitefly	SHAKE WELL. Apply enough liquid to wet entire surface of plant. Give special attention to underside of limbs. Make application when the temperature is above 40°F. **Repeat as needed

HOUSEPLANTS

CROP	PEST	Comments
Chrysanthemum, Dieffenbachia, Dracaena, Ferns, Gardenias, Jade plant, Palms, Philodendron	Aphids, Leafminers, Mealybugs, Scales, Spider Mites, Whitefly*	SHAKE WELL. Apply enough liquid to wet entire surface of plant. Give special attention to underside of limbs. Make application when the temperature is above 40°F. **Repeat as needed

*ALL SEASONS HORTICULTURAL SPRAY OIL is most effective on Whitefly during immature states.

**CAUTION: Do not exceed 3 consecutive applications without allowing a two week application interval.

Protect floor, floor coverings and furnishings from overspray.

HOME GREENHOUSE

CROP	PEST	COMMENTS
Azaleas, Begonias, Camellias, Chrysanthemum, Easter Lilies, Ferns, Gardenias, Geranium, Hibiscus Foliage, Jade plant, New Guinea Impatiens, Palms, Philodendron, Portulaca, Reigor Begonias, Zinnias	Aphids, Fungus Gnat, Leafminers, Mealybugs, Scales (soft & hard), European Red Spider Mites, Whitefly. *	Do not use on Coconut Palms or Maidenhair Ferns. The blooms of Chrysanthemum and Geranium have shown Phytotoxic symptoms. Frequency of Application: For the greenhouse pests listed, use once a week initially, then as the pest is controlled, decrease the frequency to every 2-3 weeks as needed.

*ALL SEASONS HORTICULTURAL SPRAY OIL is most effective on Whitefly during immature states.

FOR ALL APPLICATIONS:

- Do not exceed the maximum rates or apply more often than recommended.
- Certain plant species may be sensitive to oil. A small number of plants or branches should be test sprayed prior to general spraying.
- Use caution on open blooms – bleaching and spotting have been observed on the open blooms of certain plants.

CAUTION: Do not spray drought injured or winter burned plants. Do not apply oil sprays within 30 days of sulphur applications. Injury may result if oil sprays are used on ferns, palms, hibiscus, certain conifers, including blue spruce, white pine, aborvitae and junipers and certain deciduous trees such as Japanese maple, beech, hickory, walnut, and butternut.

Shake occasionally to keep solution agitated.

STORAGE AND DISPOSAL

Storage: Keep container tightly closed to prevent evaporation. Do not store near or contaminate feed or foodstuffs. Do not use, pour, spill or store near heat or open flame. Store in a cool dry area inaccessible to children and pets. Disposal: Do not reuse empty container. Wrap container and put in trash collection. Pesticide Disposal: Securely wrap original container in several layers of paper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

FIRST AID

If Swallowed: Call a doctor or get medical attention. Do not give anything by mouth to an unconscious or convulsing person. Avoid alcohol. **If On Skin:** Wash with plenty of soap and water. Get medical attention if symptoms persist. **If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth, and get medical attention. **If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

Note to Physician: May pose an aspiration pneumonia hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

Manufactured by
BONIDE PRODUCTS, INC.
Yorkville, NY 13495