

4-425

10/06/2009

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Bonide Products, Inc.
c/o Ms. Sarah Kuetemeier
Registrations by Design, Inc.
P.O. Box 1019
Salem, VA 24153

OCT - 6 2009

Dear Ms. Kuetemeier:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009

Bonide Lawn deGrubber

EPA Reg. No. 4-425

Your submission dated August 28, 2009

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 28, 2009 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Sincerely,

Dana R. Pelitt

for

Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)



Please read instructions on reverse before completing form.

Form Approved MB No. 2070-0060, Approval expires 2-28-95

2/8



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-425
2. EPA Product Manager Gebken
3. Proposed Classification None Restricted
4. Company/Product (Name) Bonide® Lawn deGrubber
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424
6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: of label change per June 4, 2009 letter from EPA

This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Sarah H. Kuetemeier, Title Consultant/Agent for Bonide Products, Inc., Telephone No. (540) 375-8829, Certification, 2. Signature Sarah H. Kuetemeier, 3. Title Consultant/Agent for Bonide Products, Inc., 4. Typed Name Sarah H. Kuetemeier, 5. Date Aug. 28, 2009, 6. Date Application Received (Stamped)

Registrations by Design, Inc.™

Aug. 28, 2009

118½ East Main Street
Suite 1
Salem, VA 24153-3805
phone 540.375.8826
fax 540.375.8827

Document Processing Desk (NOTIF-PYRETHROID)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Ariel Rios Bldg.
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification of Revised Label per EPA 6-4-09 Letter
EPA Reg. No. 4-425, Bonide® Lawn deGrubber

Attn: Linda Arrington, Team Leader
Notifications & Minor Formulations

On behalf of Bonide Products, Inc. of Oriskany, New York, enclosed is notification for the above-referenced product. The purpose of this notification is to update the label per the June 4, 2009 letter from EPA. No changes have been made to the CSF.

The following documents are enclosed:

- 1) EPA Form #8570-1, Application for Pesticide – Notification (2 copies)
- 2) Copy of the proposed revised label with revisions highlighted in blue.

If further action or information is required on behalf of Bonide Products, Inc., please advise.

Best regards,

Sarah H. Kuetemeier
Consultant/Agent for
BONIDE PRODUCTS, INC.
e-mail: sarahk@ntelos.net


/shk

Enclosures

cc: MVickers/BPI

NOTICE! MAILING ADDRESS CHANGE effective August 1, 2009
Registrations by Design, Inc., P.O. Box 1019, Salem, VA 24153

Established
1996





4/8
NOTIFICATION

OCT - 6 2009

Lawn deGrubber

[Alternate Brand Name: BONIDE® Eight® Garden Granules; BONIDE® Ant Killer Granules; BONIDE® Ant, Flea & Tick Killer Granules; Aco Hardware Ant Killer Granules; BONIDE® HouseGuard Perimeter and Foundation Granules]

- For Outdoor Residential Use Only.

Optional Marketing Statements:

- Contains Permethrin, a long lasting insecticide which provides contact and residual control of outdoor insect pests.
- Kills Ants, Fleas, Fire Ants, Brown Dog Ticks, Crickets, Chinch Bugs, Cutworms, Billbugs, Earwigs, Sod Webworms, Grubs, Boxelder Bugs, Grasshoppers, Asian Lady Beetles, Springtails, Firebrats, Spider Mites and Other Listed Insects.
- 10 lbs. Treats up to 5,000 Sq. Ft. / 1 lb. Treats up to 500 Sq. Ft.
- Long Lasting Insect Control - Up to 4 weeks.
- Soil & Turf Insect Control
- Fast acting/quick killing granules
- Low odor
- Kills & repels bugs [in your backyard] [in your yard] [around your home]
- Easy to use
- Kills [nuisance] pests outdoors before they come inside
- Stops [kills] bugs [pests] outdoors – before they come inside
- Effective Home [Yard] barrier treatment
- Results guaranteed
- Long lasting – keeps on killing [working] for weeks
- Convenient, ready to use shaker bottle
- Creates a barrier around your home [yard] [foundation]
- Kills and Repels
- Helps protect your house [home] from invading insects [bugs] [pests] [ants]
- No mixing, no measuring, no messy cleanup
- Keeps annoying insects away
- Creates a barrier around your home
- Do-It-Yourself pest control
- Satisfaction Guaranteed or your money back
- For use around foundations and perimeters of homes, outside buildings, porches, decks, garages, car ports, patios, wooden fences, and in and around wood piles
- Long lasting non-stop protection
- Targeted Ant Control

ACTIVE INGREDIENT:

Permethrin (CAS No. 52645-53-1).....0.25%

OTHER INGREDIENTS:.....99.75%


TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for first aid and additional precautionary statements.

NET WEIGHT _____ LB (_____ kg)



FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	Call a poison control center or doctor immediately for advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is extremely toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.


Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Avoid contamination of food and feed. Utensils such as teaspoons and measuring cups should not be used for food purposes after use with insecticides. Do not allow children and pets to enter the treated area until dust has settled.

Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during rain.



STORAGE & DISPOSAL

STORAGE: Store product in original container in a locked storage area. Store and transport in an upright position.

DISPOSAL: *If empty* – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LAWNS

Three Easy Steps to use this Product

Step #1: Determine size of the job, measure the area to be treated.


Step #2: Use spreader setting chart to determine appropriate setting for your spreader.

Step #3: Treat as directed in Rate chart. Thorough coverage is important. Water in granules where indicated.

Note: The spreader settings listed below are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting, if necessary, in order to assure correct rate of application.

SPREADER SETTINGS (per 1,000 sq. ft.)

Spreader Make and Model	Grass or Dichondra Lawns 2 Pounds	White Grubs, Billbugs 2½ pounds	St. Augustine Lawns 3 pounds
Cyclone: Broadcast	3½ – 4	4½	5½
Greenview: Drop Spred III Jet Spred III	3 – 3½ 4 – 4½	4 5	5 6
Republic: Drop EZ530 Broadcast EZ540	8 – 9 2 – 2½	10 3	11 4
Scotts: AG3 SG3 EG3 PF4	3 – 3½ 4 – 4½ 26½ – 27 4¾ – 5½	4 5 27½ 6	5 6 28 6¼
Sears: Drop 1935 Broadcast 1922	5 – 5½ 11 – 11½	6 12	7 13



Treatment Areas	Pests	Use Rate	How to Use
Overall Lawn Application for Grass and Dichondra Lawns	Ants, Armyworms, Brown dog ticks, Chinch bugs, Clover mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Lawn moths (Sod webworms), Leaf hoppers, Millipedes, Sowbugs.	For application with other types of equipment, apply at the rate of 2 lbs. per 1,000 sq. ft. (an area 20' by 50') or 3.2 oz. per 100 sq. ft. (an area 10' by 10') [Apply 1 lb. per 500 sq. ft.]	Apply with a fertilizer spreader. See spreader setting chart above. Apply when grass is dry. Water lawn lightly after application. Repeat as necessary.
	Billbugs, Grubs, Japanese beetle grubs, Dung beetles (Ataenius Spretulus)	Apply 2½ lbs. per 1,000 sq. ft. of lawn (or 4 oz. per 100 sq. ft.) [Apply 1 lb. per 400 sq. ft. or 4 oz. per 100 sq. ft.]	Water grass thoroughly after application. For Billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. For Grub control, except Dung Beetle, treat any time between late July and early October. For Dung Beetle Grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with ¼ to ½ inch of water after application. Treat again in late summer or early fall if a second generation occurs.
Spot Treatment	Ants	Apply 1½ teaspoons over and around each ant hill.	Water lightly after application.
	Fire Ants	Apply 1 cup over, and 2 ft. around, each fire ant mound.	Water in thoroughly, immediately after application. A minimum of 1 gallon of water should be applied to each mound area. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration, reducing product effectiveness. Note: For best results, apply in early morning or late evening hours. Treat new mounds as they appear.
Band Treatment Around House Foundation	Ants, Asian Lady Beetles, Fleas, Boxelder Bugs, Brown dog ticks, Clover mites, Crickets, Earwigs, Firebrats, Grasshoppers, Millipedes, Roaches, Silverfish, Sowbugs (Pillbugs), Spiders, Spider mites, Springtails (collembolan)	3.2 oz. for each 100 sq. ft. area. [1 lb. per 500 sq. ft.]	These pests are commonly found around or near foundations of houses, as well as in lawns. Certain of these pests may enter houses. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application.

DISCLAIMER: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

MONEY BACK GUARANTEE: If not completely satisfied with the performance of this product, Bonide Products Inc. will refund your purchase price. Mail proof of purchase (UPC Bar Code), the original purchase receipt and a written description of your problem to: Customer Service, Bonide Products, Inc., 6301 Sutliff Road, Oriskany, NY 13424.

Manufactured by
Bonide Products, Inc.
 6301 Sutliff Road
 Oriskany, NY 13424

[Batch Code to be inserted at production]

©Bonide Products, Inc. All Rights Reserved

