

4-429

04/04/2000

1/6

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 4-429	Date of Issuance: APR - 4 2000	
	NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration	Term of Issuance: Conditional		Name of Pesticide Product: Bonide Yard & Patio Fogger
	(under FIFRA, as amended)	Name and Address of Registrant (include ZIP Code): Bonide Products, Inc. 2 Wurz Avenue Yorkville, NY 13495		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase "EPA Registration No. 4-429". b. Under Directions for Use add "Do not use in commercial foo/feed handling establishments, restaurants or other areas where food is commercially prepared, processed or stored." c. Under Outdoor Use add "Not for use on plants being grown for sale or other commercial use or for commercial seed production or for research purposes." 				
Signature of Approving Official:		Date:		

page 2
EPA Reg. No. 4-429

d. Under "Indoors" revise the statement to read "Leave room and keep door closed for 15 minutes after spraying."

We note that the Confidential Statement of Formula (CSF) dated March 7, 2000 replaces all previously submitted CSF's.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

) Enclosure



Yard & Patio Fogger

- * CONTROLS RESIDENTIAL AND ORNAMENTAL GARDEN INSECTS
- * FOR HOUSEHOLD USE.
- * A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST
- * ANTS, CARPENTER ANTS, BEES, CARPET BEETLES, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, FLEAS, GRAIN BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, WASPS, AND MANY OTHER PESTS.

ACTIVE INGREDIENTS:

*Tetramethrin	0.15%
**Permethrin	0.15%
***Piperonyl Butoxide, Technical	0.75%
INERT INGREDIENTS:	98.95%
TOTAL.....	100.00%

*1-cyclohexene-1, 2-dicarboximidomethyl-2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
 **(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.
 Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.
 ***Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

EPA REG. NO.

EPA EST. NO. 4-NY-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions

ACCEPTED
with COMMENTS
Statements Dated

Net Contents: APR - 4 2000

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
4-429

PRECAUTIONARY STATEMENTS**Hazards To Humans & Domestic Animals**

CAUTION: Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing vapor or spray mist. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

INDOORS: HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources, which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

Repeat treatment as necessary.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

To control **Clothes Moths** and **Carpet Beetles** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible.

Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.


*Pests on Outside Surfaces of Buildings: For control of building infestation due to **Ants, Clover Mites, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs)**.* Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surface of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant trails and hills.

ANTS, LONE STAR TICKS, CRICKETS, FLEAS AND EARWIGS:

Apply thoroughly to infestations in bushes, grass or weeds. For Ants, spray freely around ant trails and hills.



6/6

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites** and **Leafminers**.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African Violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites** and **Army Worms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**Manufactured by
Bonide Products, Inc.
Yorkville, NY 13495**