



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:  
4-440

Date of Issuance:  
AUG 11 2000

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Term of Issuance: **Unconditional**

Name of Pesticide Product:  
**Bonide Home Pest  
Eliminator**

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bonide Products, Inc.  
2 Wurz Avenue  
Yorkville, NY 13495

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5), provided that you:

1. Make the following labeling changes listed below before you release the product for shipment:

- a. Delete the statement "No Unpleasant Odor" from the label. This is a subjective statement since the odor from the product may or may not be considered unpleasant by the consumer.
- b. The claim "New Formulation" may be used on the product labeling only for a period of six months from the date of this Notice of registration.
- c. Revise the "Precautionary Statements" section to read "Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling."
- d. Delete the claim for ticks from "Kills Fleas and Ticks". The lowest concentration for which we have effectiveness data is 50% higher than that in the subject product. Also, delete all directions for treating ticks from the "Directions for Use" section of your label.
- e. Under "Ants" on page 3 of your label, delete the word "freely" from the statement "Spray freely around ant trails and hills." Instructions to spray "freely" may conflict with the general instructions to use only as a spot treatment and to "spray until surface is slightly moist."

Signature of Approving Official:

George T. LaRocca

Date:


AUG 11 2000

Handwritten notes: 7505C, SPRONT, 8/11/00

- f. Either delete all occurrences of the statement "Repeat as necessary but not more than once per week" or delete all efficacy claims of residual activity. If the product will continue to provide residual activity for up to 4 months, you should not have to repeat treatment on a weekly basis.
  - h. Add a "Storage and Disposal" section to your label. The following statements should be included in this section "Storage: Store in a cool, dry area. Disposal: Do not reuse empty container. Wrap container with several layers of newspaper and discard in trash."
  - i. Add the statement "For Residential Use Only" to the front panel of the label.
  - j. Delete the term "effective" from the statement "For effective control..." under "Carpenter Ants."
  - k. Delete the word "ELIMINATOR" from the product name. This implies that the product will completely eliminate all home pests.
3. Submit the corrosion characteristics study to the Agency when this study is completed.
4. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely,



George T. LaRocca  
Product Manager (13)  
Insecticide Branch  
Registration Division (7505C)

Enclosure

ACCEPTED  
with COMMENTS  
AUG 11 2000  
4-440

# BONIDE®

## HOME PEST ELIMINATOR

Ready-To-Use

- For Indoor and Outdoor Use
- Easy-To-Use
- Water-Based
- New Formulation ✓
- Kills on Contact
- Kills Fast
- Long-Lasting
- Keeps Killing for up to 4 (8,12,16) Weeks
- Keeps Killing for up to 1 (2, 3, 4) Months
- Keeps Killing for up to 30 (60, 90, 120) Days
- No Drips - No Runs
- Stays Where You Put It
- Odorless
- Kills Home Invading Pests
- Kills Roaches, Ants and Fleas on Contact
- Kills Pantry Pests
- Kills Aphids, Mealy Bugs, Lace Bugs, Thrips,
- Leafminers and Mites
- Not for Use on Plants Grown for Sale or Commercial Use

- \* No Unpleasant Odor - *delete*
- \* Non-Staining
- \* Does Not Stain Surfaces
- \* Does Not Stain Fabrics
- \* No Oily (Greasy) Residue
- \* Contains Deltamethrin - the third generation pyrethroid
- \* Contains DeltaGard®
- \* No Shaking Required
- \* For Use In and Around Horse Stables
- \* For Use On House Plants
- \* For Use On Ornamentals
- \* Kills Fleas & Ticks
- \* Kills Spiders, Centipedes and Scorpions
- \* Kills Plant Pests
- \* Kills Spider Mites
- \* Kills Japanese Beetles

ACTIVE INGREDIENT:  
 Deltamethrin..... 0.02%  
 OTHER INGREDIENTS:..... 99.98%

DeltaGard is a registered trademark of AgroEvo Environmental Health, Inc.

EPA Reg. No. 4 - \_\_\_\_\_

EPA Est. No. 4-NY-1

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

See Back Panel for Additional Precautions

**PRECAUTIONARY STATEMENTS**  
**Hazards To Humans & Domestic Animals**

**CAUTION**

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing.

**Environmental Hazards**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds. Do not dump leftover pesticide or rinse water into drains or sewers. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**Physical or Chemical Hazards**

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**General Information:** Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. Turn sprayer nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist.

Bonide Home Pest Eliminator long-lasting action keeps on killing for up to (30,60,90,120 days; 4, 8,12,16 weeks; 1,2,3,4 months) after you spray. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Bonide Home Pest Eliminator will not stain surfaces or fabrics.

Bonide Home Pest Eliminator is intended to be used in and around residences and their immediate surroundings such as (but not limited to): **apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.** Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

**INDOORS:**

**Cockroaches** (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants, booklice, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs, ticks and waterbugs:** Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[ROACHES: Spray in cracks and crevices, around baseboards and other hiding places.]

**Ants:** Spray around ant trails, doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

**Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

**Ticks (Including ticks that may cause Lyme disease) and Fleas on Surfaces:** Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks:** Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[SILVERFISH, CRICKETS, SPIDERS: Apply to areas infested by these pests.]

FLYING INSECTS: *Houseflies, gnats, mosquitoes and small flying moths*: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed

[FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: To Control *stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitoes and gnats*. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - *Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths*: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

*Carpet Beetles (Black, Furniture and Varied)*: Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

*Webbing Clothes Moths*: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

*Bedbugs*: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is

blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to *ants, clover mites, crickets and sowbugs (pillbugs)*. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: *ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish*. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

*Ants*: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

[ANTS: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

*Lone Star Ticks, Dog Ticks, Crickets and Fleas*: Apply thoroughly to infestation in bushes, grass or weeds. Retreat weekly if necessary.

*Wasps, Mud Daubers, Hornets, Yellow Jackets and Bees*: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *Houseflies, gnats, mosquitoes and small flying moths*: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed

TERMITES, CARPENTER ANTS AND CARPENTER BEES: (for localized control only.) Apply Home Pest Eliminator to voids or channels in damaged wood of a Structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between Wood and the foundation, in locations vulnerable to Attack such as crawl spaces. Retreat if needed but not More than once per week.

For termites, the purpose of such applications is to kill workers or winged forms which may be present in the

(Back Panel) - [booklet label]

treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control *aphids, Japanese beetles, lace bugs, leafminers, mealy bugs, mites and spider mites* on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese beetles* hit by spray, as well as *whiteflies, aphids, army worms, lace bugs, mealy bugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers.*

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. **DO NOT apply to vegetable plants or other plants used for food.** Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Trusted since 1926  
BONIDE PRODUCTS, INC.

Complete directions for use have been removed!

KEEP OUT OF REACH OF CHILDREN  
Dispose of properly  
Buyers Guarantee limited to label claims

For information on pesticide products (including health concerns, Medical emergencies, or pesticide incidents), call National Pesticide Telecommunications Network at 1-800-858-7378

Questions, Concerns or Comments?  
Write to  
BONIDE PRODUCTS, INC.  
Consumer Services  
2 Wurz Ave.  
Yorkville, NY 13495

EPA Reg. No. 4-\_\_\_\_ EPA Est. No. 4-NY-1