



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

NOV 9 2006

Ms. Rebecca M. Horton.
Registrations by Design, Inc.
118 ½ East Main Street, Suite 1
Salem, VA 24153-3805

Subject: Label Amendment to Add Extended Control Claims

EPA Reg. No. 4-440
BONIDE® Home Pest Eliminator

Your Submission Dated February 16, 2006


Dear Ms Horton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- Add the following precaution to the paragraph under Outdoors: *"Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops."*

If you have any questions regarding this action, please contact Olga Odiott of my team at (703) 308-9369.

Sincerely,


George J. LaRocca

Product Manager 13

Insecticide Branch

Registration Division (7505P)

Enclosure



HOME PEST ELIMINATOR

[Additional Brand Names: Household Insect Control Ready-to-Use; Termite & Carpenter Ant Killer Ready-to-Use]

Optional Marketing Statements:

- For Indoor and Outdoor Use
- Easy-to-Use
- Ready-to-Use
- Water-Based, No Shaking Required [No Shake Formula]
- Kills Fast
- Kills on Contact
- Long-Lasting
- Keeps Killing for up to 4 (8, 12, 16) Weeks ✓
- Keeps on Killing for up to 1 (2, 3, 4) Months .
- Keeps Killing for up to 30 (60, 90, 120) Days ✓
- No Drips – No Runs [No Drip Formula] .
- Stays Where You Put It
- Odorless
- Kills Home Invading Pests
- Kills Roaches, Ants and Fleas on Contact ✓
- Kills Aphids, Mealybugs, Lace Bugs, Thrips
- Leafminers* and Mites
- *Not for use in California

- No Unpleasant Odor
- No Oily (Greasy) Residue
- Contains Deltamethrin – The Third Generation Pyrethroid
- Contains DeltaGard® insecticide
- *DeltaGard is a registered trademark of The Aventis Group
- For Use In and Around Horse Stables
- For Use On House Plants
- For Use on Ornamental(s) (Plants)
- Kills Fleas & Ticks
- Kills Spiders, Centipedes and Scorpions
- Kills Plant Pests
- Kills Spider Mites
- Kills Japanese Beetles*
- *Not for use in California
- Kills Pantry Pests
- Not for Use on Plants Grown for Sale or Commercial Use

Kills: Ants, Bedbugs, Boxelder Bugs, Centipedes, Crickets, Fleas, Houseflies, Palmetto Bugs, Roaches, Scorpions, Silverfish, Spiders, Waterbugs and Other Listed Insects

Contact Kill Gives You Immediate Results When Spraying Insects Directly, While Residual Activity Kills Insects When They Return to Treated Areas.

- Keeps Killing German Cockroaches for Up to 3 Months (12 Weeks) -
- Keeps Killing Houseflies for Up to 5 Months (20 Weeks) .
- Keeps Killing Carpenter Ants for Up to 4 Weeks (30 days, 1 Month) When Applied to Non-Porous Surfaces -
- Keeps Killing Stable Flies for Up to 4 Months .
- Controls Ticks That May Transmit Lyme Disease .
- Kills Mosquitoes .
- Non-staining [Does Not Stain Fabrics (Surfaces)] .
- Kills Ants, Fleas, Ticks, Crickets, Spiders, Flies & Other Listed Pests

- Kills Spider Mites
- Controls Carpenter Ants & Carpenter Bees .

ACTIVE INGREDIENT:

Deltamethrin (CAS #52918-63-5) 0.02%

OTHER INGREDIENTS:..... 99.98%

TOTAL..... 100.00%

For Residential Use Only

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for Additional Precautions)

NET CONTENTS: _____

ACCEPTED
with **COMMENTS**
In EPA Letter Dated
NOV 9 2006
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
4-440

For Indoor and Outdoor Use

- Water-Based
- Kills on Contact
- Keeps Killing for up to 4 Months
- Kills Spiders, Centipedes & Scorpions
- Kills Roaches, Ants & Fleas on Contact
- Odorless
- Easy-to-Use
- For Use on Houseplants
- Kills Fleas
- No Oily Residue
- Long-Lasting

Kills: Firebrats, Booklice, Silverfish, Crickets, Sowbugs, Centipedes, Bedbugs, Scorpions, Houseflies, Gnats, Mosquitoes, Small Flying Moths, Pantry Pests, Carpet Beetles, Deerflies, Horseflies, Wasps, Mud Daubers, Yellow Jackets, Bees, Hornets and Termites.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, streams, rivers or ponds. Do not dump leftover pesticide or rinse water into drains or sewers. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to possibility of shock hazards.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. Turn sprayer nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist. Repeat application as needed, but not more than once per week.

This product's long-lasting action keeps on killing for up to 4 months after you spray. BONIDE Home Pest Eliminator keeps on killing German Cockroaches for up to 3 months after you spray; keeps on killing flies for up to 4 (5) months [16 (20) weeks, 120 days] after you spray. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Use caution on fine finishes and fabrics. Test small area first. ~~Shake well before use.~~

This product is intended to be used in and around residences and their immediate surroundings such as (but not limited to): **apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.** Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS:

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants, Asian ladybeetle, booklice, boxelder bugs, centipedes, crickets,**

dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs, ticks and waterbugs: Controls German cockroaches for up to 3 months. Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind base boards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. For Ticks, spray surfaces until moist. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

[ROACHES: Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray around ant trails, doors and windows and other places where ants enter the house.

Carpenter Ants: For control, locate and treat nests and surrounding areas. Apply around doors, windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks (including Ticks that may transmit Lyme disease) and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters until moist. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and doorframes, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. For Ticks, spray surfaces until moist. Treat baseboards, storage areas and other locations where these pests are found.

[SILVERFISH, CRICKETS, SPIDERS: Apply to areas infested by these pests.]

FLYING INSECTS: Houseflies, gnats, mosquitoes, and small flying moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To control **stables flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitoes and gnats.** Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Do not spray animals or humans, or apply to animal feed or watering equipment. Controls Stable Flies for up to 4 months.

PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before reuse.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

OUTDOORS:

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to ants, Asian ladybeetle, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects area active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (bug are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.

CRAWLING INSECTS: ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Mud Daubers, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, gnats, mosquitoes and small flying moths: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

TERMITES, CARPENTER ANTS AND CARPENTER BEES: (for localized control only). Apply this product to voids or channels in damaged wood of a structure or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For termites, the purpose of such applications is to kill workers or winged forms, which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control aphids, Japanese beetles*, lace bugs, leafminers*, mealybugs, mites and spider mites on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original

location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

**Not for use in California.*

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese beetles*** hit by spray, as well as **whiteflies, aphids, armyworms, lace bugs, mealybugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers***.

**Not for use in California.*

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. **DO NOT apply to vegetables plants or other plants used for food.** Spray insects directly wherever possible.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area.

Disposal: *If empty* – Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Dispose of properly

Buyer's Guarantee limited to label claims.

Manufactured by:

Bonide Products, Inc.

Oriskany, NY 13424

Questions, Concerns or Comments?

Write to

Bonide Products, Inc.

Consumer Services

6301 Sutliff Road

Oriskany, NY 13424