

4-453

10/29/2002

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1400 Reservoir Road
Washington, DC 20460

EPA Reg. No.
4-453

Date
OCT 29 2002

NOTICE OF PESTICIDE
 x Registration

 Reregistration

(under FIFRA, as amended)

Term of Registration: Conditional

Name of Pesticide Product:
Bonide Snail-n- Slug Beater Concentrate

Name and Address of Registrant (include ZIP Code):

Bonide Products, Inc
6301 Sutliff Road
Oriskany, NY 13424
attn. Rebecca M. Horton

Note: Changes in labeling differing in substance from that accepted in connection with any registration, must be submitted to the Agency **prior to use of the label in commerce**. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

- 1. Revise the EPA Registration Number to read, "EPA Reg. No. 4-453"

Signature of Approving Official:

Dani Daniel
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

OCT 29 2002

Page Two

4-453

2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure :

3/5

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

OCT 29 2002

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
4-493**

BONIDE

SNAIL – N – SLUG BEATER CONCENTRATE

- ATTRACTS AND KILLS SNAILS AND SLUGS
- TREATS 1,600 SQ. FT.
- PROTECTS LAWN AND LISTED ORNAMENTALS, FRUIT AND VEGETABLES.

ACTIVE INGREDIENT

Metaldehyde (CAS # 108-62-3)	12.50%
OTHER INGREDIENTS	87.50%
TOTAL	100.00%

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN.

KEEP PETS OUT OF TREATED AREA.

SHAKE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK/SIDE/OTHER PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS:

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS – WARNING**

Keep out of the reach of children. May be fatal if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of the reach of children and pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied. Do not allow children and pets to play on treated areas until residues have been washed off and into the soil.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-xxx-xxx-xxxx for emergency medical treatment information.

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawn and grounds.

NOTE: Keep from freezing.

SHAKE BEFORE USING

LAWNS AND ORNAMENTALS: Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Iris, Daisies, Begonias, Coleus, Ajuga, and Dichondra.

FRUITS: Apples, Blueberries, Cantaloupe, Cherries, Grapes, Peaches, Pears, Raspberries, and Strawberries. Mix 2 oz. per gal. of water and apply to 100 sq. ft. around listed fruits. Do not allow the spray to contact fruit.

VEGETABLES: Beans, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumber, Eggplant, Lettuce, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rhubarb, Spinach, Squash, and Tomatoes. Mix 2 oz. per gal. of water and apply to 100 sq. ft. around listed vegetables. Do not allow the spray to contact vegetables.

SPRINKLING CAN: Mix 2 ounces (4 tablespoons) for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft.

HOSE-END SPRAYER: Use 2 ounces (4 tablespoons) for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft. One qt. treats 1,600 sq. ft.

For complete control, cover entire area. Bonide Snail-N-Slug Beater should be applied in the evening as slugs feed mostly at night. Re-apply after two weeks or after heavy rain.

If this product is packaged in a hose-end sprayer:

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
2. Turn water on at faucet, aim nozzle toward lawn and turn knob control lever to ON to begin spraying.
3. When finished, turn control lever to OFF position. Turn faucet to OFF position. Discharge residual water pressure by turning ON and OFF again.

STORE OUT OF REACH OF CHILDREN.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store only in original container, in a locked storage area out of reach of children and pets.

Disposal: If empty, do not reuse this container. Place in trash or offer for recycling if available. If partially filled, call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by

**BONIDE PRODUCTS, INC.
ORISKANY, NY 13424**