

4-461

08/08/2008

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Mrs. Nicole Russell  
Registration Specialist  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

AUG 8 2008

RE: Notification of Addition Brand Name: Bonide Termite & Carpenter Ant Killer House Guard

EPA Registration Number: 4-461

Date of Submission: July 3, 2008

Dear Mrs. Russell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 3, 2008, for the product, Bonide Crawling Insect Killer. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-467	2. EPA Product Manager LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide Crawling Insect Killer	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 Attn: Nicole Russell <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>AUG 08 2008</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Addition of Additional Brand Name - Bonide Termite & Carpenter Ant Killer House Guard  
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Nicole Russell	Title Pesticide Compliance Specialist	Telephone No. (Include Area Code) 315-736-8231 ext. 230
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Nicole Russell	5. Date 7-3-04	



4/7



**NOTIFICATION**

**AUG 08 2008**

# CRAWLING INSECT KILLER

[Additional Brand Names: Bonide Ant, Roach & Spider Killer, Bonide Spider Killer, Bonide Termite & Carpenter

Ant Killer, **Bonide Termite & Carpenter Ant Killer**



- *For Household And Domestic Use Only*
- *Not For Use On Plants Grown For Sale Or Other Commercial Use*
- *Water-Based Formula*
- *Killing Action*
- *Kills Carbamate And Organophosphate Resistant Cockroaches*
- *Kills Ants & Roaches On Contact*
- *Kills Carpenter Ants*
- *Controls Scorpions, Spiders & Ticks*
- *Fast Knockdown Formula*
- *Long-Lasting Control*
- *For Indoor/Outdoor Use*
- *Kills Fleas-Roaches-Ants-Spiders*
- *Kills On Contact*
- *Broad Spectrum Insect Control*
- *No Unpleasant Odor*
- *Won't Stain Carpets And Floors*
- *Protects Against German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]*
- *Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]*
- *Sprays at any angle*
- *Contains UltraTec® Insecticide and Esbiol® Insecticide*
- *Contains Deltamethrin And S-Bioallethrin*
- *Water-Based*
- *Kills Hidden Bugs*
- *Kills Bugs You See And Even The Ones You Don't See*
- *Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects In and Around Homes, Recreational Vehicles, Cabins, Tents And Other Recreational Structures*
- *No Oily Residue*
- *No Greasy Residue - Non-Staining*
- *Keeps On Killing*
- *Contains No CFC's Or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants In Aerosols*
- *Guard Your Home With BONIDE® Crawling Insect Killer!*
- *Also Kills Fleas & Ticks*
- *Kills Spiders\* & Scorpions\* \*Not for use in California.*

**ACTIVE INGREDIENTS:**

S-Bioallethrin.....0.05 %  
 Deltamethrin .....0.02 %

**OTHER INGREDIENTS\*:**.....99.93 %  
 100.00 %

\*Contains petroleum distillate.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)


## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back/Side/Other Panel(s) for additional Precautionary Statements

**NET CONTENTS:**

EPA Reg. No. 4-461  
July 3, 2008 – Notification

EPA Est. No. 4-NY-1  
Page 1 of 4 Pages



<b>FIRST AID</b>	
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give <b>any</b> liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Information Center at 1-800-858-7378.	
<b>NOTE TO PHYSICIAN</b>	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

**Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**Physical and Chemical Hazards**

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BONIDE® Crawling Insect Killer works in two ways:

- 1) it kills bugs fast on contact; and
- 2) its residual action keeps on killing *German Cockroaches* and *Houseflies* for up to 12 weeks (3 months) after you spray. Contact kill gives you immediate results when spraying insects directly.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Test product in an inconspicuous area before applying. Spray until surface is slightly wet but not to the point of run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

BONIDE® Crawling Insect Killer is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.

**INDOORS:**

*Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Booklice, Boxelder Bugs, Centipedes\*, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs\*, Ticks and Waterbugs:* Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week. \*Not for use in California.

[*Roaches*: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

*Ants*: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

**LOCALIZED TREATMENT OF WOOD DESTROYING INSECTS:**

*Carpenter Ants (Termites and Carpenter Bees)*: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings. Not recommended as sole protection against wood destroying insects. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestations, contact a professional pest control operator in your area.

*Ticks and Fleas ON SURFACES*: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

*Spiders*: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

*Centipedes\*, Ground Beetles, Pillbugs, Sowbugs\*, Scorpions\** and *Ticks*: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found. \*Not for use in California.

[*Silverfish, Crickets, Spiders, Earwigs*: Apply around doors and windows, baseboards, storage areas, pipes and other areas infested by these pests or spray pests directly. Spray surfaces until wet.]

**PANTRY PESTS:** *Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths*: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

*Carpet Beetles (Black, Furniture and Varied)*: Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

*Webbing Clothes Moths*: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

**OUTDOORS:**

Remove all exposed food and cooking utensils. Cover all food handling surfaces and/or wash thoroughly after treatment and before use. Do not use on edible crops.

Point nozzle away from face. Hold can on a slight downward angle, approximately 12 - 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation to *Ants, Clover Mites, Crickets* and *Sowbugs\* (Pillbugs)*. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary, but not more than once per week. \*Not for use in California.

**CRAWLING INSECTS:** *Ants, Cockroaches (Including Asian Cockroaches), Centipedes\*, Crickets, Mole Crickets, Waterbugs* and *Silverfish*. Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

*Ants*: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet. Repeat as necessary but not more than once per week.

[*Ants*: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

*Lone Star Ticks, Dog Ticks, Crickets, Fleas* and *Earwigs*: Apply thoroughly to infestation in bushes, grass or weeds.  
*Wasps, Hornets* and *Bees*: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

**FLYING INSECTS:** *Houseflies, Gnats, Mosquitoes* and *Small Flying Moths*: Use only on outdoor surfaces. Spray outside surfaces of window

Handwritten marks and scribbles at the bottom right of the page.

