

4-471

7/17/2009

1
1b



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUL 17 2009

Mrs. Nicole Russell
Registration Specialist
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

RE: Notification Addition of "Japanese Beetle"
EPA Registration Number: 4-471
Date of Submission: June 17, 2009

Dear Mrs. Russell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 17, 2009, for the product, Bonide Spinosad Concentrate. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-471	2. EPA Product Manager LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide® Spinosad Concentrate	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 Attn: Nicole Russell <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>NOTIFICATION</u> Product Name <u>JUL 17 2009</u>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Addition of "Japanese beetle"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Nicole Russell	Title Pesticide Compliance Specialist	Telephone No. (Include Area Code) 315-736-8231 ext. 230
------------------------	--	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature 	3. Title Pesticide Compliance Specialist
4. Typed Name Nicole Russell	5. Date 6/17/09

Bonide Products, Inc.

6301 Sutliff Rd.
Oriskany, NY 13424

Phone (315) 736-8231
Fax (315) 736-7582

June 17, 2009

FedEx: 8685 1623 2296

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

RE: Bonide Spinosad Concentrate
EPA Reg. No. 4-471
Notification – Addition of "Japanese beetle"

To Whom It May Concern:

Enclosed, please find a completed form 8570-1, Notification and the latest final printed label for the above mentioned registration. Changes are in red text and highlighted in yellow. I trust you will find everything in order for approval.


This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Should you have any questions or require additional information, please do not hesitate to contact me at (315) 736-8231, extension 230 or by e-mail at Nicoler@bonide.com.

Sincerely,

Nicole Russell
Pesticide Compliance Specialist

Enclosure



[VERSION A – MASTER LABEL]



Spinosad[®] Concentrate

[Additional Brand Name(s): Captain Jim's Deadbug Brew[®] Concentrate; Bonide[®] Captain Jack's Deadbug Brew[®] Concentrate; Captain Jack's Deadbug Brew[®] Concentrate]

Optional Marketing Statements:
Insect Control Product


FOR RESIDENTIAL USE IN HOME GARDENS, LAWNS AND ORNAMENTALS

For control of foliage feeding worms (caterpillars), thrips and other listed pests in:

- Fruiting vegetables, such as tomato, pepper, okra and eggplant
- Cucurbits, such as cantaloupe and honeydew
- Cole crops (Brassica), such as broccoli, cabbage and cauliflower
- Leafy vegetables, such as lettuce, spinach and celery
- Tuberous vegetables, such as potatoes, sweet potatoes, yams, Jerusalem artichoke Chinese artichoke and cassava
- Stone fruits, such as peaches, plums, cherries, nectarines, prunes and apricots
- Apple and other pome fruits, such as pears, crabapples, mayhaw and quince
- Bushberries and caneberries, such as blueberry, blackberry and raspberry
- Citrus trees, such as oranges, grapefruit, lemons, limes, and tangerines
- Succulent beans and peas, such as lima bean, snap bean and blackeyed pea
- Tree fruits, such as avocado, mango, star apple and papaya
- Tree nuts, such as pecans, almonds, cashew and walnuts
- Sweet corn and popcorn
- Asparagus
- Grape
- Leafy and dried herbs
- Strawberry
- Lawns
- Outdoor herbaceous and woody ornamentals
- Fire ant control in lawns, ornamentals, home gardens, and other outdoor areas

See Home Gardens and Lawns and Ornamentals sections for a complete listing of crops and use sites.

Liquid concentrate
 Easy to use
 User friendly
 No guesswork
CONCENTRATE
 For vegetables, apples, and citrus trees
 Controls worms (caterpillars)
 Kills worms (caterpillars)
 Controls citrus leafminers
 Controls Colorado potato beetle
 Kills Colorado potato beetle
 Controls certain insects in vegetable gardens
 Controls certain insects in the garden
 Controls certain insects in vegetable gardens



For vegetables
 No odor water-based formula
 Water-based formula
 Contains spinosad
 Do-it-yourself home garden insect control
 Leaves no oily residue
 Kills certain home garden insect pests
 Short post-harvest interval
 Pick apples 7 days after spraying
 Contains [trademark] Naturalyte[®] insect control
 A [trademark] Naturalyte[®] insect control product

Use on fruits, vegetables, berries, citrus, grapes, nuts and ornamentals.
 Kills bagworms, borers, beetles, caterpillars, codling moth, gypsy moth, japanese beetle, loopers, leaf miners, spider mites, tent caterpillars, thrips and more!
 Captain Jim's DEADBUG Brew[®] contains Spinosad "spin-OH-sid". Spinosad is derived from a naturally occurring soil dwelling bacterium that was collected from an abandoned rum distillery on a Caribbean island in 1982. This unique bacterium was defined as a new species when it was discovered and it has never been found in nature anywhere else in the world. Since being discovered, Spinosad has become a leading pesticide used by agriculture world wide in the production of organic produce. Today, thanks to Captain Jim, and his DEADBUG Brew[®] Spinosad is available to the homeowner.
 To help avoid insect resistance to Spinosad, limit applications to any specific site to no more than 6 times per year.
 Use with TURBO for enhanced effectiveness on borers and miners.
 Be patient, it will take 1 - 2 days for insects to die off.



Active Ingredient:

spinosad (a mixture of spinosyn A and spinosyn D)	0.5%
Other Ingredients	99.5%
Total	100.0%

Contains 0.04 lb of active ingredient per gallon.
 U.S. Patent No. 5,362,634 and 5,496,931


Keep Out Of Reach Of Children



For Organic Production

Refer to label booklet for Directions for Use.
 Notice: Read the entire label. Use only according to label directions.
 Shake Well Before Use -- Avoid Freezing
[®]Trademark of Dow AgroSciences LLC

Net Contents _____



Precautionary Statements

Environmental Hazards

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not put product or rinse water down drain.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

For residential use in home gardens, lawns and ornamentals. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only in secure or locked storage area.

Pesticide Disposal: *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: *If empty* - Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash.

This insect control product is intended for control of worms (caterpillars) and other listed insects. This product does not significantly impact predatory beneficial insects, predatory mites, and spiders while controlling target pests. Susceptible insect pests may be observed on plants up to several hours after treatment, but will have ceased active feeding before being killed. Spinosad is classified as an organic substance by the USDA National Organic Standards Board.

[this section may be listed here, as well as on the front panel]

Captain Jim's DEADBUG Brew® contains Spinosad "spin-OH-sid". Spinosad is derived from a naturally occurring soil dwelling bacterium that was collected from an abandoned rum distillery on a Caribbean island in 1982. This unique bacterium was defined as a new species when it was discovered and it has never been found in nature anywhere else in the world. Since being discovered, Spinosad has become a leading pesticide used by agriculture world wide in the production of organic produce. Today, thanks to Captain Jim, and his DEADBUG Brew® Spinosad is available to the homeowner.

How to Mix

Add the required amount of this product to the recommended amount of water, mix thoroughly, and apply uniformly to both upper and lower surfaces of plant foliage. It is recommended to mix only as much spray as needed for a single treatment. In vegetable gardens it is recommended to use not more than 3 gallons of spray for 1000 sq ft of area. Do not use kitchen utensils for measuring. Keep measuring utensils with product and away from children.

Unit of Measure ¹	Amount of this product to Use per Pint, Quart or Gallon of Spray		
	Per Pint (16 fl oz) of Spray	Per Quart (32 fl oz) of Spray	Per Gallon (128 fl oz) of Spray
Fluid Ounces (fl oz)	0.25 fl oz	0.5 fl oz	2 fl oz
Milliliters (mL)	7.5 mL	15 mL	60 mL
Tablespoons (Tbs)	1/2 Tbs	1 Tbs	4 Tbs
Teaspoons (tsp)	1 1/2 tsp	3 tsp	12 tsp

¹ Conversion factors: 1 fl oz = 30 mL = 2 tablespoons (Tbs) = 6 teaspoons (tsp) (1 teaspoon = 1/3 tablespoon)

How to Apply

Shake Well Before Use

This product may be applied with trigger sprayer, hand-held, backpack, or hose-end sprayers. Use a hose-end sprayer that can be adjusted to provide a dilution ratio of about 2 fl oz of this product (4 Tbs) per gallon of spray. **[Editor's Note:** The following statement should be included in the label if product is packaged to be applied with a hose-end sprayer.] See Hose-End Sprayer Directions below if this product is packaged in a hose-end sprayer.

Hose-End Sprayer Directions

[Editors note: Formulator label may include directions and graphic for a hose-end sprayer application.]

When to Apply

Apply when listed pests are present. Repeat applications may be made as indicated in the Home Gardens section. See your state extension service recommendations for treatment guidelines in your area.

Uses

Home Gardens

In the state of Georgia, do not apply this product to: Broccoli Raab, Chinese Cabbage (Bok Choy), Collards, Kale, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens.

Crops	Pests Controlled	Maximum Number of Applications per Season	Minimum Days to Wait Before Reapplying	Minimum Days to Wait from Last Application to Harvest
apple and other pome fruits including, but not limited to: crabapples, mayhaw, pears, and quince	codling moth leafminers leafrollers oriental fruit moth tufted apple budmoth	6	10	7
asparagus (post-harvest to protect ferns)	asparagus beetles	4	7	60
bushberries and caneberries, including, but not limited to: blackberry, blueberry, currant, elderberry, gooseberry, huckleberry, juneberry, lingonberry, loganberry, raspberry, and salal	armyworms fireworms fruitfly (suppression) fruitworms leafrollers loopers thrips	6	6	3

citrus trees , including, but not limited to: grapefruit, lemons, limes, oranges, and tangerines (to prevent fruit scaring from thrips, treat when fruit is marble size)	katydids leafminers thrips worms (caterpillars)	6	6	1
cole crops (Brassica vegetables) , including, but not limited to: broccoli, broccoli raab, brussels sprouts, cauliflower, cavalo, Chinese broccoli, cabbage, Chinese cabbage (bok choy), Chinese cabbage (napa), Chinese mustard cabbage (gai choy), collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, and rape greens	cabbage looper diamondback moth imported cabbage worm leafminers worms	6	4	1
cucurbits , including, but not limited to: cucumber, edible gourds, muskmelons (cantaloupe, honeydew, etc.), pumpkin, summer and winter squash, and watermelon	leafminers thrips worms (caterpillars)	6	5	all except cucumber, 3 cucumber, 1
fruiting vegetables , including, but not limited to: eggplant, ground cherry, okra, pepino, pepper, tomatillo, and tomato	Colorado potato beetle leafminers thrips worms (caterpillars)	6	4	1
grape	leafrollers thrips worms (berry moth)	6	5	7
leafy and dried herbs	leafminers thrips worms (caterpillars)	5	7	1
leafy vegetables , including, but not limited to: arugula, celery, chervil, corn salad, cress, dandelion, dock, edible chrysanthemum, endive, fennel, garden purslane, head and leaf lettuce, parsley, radicchio, rhubarb, spinach, and Swiss chard	leafminers worms (caterpillars)	6	4	1
stone fruits , including, but not limited to: apricots, cherries, nectarines, peaches, plums, and prunes	borers fruit flies Japanese beetle leafminers leafrollers thrips worms (caterpillars)	6	7	peach, apricot, all except cherry plum, prune, nectarine, 14 cherry, plum and prune, 7 nectarine, 1
strawberry	armyworms leafrollers thrips	6	5	1
succulent beans and peas , including, but not limited to: blackeyed pea, garbanzo bean, garden pea, lima bean, snap bean, and snow pea	borers Japanese beetle leafminers thrips worms (caterpillars)	6	5	3
sweet corn and popcorn (for earworms, treat silk frequently as	corn borers worms (caterpillars),	6	3	1

it grows)	including earworm			
tree nuts , including, but not limited to: almonds, cashew, chestnut, macadamia, pecans, pistachio, and walnuts	husk fly (suppression) leafrollers navel orangeworms peach twig borer shuckworms webworms	5	7	14
tree fruits , including, but not limited to: atemoya, avocado, cherimoya, custard apple, guava, longan, lychee, mango, papaya, passionfruit, rambutan, sapodilla, sapote, star apple, star fruit, and wax jambu	suppression of worms or caterpillars, thrips, and katydids	4	7	1
tuberous and corm vegetables , including, but not limited to: cassava, chayote root, Chinese artichoke, ginger, Jerusalem artichoke, potatoes, sweet potatoes, tumeric, and yams	Colorado potato beetle corn borers leafminers thrips worms (caterpillars)	6	7	7
all crops listed in this table	fire ants	See application directions in Lawns and Ornamentals		

Lawns and Ornamentals

Use Site	Pests Controlled	Comments
lawns	worms, including small (<3/4") armyworm, and sod webworm cat fleas (suppression only)	Mix the amount of this product recommended per gallon of spray and uniformly apply a minimum of 3 gallons of spray per 1000 sq ft of area. Delay watering or mowing for 12 to 24 hours after application. Armyworms: For best results, apply in early morning or late afternoon. Cat fleas: Apply early or late in the day since control requires contact with dilute spray before drying. Thorough coverage is necessary. Reapply in 7 to 14 days to control adults that have emerged from pupae present at time of initial treatment.
outdoor ornamentals (herbaceous and woody plants)	emerald ash borer ¹ gall midges leaf feeding beetles (including Japanese beetle) leafminers sawfly larvae spider mites ² thrips worms, including loopers, webworms, bagworms, gypsy moth, and tent caterpillars	Mix the amount of this product recommended per pint, quart or gallon of spray and uniformly spray foliage to point of runoff. Uniform coverage of upper and lower leaf surfaces is essential for effective insect control.
lawns, ornamentals, home gardens (see listed crops in previous table) and other outdoor areas	fire ants	Individual fire ant mounds: Mix the amount of this product recommended per gallon of spray and use a sprinkler can or similar device to apply the diluted spray as a mound drench, using 1 to 2 gallons per mound. Do not use pressurized sprays. Apply about 10% of the spray volume around the perimeter of the mound and the remainder directly to the mound. Do not

		disturb fire ant mound prior to application. If possible, apply following recent rainfall. For best results apply when weather is cool, 65 to 85°F, or in early morning or late evening.
--	--	--

¹Mix 5 fl oz of this product per gallon of spray and apply to foliage and bark of the tree when adult emerald ash borer are first observed emerging from the bark or when adult emerald ash borer are first noticed feeding on the leaves of the tree. Reapply every 7 to 10 days until no additional adult emerald ash borer activity is observed. Applications to trees already heavily infested may not prevent the eventual loss of the tree due to existing pest damage.

²Apply when spider mites are first observed prior to webbing and before mite populations have become severe. Reapply after 7 to 10 days (3 to 5 days in greenhouses and structures that can be altered to be closed or open) to contact newly hatched nymphs and repeat until infestation is managed. **Uniform coverage of both upper and lower leaf surfaces is critical.** Addition of a nonionic spray adjuvant at 0.1% v/v has been shown to enhance control of spider mites (follow surfactant manufacturer's label recommendations).

Limited Warranty and Disclaimer

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call National Pesticide Information Center at 1-800-858-7378.

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

[batch code inserted at production]

[VERSION B – FOR READY-TO-SPRAY PACKAGING]



Spinosad[®] Ready-to-Spray

[Additional Brand Name: Captain Jim's Deadbug Brew[®] Ready-to-Spray; Bonide[®] Captain Jack's Deadbug Brew[®] Ready-To-Spray; Captain Jack's Deadbug Brew[®] Ready to Spray]

Optional Marketing Statements:

Insect Control Product

FOR RESIDENTIAL USE IN HOME GARDENS, LAWNS AND ORNAMENTALS

For control of foliage feeding worms (caterpillars), thrips and other listed pests in:

- Fruiting vegetables, such as tomato, pepper, okra and eggplant
- Cucurbits, such as cantaloupe and honeydew
- Cole crops (Brassica), such as broccoli, cabbage and cauliflower
- Leafy vegetables, such as lettuce, spinach and celery
- Tuberous vegetables, such as potatoes, sweet potatoes, yams, Jerusalem artichoke Chinese artichoke and cassava
- Stone fruits, such as peaches, plums, cherries, nectarines, prunes and apricots
- Apple and other pome fruits, such as pears, crabapples, mayhaw and quince
- Bushberries and caneberries, such as blueberry, blackberry and raspberry
- Citrus trees, such as oranges, grapefruit, lemons, limes, and tangerines
- Succulent beans and peas, such as lima bean, snap bean and blackeyed pea
- Tree fruits, such as avocado, mango, star apple and papaya
- Tree nuts, such as pecans, almonds, cashew and walnuts
- Sweet corn and popcorn
- Asparagus
- Grape
- Leafy and dried herbs
- Strawberry
- Lawns
- Outdoor herbaceous and woody ornamentals
- Fire ant control in lawns, ornamentals, home gardens, and other outdoor areas

See Home Gardens and Lawns and Ornamentals sections for a complete listing of crops and use sites.

Liquid concentrate

Easy to use

User friendly

No guesswork

CONCENTRATE

For vegetables, apples, and citrus trees

Controls worms (caterpillars)

Kills worms (caterpillars)

Controls citrus leafminers

Controls Colorado potato beetle

Kills Colorado potato beetle

Controls certain insects in vegetable gardens

Controls certain insects in the garden

For vegetables
 No odor water-based formula
 Water-based formula
 Contains spinosad
 Do-it-yourself home garden insect control
 Leaves no oily residue
 Kills certain home garden insect pests
 Short post-harvest interval
 Pick apples 7 days after spraying
 Contains [trademark] Naturalyte[®] insect control
 A [trademark] Naturalyte[®] insect control product

Use on fruits, vegetables, berries, citrus, grapes, nuts and ornamentals.
 Kills bagworms, borers, beetles, caterpillars, codling moth, gypsy moth, japanese beetle, loopers, leaf miners, spider mites, tent caterpillars, thrips and more!
 Captain Jim's DEADBUG Brew[®] contains Spinosad "spin-OH-sid". Spinosad is derived from a naturally occurring soil dwelling bacterium that was collected from an abandoned rum distillery on a Caribbean island in 1982. This unique bacterium was defined as a new species when it was discovered and it has never been found in nature anywhere else in the world. Since being discovered, Spinosad has become a leading pesticide used by agriculture world wide in the production of organic produce. Today, thanks to Captain Jim, and his DEADBUG Brew[®] Spinosad is available to the homeowner.
 To help avoid insect resistance to Spinosad, limit applications to any specific site to no more than 6 times per year.
 Use with TURBO for enhanced effectiveness on borers and miners.
 Be patient, it will take 1 - 2 days for insects to die off.



Active Ingredient:

spinosad (a mixture of spinosyn A and spinosyn D)	0.5%
Other Ingredients	99.5%
Total	100.0%

Contains 0.04 lb of active ingredient per gallon.


U.S. Patent No. 5,362,634 and 5,496,931

Keep Out of Reach of Children

For Organic Production

Refer to label booklet for Directions for Use.
 Notice: Read the entire label. Use only according to label directions.
 Shake Well Before Use -- Avoid Freezing
 ®Trademark of Dow AgroSciences LLC

Net Contents _____



Precautionary Statements

Environmental Hazards

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not put product or rinse water down drain.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

For residential use in home gardens, lawns and ornamentals. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only in secure or locked storage area.

Pesticide Disposal: *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: *If empty* - Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash.

This insect control product is intended for control of worms (caterpillars) and other listed insects. This product does not significantly impact predatory beneficial insects, predatory mites, and spiders while controlling target pests. Susceptible insect pests may be observed on plants up to several hours after treatment, but will have ceased active feeding before being killed. Spinosad is classified as an organic substance by the USDA National Organic Standards Board.

[this section may be listed here, as well as on the front panel]

Captain Jim's DEADBUG Brew® contains Spinosad "spin-OH-sid". Spinosad is derived from a naturally occurring soil dwelling bacterium that was collected from an abandoned rum distillery on a Caribbean island in 1982. This unique bacterium was defined as a new species when it was discovered and it has never been found in nature anywhere else in the world. Since being discovered, Spinosad has become a leading pesticide used by agriculture world wide in the production of organic produce. Today, thanks to Captain Jim, and his DEADBUG Brew® Spinosad is available to the homeowner.

How to Apply

Shake Well Before Use

Application: Spray as directed – complete coverage is important. Treat when insects begin to appear and repeat treatments to maintain control as directed. Carefully follow all label directions and any limitations of use, such as the amount of spray to apply or PHI (pre-harvest interval) for particular vegetable crops.

TWIST & SHOOT™ READY-TO-SPRAY INSTRUCTIONS

- 1) Make sure control knob is in "OFF" position, then connect to garden hose.
- 2) Turn water on at faucet. When spraying low growing plants and small shrubs, twist the control knob right, to the "FAN" position. When spraying taller trees, shrubs and other plants, twist the control knob left to the "STREAM" position for extended reach and more uniform coverage. The product mixes automatically with the water as you spray.
- 3) To stop spraying, turn the control knob lever to the "OFF" position. Turn off water at the faucet and disconnect sprayer from garden hose.

When to Apply

Apply when listed pests are present. Repeat applications may be made as indicated in the Home Gardens section. See your state extension service recommendations for treatment guidelines in your area.

Uses

Home Gardens

In the state of Georgia, do not apply this product to: Broccoli Raab, Chinese Cabbage (Bok Choy), Collards, Kale, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens.

Crops	Pests Controlled	Maximum Number of Applications per Season	Minimum Days to Wait Before Reapplying	Minimum Days to Wait from Last Application to Harvest
apple and other pome fruits including, but not limited to: crabapples, mayhaw, pears, and quince	codling moth leafminers leafrollers oriental fruit moth tufted apple budmoth	6	10	7
asparagus (post-harvest to protect ferns)	asparagus beetles	4	7	60
bushberries and caneberries , including, but not limited to: blackberry, blueberry, currant, elderberry, gooseberry, huckleberry, juneberry, lingonberry,loganberry, raspberry, and salal	armyworms fireworms fruitfly (suppression) fruitworms leafrollers loopers thrips	6	6	3
citrus trees , including, but not limited to: grapefruit, lemons, limes, oranges, and tangerines (to prevent fruit scaring from thrips, treat when fruit is marble size)	katydids leafminers thrips worms (caterpillars)	6	6	1
cole crops (Brassica vegetables) , including, but not limited to: broccoli, broccoli raab, brussels sprouts, cauliflower, cavalo, Chinese broccoli, cabbage, Chinese cabbage (bok choy), Chinese cabbage (napa), Chinese mustard cabbage (gai choy), collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, and rape greens	cabbage looper diamondback moth imported cabbage worm leafminers worms	6	4	1
cucurbits , including, but not limited to: cucumber, edible	leafminers thrips	6	5	all except cucumber, 3

gourds, muskmelons (cantaloupe, honeydew, etc.), pumpkin, summer and winter squash, and watermelon	worms (caterpillars)			cucumber, 1
fruiting vegetables , including, but not limited to: eggplant, ground cherry, okra, pepino, pepper, tomatillo, and tomato	Colorado potato beetle leafminers thrips worms (caterpillars)	6	4	1
grape	leafrollers thrips worms (berry moth)	6	5	7
leafy and dried herbs	leafminers thrips worms (caterpillars)	5	7	1
leafy vegetables , including, but not limited to: arugula, celery, chervil, corn salad, cress, dandelion, dock, edible chrysanthemum, endive, fennel, garden purslane, head and leaf lettuce, parsley, radicchio, rhubarb, spinach, and Swiss chard	leafminers worms (caterpillars)	6	4	1
stone fruits , including, but not limited to: apricots, cherries, nectarines, peaches, plums, and prunes	borers fruit flies Japanese beetle leafminers leafrollers thrips worms (caterpillars)	6	7	peach, apricot, all except cherry plum, prune, nectarine, 14 cherry, plum and prune, 7 nectarine, 1
strawberry	armyworms leafrollers thrips	6	5	1
succulent beans and peas , including, but not limited to: blackeyed pea, garbanzo bean, garden pea, lima bean, snap bean, and snow pea	borers Japanese beetle leafminers thrips worms (caterpillars)	6	5	3
sweet corn and popcorn (for earworms, treat silk frequently as it grows)	corn borers worms (caterpillars), including earworm	6	3	1
tree nuts , including, but not limited to: almonds, cashew, chestnut, macadamia, pecans, pistachio, and walnuts	husk fly (suppression) leafrollers navel orangeworms peach twig borer shuckworms webworms	5	7	14
tree fruits : including, but not limited to: atemoya, avocado, cherimoya, custard apple, guava, longan, lychee, mango, papaya, passionfruit, rambutan, sapodilla, sapote, star apple, star fruit, and wax jambu	suppression of worms or caterpillars, thrips, and katydids	4	7	1
tuberous and corm vegetables , including, but not limited to: cassava, chayote root, Chinese artichoke, ginger, Jerusalem	Colorado potato beetle corn borers leafminers thrips	6	7	1

16
16

artichoke, potatoes, sweet potatoes, tumeric, and yams	worms (caterpillars)			
--	----------------------	--	--	--

Lawns and Ornamentals

Use Site	Pests Controlled	Comments
lawns	worms, including small (<3/4") armyworm, and sod webworm cat fleas (suppression only)	Uniformly apply a minimum of 3 gallons of spray per 1000 sq ft of area. Delay watering or mowing for 12 to 24 hours after application. Armyworms: For best results, apply in early morning or late afternoon. Cat fleas: Apply early or late in the day since control requires contact with dilute spray before drying. Thorough coverage is necessary. Reapply in 7 to 14 days to control adults that have emerged from pupae present at time of initial treatment.
outdoor ornamentals (herbaceous and woody plants)	emerald ash borer gall midges leaf feeding beetles (including Japanese beetle) leafminers sawfly larvae spider mites ¹ thrips worms, including loopers, webworms, bagworms, gypsy moth, and tent caterpillars	Uniformly spray foliage to point of runoff. Uniform coverage of upper and lower leaf surfaces is essential for effective insect control.

¹Apply when spider mites are first observed prior to webbing and before mite populations have become severe. Reapply after 7 to 10 days (3 to 5 days in greenhouses and structures that can be altered to be closed or open) to contact newly hatched nymphs and repeat until infestation is managed. **Uniform coverage of both upper and lower leaf surfaces is critical.**

Limited Warranty and Disclaimer

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call National Pesticide Information Center at 1-800-858-7378.

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424
[batch code inserted at production]

NOTIFICATION

JUL 17 2009