U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	EPA Reg. Number: 4-500	Date of Issuance: 2/22/21	
NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Term of Issuance: Conditional		
(under FIFRĂ, as amended)	Name of Pesticide Product: BK32 RTU		
Name and Address of Registrant (include ZIP Code): Sarah H. Kuetemeier Agent for Bonide Products, LLC c/o Registrations by Design, Inc. 6301 Sutliff Road Oriskany, NY 13424			
<b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration Registration Division prior to use of the label in commerce. In any correspondence on this product a			
On the basis of information furnished by the registrant, the above na under the Federal Insecticide, Fungicide, and Rodenticide Act (FIF)	-	hereby registered	
Registration is in no way to be construed as an endorsement or reco Agency. In order to protect health and the environment, the Admin time suspend or cancel the registration of a pesticide in accordance name in connection with the registration of a product under this Act registrant a right to exclusive use of the name or to its use if it has b	istrator, on his mo with the Act. The t is not to be const	otion, may at any e acceptance of any trued as giving the	
This product is conditionally registered in accordance with FIFRA with the following conditions:	section 3(c)(7)(A)	. You must comply	
<ol> <li>Submit and/or cite all data required for registration/reregistr product under FIFRA when the Agency requires all registrat data.</li> </ol>		· · · · · · · · · · · · · · · · · · ·	
	(	Continued on page 2	
Signature of Approving Official:	Date:		
Mindy Ondish	2/22/21		
Mindy Ondish, Product Manager 23 Herbicide Branch, Registration Division (7505P)			
EPA Form 8570-6 Registration Notice Conditional v.20150320			

Page 2 of 2 EPA Reg. No. 4-500 Decision No. 560588

- 2. You are required to comply with the data requirements described in the generic data call-ins (GDCIs) identified below:
  - a. MCPA GDCI-030501-1452
  - b. Triclopyr GDCI-116001-1546

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCIs listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <u>http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1</u>

3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. The request to waive these data requirements is denied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note the product record includes the following alternate brand names:

- Bonide BK32 Brush Beater Ready to Use
- Brush Beater Ready to Use
- Bonide Poison Ivy and Brush Killer Ready to Use
- Bonide Poison Ivy and Brush Killer BK32 Ready to Use
- Bonide Chickweed, Clover & Oxalis Killer Ready to Use

Please also note that the record for this product currently contains the following CSF:

• Basic CSF dated 02/22/2021

If you have any questions, please contact Julia Kerr by phone at 703-347-0386, or via email at kerr.julia@epa.gov.


Enclosure

# **BK32 RTU**

# EPA Reg. No. – 4-500

## {Alternate Brand Names:}

[Bonide<sup>®</sup> BK32 Brush Beater Ready to Use] [Brush Beater Ready to Use] [Bonide<sup>®</sup> Poison Ivy and Brush Killer Ready to Use] [Bonide<sup>®</sup> Poison Ivy and Brush Killer BK32 Ready to Use] [Bonide<sup>®</sup> Chickweed, Clover & Oxalis Killer Ready to Use]



ACTIVE INGREDIENTS:	% by weight
MCPA dimethylamine salt*	0.740%
Triclopyr triethylamine salt**	0.084%
Dicamba dimethylamine salt***	
OTHER INGREDIENTS:	
	TOTAL
By Isomer Specific Method, Equivalent To:	
* MCPA acid	0.604%, 0.057 lbs/gal.
** Triclopyr acid	0.06%, 0.006 lbs/gal.
*** Dicamba acid	0.06%, 0.006 lbs/gal.

{Note: If the design, format, or small size of the container labels makes it impractical to present the entire ingredient statement on the front panel, then add a referral statement and present this substatement on the back panel: **"See back panel for substatement of ingredient statement".** For example, front panel display of PT or 8 fl oz container is often 9 sq. in. or less. Maintaining minimum font size requirements for KOOROC (6 pt) & SIGNAL WORD (6 or 10 pt), as well as all other text on the label (6 pt), simply doesn't leave room for the multiple ingredients substatement featured on this label}

## **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See [back] [side] [other] [panel] [booklet] for additional precautionary statements and first aid.

NET CONTENTS XX GALS (XX Liters) [XX QT (XX ml), XX PT (XX ml), XX FI. Oz. (XX ml)] EPA Est. No. XXX-XX-XXX

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

	First Aid
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>Do not give anything to an unconscious person.</li> </ul>
the second processes and all and the second second states a	ict container or label with you when calling a poison control center or doctor or nent. You may also contact X-XXX-XXX-XXXX [the National Pesticide

Information Center at 1-800-858-7378] for emergency medical treatment information.

### **Environmental Hazards**

This pesticide may be toxic to fish, aquatic invertebrates, and aquatic plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

#### GROUNDWATER ADVISORY

Triclopyr has properties and characteristics associated with chemicals detected in groundwater. The use of triclopyr in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

NON-TARGET ORGANISM ADVISORY: MCPA is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

Triclopyr and MCPA may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

Triclopyr and MCPA are classified as having high potential for reaching surface water via runoff for several weeks after application.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of MCPA from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product. Use strictly in accordance with label precautions and directions.

## **APPLICATION RESTRICTIONS**

Entry Restrictions: Do not apply this product in a way that will contact any person, or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

This product is for residential use.

The maximum number of applications per treatment site is two (2) per year. Observe a minimum retreatment interval of 28 days.

Do not use on St. Augustinegrass and Centipedegrass lawns. Do not spray Carpetgrass, Dichondra or desirable clovers. Do not exceed specified dosages for any area. Do not apply to newly seeded grasses until well-established (they have been mowed 3 times). Do not apply if rainfall is expected within 48 hours. Do not water for 48 hours after application.

## WEED CONTROL FOR ORNAMENTAL LAWNS AND TURF

#### Where to Apply:

For use on Bluegrass, Fescues, Ryegrass, Bentgrass, Bermudagrass, Bahiagrass and Zoysia Lawns. May cause temporary yellowing of some Bermudagrass turf. Be particularly careful applying within the drip line of trees and other ornamental species. Avoid contact with exposed feeder roots of ornamentals and trees.

#### For Best Results

Before you apply:

- Do not mow for 1 to 2 days before or after application.
- If soil is dry, water before application.

#### When to Apply

- Spray when weeds are actively growing.
- Spray when temperature is below 90°F.
- Spray when air is calm to avoid drift to vegetables, flowers, ornamental plants, trees, shrubs and other desirable plants.

#### HOW TO USE

Shake well. Spray directly onto listed weeds and brush. Spray until thoroughly wet.

{Appropriate directions from below options will be used – depending on the applicator/sprayer used at production}

**[Trigger Spray:** Adjust spray nozzle to give coarse spray. Hold about 3 to 6 inches from surface to be treated. Aim at center of weed and spray.]

2/22/2021

**[Applicator Cap:** Hold applicator end about 3 to 6 inches from surface to be treated and thoroughly wet. To obtain wider coverage, raise container.]

### [EZ Connect Sprayer [Sprayer directions]

- Remove sprayer. Pull cord ALL THE WAY OUT.
- Remove top from cap on bottle.
- Insert [color] plug into spout on cap until it clicks.
- Twist nozzle on sprayer to the spray position.
- Hold sprayer end about 3 to 6 inches from surface to be treated.
- Aim at center of weed and spray]

### [QuickShot] [Pump] [Sprayer directions]

- Remove sprayer wand from holster and pull sprayer cord ALL THE WAY OUT.
- Cut cable tie which holds pump handle.
- Rotate Pump handle clockwise to unlock.
- Pump handle until pressure has built up in container.
- Hold sprayer end about 3 to 6 inches from surface to be treated.
- Aim at center of weed and squeeze lever on sprayer wand to spray product.
- After use push handle down, rotate counterclockwise to lock into place.

## [Battery Powered Sprayer Directions]



- Remove sprayer from storage holster.
- Slide safety lock to the LOCK position.



- Unwind pickup tube on the sprayer before attaching to the bottle.
- Insert pickup tube in bottle and screw sprayer cap onto bottle.



Slide safety lock to the ON position.

• Hold about 3 to 6 inches from surface to be treated. Gently squeeze the trigger to dispense fluid. The sprayer may require several seconds for the fluid to prime.

## [Battery Powered] [Wand] [Sprayer Directions]

- Slide safety lock to the LOCK position.
- [Use screw driver to open battery hatch and install 4 × AA batteries] [Remove

plastic tab to activate batteries]

- Remove tab from cap.
- Connect the suction nozzle to the cap.
- Slide safety lock to the ON position.
- Turn over the long white nozzle.
- Hold sprayer end about 3 to 6 inches from surface to be treated.
- Aim at center of weed and press the switch to spray.
- [Twist nozzle as necessary to adjust spray pattern.]
- Slide safety lock to LOCK position when done.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. One application should be sufficient. Some hard-to-kill broadleaf weeds and brush may require a second treatment in 4 weeks.

### {When packaged in refillable container}

### [Refill]/[Reuse] Directions

After the entire contents of this bottle has been used, BN BK32 Conc (EPA File No. 4-499) may be used to refill this container. Refer to BN BK32 Conc label for mixing directions.

## WEEDS CONTROLLED

[When used as directed kills listed weeds in your lawn - won't harm lawn grasses.] [When used as directed kills listed broadleaf weeds in lawns - roots and all.] [Kills listed weeds - not lawn grasses.]

Alder	Canada thistle	Florida betony	Milk vetch	Redroot pigweed
Annual yellow sweet	Carolina geranium	Florida pusley	Milkweed bloodflower	Red sorrel
clover	Carpetweed	Frenchweed	Mugwort	Redstem filaree
Artichoke	Catchweed bedstraw	Galinsoga	Morningglory	Rough cinquefoil
Austrian fieldcress	Catsear	Garlic mustard	Mousear chickweed	Rough fleabane
Bedstraw	Catnip	Goathead	Musk thistle	Roundleafed marigold
Beggartick	Chickweed	Goatsbeard	Mustard	Rush
Biden	Chicory	Goldenrod	Narrowleaf plantain	Russian pigweed
Bindweed	Cinquefoil	Ground ivy	Narrowleaf vetch	Russian thistle
Bird vetch	Common chickweed	Gumweed	Nettle	St. Johnswort
Bitterweed	Common mullein	Hairy bittercress	Orange hawkweed	Scarlet pimpernel
Bitter wintercress	Common sowthistle	Hairy fleabane	Oxalis	Scotch thistle
Black-eyed Susan	Corn chamomile	Hawkweed	Oxeye daisy	Sheep sorrel
Black medic	Creeping Jenny	Healall	Parsley-piert	Shepherdspurse
Black mustard	Crimson clover	Heartleaf drymary	Parsnip	Slender plantain
Black-seed plantain	Croton	Hedge bindweed	Pearlwort	Smallflower galinsoga
Blessed thistle	Cudweed	Hedge mustard	Pennycress	Smartweed
Blue lettuce	Curly dock	Hemp	Pennywort	Smooth dock
Blue vervain	Curly indigo	Henbit	Peppergrass	Smooth pigweed
Boxelder	Dandelion	Hoary cress	Pepperweed	Sneezeweed
Bracted plantain	Dead nettle	Horsetail	Pigweed	Southern wild rose

Bristly oxtonaue Broadleaf dock Broadleaf plantain Broomweed Buckhorn Buckhorn plantain Bulbous buttercup Bull nettle **Bull thistle** Burdock Burning nettle Bur raqweed Burweed Buttercup Sumac Sunflower Sweet clover Tall nettle Thistle Tick trefoil Toadflax Trailing crownvetch Tumble mustard Tumble pigweed Tumbleweed

Dollar weed Dogbane Dogfennel Elderberry English daisy Fall dandelion False dandelion False flax False sunflower Fiddleneck Field bindweed Field pansy Fleabane (daisy) Flixweed Velvetleaf Venice mallow Veronica Vervain Vetch Violet, wild Virginia buttonweed Virginia creeper Virginia pepperweed Wavyleaf bullthistle Western clematis

Ironweed Jewelweed Jimsonweed Kochia Knawel Knotweed Lambsquarter Lespedeza Locoweed Lupine Mallow Marshelder Matchweed Mexicanweed Western salsify White clover White mustard Wild aster Wild buckwheat Wild carrot Wild four-o'-clock Wild garlic Wild geranium Wild lettuce Wild marigold

Plains coreopsis Plantain Poison hemlock Poison ivv Poison oak Pokeweed Poorioe Povertyweed Prostrate spurge Prostrate vervain Puncture vine Purslane Ragweed Red clover Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Willow Witchweed Woodsorrel Woolly croton

Spanishneedle Spatterdock Speedwell Spiny amaranth Spiny cocklebur Spotted catsear Spotted knapweed Spotted spurge Spurge Spurweed Stinging nettle Stinkweed Stitchwort Strawberry clover Woolly morningglory Woolly plantain Wormseed Yarrow Yellow rocket Yellowflower pepperweed

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store in original container and place in an area inaccessible to children.

#### {When packaged in Nonrefillable container:}

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

#### {When packaged in Refillable container:}

**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Refillable container. Refill this container with herbicide only. Do not reuse this container for any other purpose. <u>To Dispose</u>: **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

#### **Limited Warranty and Disclaimer**

Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price.

2/22/2021

damages.

{Alternate Optional WARRANTY STATEMENT – with instructions for refund/return under "satisfaction guarantee"}

Satisfaction guaranteed or your money back

If not completely satisfied, please submit a refund request. Please send a copy of the receipt, the back label of the product that contains the UPC Code and a note explaining why you were dissatisfied. Send to, Bonide Products, LLC, Attn: Refund Request, 6301

Sutliff Road, Oriskany, NY 13424. To the extent consistent with applicable law, Bonide will not be liable for any damage, direct or incidental. Refund or replacement product is Bonide's only obligation.

Buyers Guarantee limited to label claims

**NOTICE:** To the extent consistent with applicable law, buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

## **Bonide Products, LLC**

6301 Sutliff Road Oriskany, NY 13424 EPA Reg. No. 4-500 EPA Est. No. \_\_\_\_\_

## {APPENDIX}

# {Advertising claims and marketing phrases that may be present on promotional materials and container labeling.}

- Kills Brush, [Brambles] & Weeds as listed.
- Proven Poison Ivy, Poison Oak and Brush Killer.
- Rainproof in 48 hours.
- Kills all major listed broadleaf weeds, woody plants, vines & brambles.
- Destroys Dandelions, Obliterates Oxalis, Clobbers Clover, Chickweeds "Check-Out", Pummels Poison Ivy & Oak, Victory over Vines, Bashes Brambles, Kills Kudzu.
- Kills even the toughest listed brush, vines and broadleaf weeds [like (clover) (dandelion) (oxalis)]
- Kills listed weeds, down to the root
- Starts working on contact
- Kills 230 [225+] listed weeds
- Kills to the root
- [Also] ideal for spot treating individual lawn weeds
- · Reseed in 3 to 4 weeks
- Kills the weed not the lawn\*
   \*when used as directed
- Kills tough weeds including listed [clover], [plantain], [ground ivy (creeping Charlie)],

[speedwell], [spurge] [wild violets] [bindweed] [pigweed]and [veronica]

- Kills tough weeds including listed clover, plantain, ground ivy (creeping Charlie) and spurge
- Contains MCPA, Triclopyr and Dicamba
- Use as a spot application
- Battery powered sprayer included
- Pump & Spray applicator
- Trigger Sprayer
- Adjustable nozzle
- Rainproof in 48 hours
- Guaranteed [Results]
- EZ Sprayer included
- Refillable bottle
- Refillable Sprayer