

16-19

PM-16

12/31/89

192

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC
ANIMALS**

CAUTION: Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin; wash hands and skin thoroughly after using. Avoid contamination of feed or foodstuffs. Keep out of reach of children. Malathion is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphate compounds although much larger exposures are required. If poisoning should occur, CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL DO NOT use at Boston, Madenhair and Pans ferns and some species of Crassula.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetland (i.e., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

The product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**STATEMENT OF PRACTICAL
TREATMENT**

IF SWALLOWED: Call a physician immediately. DO NOT INDUCE VOMITING.

IF INHALED: Remove victim to fresh air. Apply artificial respiration, if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. See a physician if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.


NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019

DRAGON

**50% MALATHION
INSECT SPRAY**

Controls Pests on Ornamental, Roses, Flowers, Vegetables, Fleas on Dogs & Cats.



ACTIVE INGREDIENTS:
Malathion 50.00%
INERT INGREDIENTS:** 50.00%
TOTAL 100.00%

**KEEP OUT OF REACH
CHILDREN**

CAUTION

* 0,0-dimethyl phosphorodithioate of diethyl malathion
** Contains aromatic petroleum solvent xylene

See Side Panel for Additional Precaution Statements.

NET WEIGHT 16 FL OZ (PINT)


HOUSEHOLD PESTS: (Roaches, Ants, Spiders, Mosquitoes, Silverfish, Crickets, Clover Mites, Earwigs): **IN AND ABOUT HOMES.** Use 8 tablespoons per gallon water. Apply by means of a coarse spray or paint brush around window frames, baseboards, under sinks, drainboards, stoves and to other limited areas where these pests congregate. DO NOT contaminate food or utensils. DO NOT use in milk processing rooms. Repeat as necessary.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

FLEAS ON DOGS AND CATS: 2 tablespoons per gallon water. Wet thoroughly to penetrate hair. DO NOT apply more than once weekly. DO NOT treat animals under one month of age. **ANIMAL**

QUARTERS: 10 tablespoons per gallon water. Spray kennels, pens, yards, lawns and under houses, at the rate of 1 gallon diluted spray per 1,000 sq. ft. Remove animals before treatment, putting in fresh bedding after treatment.

FRUITS: (Apples, Pears, Grapes) - **APHIDS** 1 1/2 to 2 teaspoons to 1 gallon water. **RED SPIDER MITES, MEALYBUGS, WHITE FLY, THIRIPS, JAPANESE BEETLE ADULTS, GRAPE LEAF-HOPPERS** (Not on Pears), **WOOLY APPLY APHIDS, TARNISHED PLANT BUGS, PEAR PSYLLIDS** (last three not to Grapes): 1 tablespoon per gallon water. **SCALE CRAWLERS:** 1 1/2 to 2 tablespoons per gallon water. Dragon Malathion may cause injury to McIntosh and Cortland varieties of apples, to Boac Pears and Ribier Grapes. DO NOT apply within 3 days of harvest on apples and grapes or within 1 day on pears.



292

Patent Pending For Label.

EPA Reg No. : 6-19

EPA Est. No. 16-VA-1

LIFT ↓

DIRECTIONS FOR USE

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS, DIRECTIONS. IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE: Do not use or store near heat or open flame. Store in original container out of reach of children and animals.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.


NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

ORNAMENTALS: (Roses, Camellias, Azaleas, Stocks, Chrysanthemums, Evergreens, and many other flowers and shrubs). APHIDS, 1 1/2 to 2 teaspoons to 1 gallon water. RED SPIDER MITES, SPRUCE MITES, MEALYBUGS,

WOOLY APPLE APHID, WHITE FLY, THRIPS, TARNISHED PLANT BUG, BAGWORM, ROSE LEAFHOPPER, JAPANESE BEETLE ADULTS - 1 tablespoon per gallon water. SCALE (BLACK SCALE, SOFT BROWN SCALE, OYSTER SHELL SCALE AND CERTAIN OTHERS): 1 1/2 to 2 tablespoons per gallon water.

VEGETABLES: (Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Kale, Beans, Peas, Potatoes) - APHIDS: 1 1/2 to 2 teaspoons per 1 gallon of water. RED SPIDER MITES, WHITE FLY, THRIPS, TARNISHED PLANT BUG, JAPANESE BEETLE ADULTS: 1 tablespoon per gallon water. DO NOT apply to Beans within 1 day of harvest. DO NOT apply to Broccoli and Peas within 3 days of harvest, and to Brussels Sprouts, Cabbage, Cauliflower or Kale within 7 days of harvest. Use up to harvest on Potatoes.

Peel back label for additional uses on Household Pests, Fleas on dogs & cats and Fruits.



Distributed by DRAGON CORP., Roanoke, VA 24019-0311

C

LIFT!