

PM 19 16-27

File 10F4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JAN 27 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Rebecca M. Horton
Dragon Corporation
P.O. Box 7311
Roanoke, VA 24019

SUBJECT: Label Amendment Submission of 7/21/93 in Response to PR Notice 93-7
EPA Reg. No. 16-27
Dragon 5% Sevin Dust

Dear Registrant:

EPA has determined that **this product does not fall within the scope of PR Notice 93-7**. The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

BEST AVAILABLE COPY



Recycled/Recyclable
Printed with SoyCandis ink on paper that
contains at least 50% recycled fiber

Page 2

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling **AND**
- **WITHIN** one year from date of this acceptance.


Submit the final printed labeling via the U.S. Postal Service to:

**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001**

Hand or courier deliveries of final printed labeling may be made to:

**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202**

Sincerely,


**James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)**

Enclosures

30F4

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 27 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

16-27

[FRONT PANEL]

**DRAGON®
5% SEVIN®
brand carbaryl insecticide
DUST**

For the control of Japanese Beetles, Flea Beetles, Mexican Bean Beetles, Tomato Hornworm, Corn Earworm, and certain other listed insects attacking vegetables, grapes, ornamentals and shrubs.

[Note to EPA: Front panel of label may include graphics representing product use, e.g., insects controlled - Japanese beetle, Bean beetle, Tomato hornworm, Fleas and Brown dog ticks.]

ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate) 5%

INERT INGREDIENTS: 95%

TOTAL: 100%

**Keep Out of Reach of Children
CAUTION**

**See back/side/other panel for additional cautions.
NET WEIGHT 1 LB/4 LB/25 LB**

[BACK/SIDE/OTHER PANEL(S)]

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS; AND IN CONFORMITY WITH FEDERAL AND STATE REGULATIONS.

GENERAL INFORMATION

FOR HOMEOWNER USE ONLY. DRAGON 5% SEVIN® DUST controls a wide range of insect pests. At first signs of insect infestation, preferably before damage from feeding occurs, apply thoroughly to upper and lower leaf surfaces. If needed, repeat application every 7-10 days. **DO NOT** use with lime or other alkaline material. May be applied up to harvest except where noted.

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

BEANS: For control of Mexican bean beetles, Leafhoppers, Flea beetles, apply approximately ½ lb./1000 sq. ft. **DO NOT** feed treated bean vines to domestic animals.

LETTUCE: For control of Lygus and Stink bugs, apply approximately 1 lb./1000 sq. ft. **DO NOT** apply to head lettuce within 3 days of harvest or within 14 days to leaf lettuce.

CORN: Use approximately ¾ lb./1000 sq. ft. for Corn earworm, Fall armyworm, Flea beetles, Japanese beetles, Sap beetles, Leafhoppers and European corn borer. For corn borer and larvae in whorls (budworm damage) and for foliage feeders, apply thoroughly into the whorls when plants are about knee high. Repeat at weekly intervals until control is achieved. For insects attacking silks and ears, apply at 2 to 3 day intervals starting when first silks appear and continuing until silks begin to dry. Three or more applications may be required depending on severity of infestation. Re-apply immediately after rain. Allow 7 days before harvest, or before allowing domestic animals to feed in treated areas. Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.



POTATOES, TOMATOES, EGGPLANT AND PEPPERS: For control of Colorado potato beetles, Leafhoppers and Flea beetles, apply approximately $\frac{1}{2}$ lb./1000 sq. ft. For control of Tomato fruitworms, Fall armyworm, Tomato hornworm, European corn borer, Stink bug and Lygus bugs, apply approximately $\frac{3}{4}$ lb./1000 sq. ft.

CUCUMBERS, SUMMER SQUASH: For control of Pickleworm, Melonworm, Cucumber beetles, Squash bugs, Flea beetles, apply approximately $\frac{1}{2}$ lb./1000 sq. ft.

GRAPES: For control of Leafhoppers, Japanese beetle, Grape berry moth, apply approximately 1 lb./1000 sq. ft.

STRAWBERRIES: For control of Meadow spittlebug, Leaf roller, apply approximately 1 lb./1000 sq. ft. DO NOT apply within 1 day of harvest.

ROSES, AZALEAS, SHADE TREES AND OTHER ORNAMENTALS: For control of Japanese beetles, Periodical cicada, Aphid, Tent caterpillars, Lace bugs, Boxwood leaf miner, apply approximately 1-1 $\frac{1}{4}$ lbs./1000 sq. ft. Injury to tender foliage may occur if plants are wet when dusted or in the presence of high humidity. DO NOT use on Boston Ivy.

DOGS, CATS: For control of fleas and brown dog ticks, apply liberally and rub into skin, feet and legs. Dust sleeping quarters and infested areas weekly. DO NOT treat kittens or puppies under 4 weeks old. DO NOT apply more than once weekly. DO NOT use on pregnant dogs.

CAUTION

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. DO NOT take internally. Wear regular long sleeved work clothing. Change to clean clothing daily. NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

STAINING PRECAUTION: Staining may occur on certain surfaces such as stucco, brick, cinder block, wood, fabrics and carpet. Deposits on painted or stained surfaces or finishes (e.g., cars, house trailers, boats, etc.) should be immediately removed by washing to prevent discoloration. Avoid application to surfaces where visible residues are objectionable. Staining of fabrics and carpet may be permanent.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Discard container in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

SEVIN® is a registered trademark of Rhône Poulenc Ag Company.

Manufactured by
DRAGON CORPORATION
 Roanoke, VA 24019