

May 22, 1969

USDA REG. NO. 16-X

ACCEPTED
JUN 26 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 16-X SUBJECT
TO ATTACHED COMMENTS.

DRAGON
GARDEN WEED and GRASS PREVENTER

FRONT PANEL

DRAGON
GARDEN WEED and GRASS PREVENTER

NET CONTENTS
1½ POUNDS

CONTAINS DACTHAL

Covers 300-375 Square Feet

KILLS: WEED AND GRASS SEEDS AS THEY GERMINATE.

USE AT PLANTING TIME OR AFTER CULTIVATION OF VEGETABLES, FLOWERS, ORNAMENTALS,
SHRUBS, STRAWBERRIES.

ACTIVE INGREDIENTS.....	BY WT.
Dimethyl ester of tetrachloroterephthalic acid*	5%
Inert Ingredients.....	95%
TOTAL	100%

Registered Trade Mark Diamond Alkali Company * Use as a pre-emergence
herbicide patented under U. S. Patent No. 2,923,634

CAUTION: Keep out of reach of children. See other panels for additional
cautions.

DRAGON CHEMICAL CORPORATION

ROANOKE, VIRGINIA

MAKERS OF BLUE DRAGON

USDA REG. NO. 16-X

BACK PANEL

DRAGON

GARDEN WEED and GRASS PREVENTER

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS; AND IN CONFORMITY WITH FEDERAL AND STATE REGULATIONS.

DRAGON GARDEN WEED and GRASS PREVENTER is a 5% granular formulation of Dacthal Herbicide for use in pre-emergence weed control of crabgrass, other annual grasses, and certain broadleaved weeds on mineral soil in ornamentals, shrubs, flowers, vegetables, strawberries and agronomic crops.

DIRECTIONS FOR USE

Soil Preparation: Prior to making application, the soil should be cultivated to provide a weed-free and uniform surface since DRAGON GARDEN WEED and GRASS PREVENTER is effective only when applied before weed seed germination occurs. DRAGON GARDEN WEED and GRASS PREVENTER should be applied within 2-3 days maximum following cultivation, to prevent subsurface germinating weeds from becoming established before GARDEN WEED and GRASS PREVENTER is activated. The soil should not be disturbed following applications of GARDEN WEED and GRASS PREVENTER. When cultivating between rows, take care to prevent untreated soil from being thrown onto the treated.

SHAKER CAN FOR EASY APPLICATION

Punch holes in top of can with nail or similar object. Distribute the contents of this package (1½ lb.) evenly over 300 square feet of bed area when used in planting of Ornamentals, Shrubs and Flowers and over 375 sq. ft. when used in Vegetable plantings. DRAGON GARDEN WEED and GRASS PREVENTER may be applied before weeds and grasses appear in the spring or immediately following removal of growing weeds. Maximum results are obtained when DRAGON GARDEN WEED and GRASS PREVENTER is applied to a smooth soil surface, free of clods and leaves. Light, watering or moderate rainfall after application will insure best results.

To control erratic or late germinating grasses and weeds such as common chickweed or annual bluegrass, a later summer or early fall application of 2 lbs. per 400 sq. ft. should be made to a weed free or thoroughly cultivated plant bed.

DRAGON GARDEN WEED and GRASS PREVENTER will control the following when applied as directed.

Carpetweed
Yellow Foxtail
Green Foxtail
Texas Millet
Lovegrass

Fall Panicum
Nodding Spurge
Lambsquarter
Purslane
Witchgrass

Florida Pussley
Hairy Crabgrass
Johnsongrass (from seed)
Smooth Crabgrass
Common Chickweed

DRAGON GARDEN WEED and GRASS PREVENTER is approved for use on the following
ornamentals:

DECIDUOUS AND	Juniper	English Ivy	Coreopsis	Morning Glory
EVERGREEN	Magnolia	Pachysandra	Cosmos	Mourning Pinks
TREES & SHRUBS	Maple	Wilson Ivy	Dahlia	Nasturtium
Abelia	Mountain-Laurel	HERBACEOUS	Delphinium	Peonies
Arborvitae	Oak	PLANTS	Fernleaf Yarrow	Petunia
Azalea	Pine	Ageratum	Feverfew	Poker Plant.
Barberry	Poplar	Alyssum	Forget-Me-Not	Salvia
Boxwood	Privet	Aster	Four O'Clock	Scarlet Sage
Birch	Rhododendron	Baby's-Breath	Foxglove	Snapdragon
Crab Apple	Rose	Bellflower	Gaillardia	Strawflower
Dogwood	Spirea	Bleeding-Heart	Geranium	Sundrops
Elaeagnus	Spruce	Blood-Leaf	Gladiolus	Sunflower
Elm	Tree Peony	Candle Larkspur	Gold Dust	Sweet Pea
Euonymus	Tulip Tree	Candytufts	Golden Tuft	Verbena
Fir	GROUND	Cinquefoil	Iris	Va. Spiderwort
Forsythia	COVER PLANTS	Chrysanthemum	Lily	Zinnia
Holly	Baltic Ivy	Columbine	Lupine	Violet
Hydrangea	Boston Ivy	Coleus	Marigold	

Do Not use on Phlox, Bugle Weed, Button Pink, Caration, Geum, Germander, Pansy,
Sweet William, Telanthera and Masambyanthem.

VEGETABLE CROPS: Any application of DRAGON GARDEN WEED and GRASS PREVENTER should
be made prior to weed seed germination. Apply at seeding to snap beans, broccoli,
Brussell sprouts, cabbage, cauliflower, collards, garlic, kale, mustard greens,
onions, potatoes, (Southern peas), turnip greens, turnips.

Apply to seeded cantaloupe, cucumbers, melons, squash, watermelons, and head let-
tuce about 4 weeks after seeding, but no later than 6 weeks. For leaf lettuce,
make a single application 1-3 weeks after emergence. When transplanting broccoli,
brussels sprouts, cabbage, cauliflower, eggplant, peppers, onions and sweet
potatoes, apply immediately after transplating.

Apply to transplanted tomatoes 4-6 weeks after transplating.

Apply to strawberries following transplating or on established strawberry plants
prior to weed seed germination or after clean cultivation. On established plants,
do not apply after first bloom.

CAUTION

Keep out of reach of children. Do not store near feed and foodstuffs, seed,
fertilizer, or other pesticides in order to prevent contamination. Do not graze
on treated areas or feed plant refuse to livestock. Do not take internally. Avoid
contact with eyes. Wash after handling or using.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not
in strict accordance with DIRECTIONS and CAUTIONS stated on this label.