

PM 21

16-72

2/10/97

Page 17 4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
250125

Application for Pesticide - Section I

1. Company/Product Number 16-72	2. EPA Product Manager Welch	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DRAGON Lime Sulfur Solution	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) Dragon Corporation P.O. Box 7311 Roanoke, VA 24019-7311 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF ADMINISTRATIVE AMENDMENT: Add "marketing copy" to label of record.

NOTIFICATION
FEB 10 1997

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Regulatory & Sales Support Manager	Telephone No. (Include Area Code) (540) 362-3657
2. Signature <i>Rebecca M. Horton</i>		6. Date Application Received (Stamped)
3. Title Regulatory & Sales Support Manager		
4. Typed Name Rebecca M. Horton	5. Date 1/27/97	

2 7 4
AFTER

[FRONT PANEL]

**DRAGON®
LIME SULFUR SOLUTION**

Nothing Beats The Dragon!

FUNGICIDE - INSECTICIDE

A dormant clean up for
Fruit Trees • Ornamentals • Roses • Shrubs
Controls overwintering insects and diseases as listed.
Dormant & Early Season Insect & Disease Insurance
Use On Ornamentals, Roses, Shrubs and Trees

NOTIFICATION
FEB 10 1997

ACTIVE INGREDIENT:	BY WT.
Calcium Polysulfide	29.0%
INERT INGREDIENTS:	<u>71.0%</u>
TOTAL:	100.0%

Test 32° Baume at 60°F.

[NOTE TO EPA: Front panel of label may include graphics representing product use; e.g., roses]

**Keep Out of Reach of Children
DANGER**

See back/side/other panel(s) for additional precautions.

NET CONTENTS 1 QT / 1 GAL

[BACK/SIDE/OTHER PANEL(S); BOOKLET WHEN NEEDED]

STOP! Read the entire label and booklet [EPA-if necessary] first. Observe all precautions and follow directions carefully.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Fatal if swallowed, inhaled or absorbed through skin. This product is corrosive to flesh because of its caustic alkaline nature and it causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking and using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID

IF SWALLOWED: Drink promptly a large quantity of milk, egg white, or gelatin solution or if these are not available, large quantities of water. Get medical attention. Do not induce vomiting.

IF IN EYES: Immediately flush with plenty of clean water and see a doctor.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Launder clothing before reusing.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS: MAY GIVE OFF HIGHLY TOXIC AND EXTREMELY FLAMMABLE HYDROGEN SULFIDE GAS IF MIXED WITH ACIDS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: FOR OUTDOOR HOMEOWNER USE ONLY. For best results, Lime Sulfur Solution should be used alone. Use in cool weather - early Spring and Fall sprays. Apply sufficient spray to uniformly wet all plant surfaces. Lime Sulfur Solution should not be used within 10 to 14 days of an oil spray, nor when temperatures are high.

APPLES: For control of **Leaf Spot, Powdery Mildew**-Apply when blossoms are breaking and first showing pink. Use at rate of 1 pint to 5 gallons, or 6 Tbs. per gallon of water. Additional cover sprays, pink, petal fall and first cover should be applied at 5 Tbs. per gallon. For control of **Hard and Armored Scales, Scurly Scale and San Jose Scale**-Spray when trees are fully dormant and use at rate of 1 pint to each gallon of water.

PEACHES: Pre-harvest spray: For control or prevention of **Brown Rot**-Use 1 1/4 Tbs. per gallon of water. Suggested for use after hail damage or close to harvest, and has the advantage over wettable sulfur in that spray residue is much less noticeable. Some leaf injury may result during hot weather. Can be used within 1 day of harvest. For control of **Leaf Curl, Hard and Armored Scales, Scurly Scale and San Jose Scale**-Spray when trees are fully dormant and use at rate of 1 pint to each gallon of water.

PLUMS: For control of **Leaf Curl and San Jose Scale**-Apply when plums are dormant. Use 1 pint per gallon of water.

CURRENTS, GOOSEBERRIES: For control of **Anthracnose**-Use at rate of 1 pint to 6 gallons or 5 Tbs. per gallon of water. Make the first application when buds are breaking. Repeat in 10 to 15 days. Two to three additional sprays may be necessary. Use 1 1/4 Tbs. per gallon of water applied at 10 to 15 day intervals, if necessary, for control.

RASPBERRIES: For control of **Rose Scale, Anthracnose, Cane and Spur Blight**-Spray as delayed dormant when buds begin to break and show silver. Use at rate of 1 pint per gallon of water.

ORNAMENTALS, SHRUBS, TREES: For control of **Hard and Armored Scales, Scurly Scale, San Jose Scale, Euonymus Scale, Pine Needle Scale and Juniper Scale** on Lilac, Ash, Poplar, Dogwood, Elm, Birch, Willow, Euonymus, Pines and Junipers-Spray when trees are fully dormant and use at rate of 1 pint to each gallon of water.

ROSES: For control of **Anthracnose**-Apply when roses are dormant. Use 1 pint per gallon of water. For control of **Powdery Mildew**-First cover spray should be applied when buds break in Spring. Use at rate of 1 pint to 6 gallons, or 5 Tbs. per gallon of water. Two to three applications at 7 to 10 day intervals are desirable.

BOXWOOD: For control of **Canker**-Remove infected branches down to healthy wood. Use Lime Sulfur Solution 1 pint to 6 gallons, or 5 Tbs. per gallon of water. Make applications as follows: 1st, as soon as dead leaves have been cleaned up in the Spring; 2nd, when new growth is about half completed; 3rd, after Spring growth is completed; 4th, after Fall growth is completed.

4 7 4

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs. Store above 5°F.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019