

7/17/97

PM 14

16-91

'P9 125

JUL 17 1997

30/ 5-523451
/18

Dragon Corporation
P.O. Box 7311
Roanoke, VA 24019

Attention: Ms. Rebecca M. Horton

Subject: Dragon 1% Rotenone Dust
EPA Reg. No. 16-91
Your submission of May 5, 1997

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes and submit one (1) copy to us before you ship your product:

1. If your product's container is a bottle, can, or jar, the "Disposal" portion of your "STORAGE AND DISPOSAL" section would read as follows:

Disposal: Do not reuse empty container. Rinse thoroughly. Securely wrap in newspaper and discard in trash.

2. Alternatively, if your product's container is not a bottle, can, or jar, the "Disposal" portion of your "STORAGE AND DISPOSAL" section would read as follows:

Disposal: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

DBT

Daniel B. Peacock, Biologist
Product Manager Team 14
Insecticide-Rodenticide Branch
Registration Division (7504C)

- Enclosures: 1. Stamped Label
- 2. A-79 Enclosure

Peacock WP#1:A:\Rotenone\16-91.Jul:703-305-5407,-6600:7/17/97

[FRONT PANEL]

DRAGON[®]
1% ROTENONE DUST

ACCEPTED
with COMMENTS
in EPA Letter Dated:

[ADDITIONAL BRAND NAME: DRAGON Rotenone 1% Dust]

JUL 17 1997

Nothing Bears The Dragon!

RECOMMENDED FOR ORGANIC GARDENERS
ORGANIC INSECT CONTROL

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
16-91

Use on Vegetables - Potatoes, Beans, Squash, Cucumbers, Collards, Cabbage, Greens, Kale, Broccoli -
Flowers and Shrubs.

ACTIVE INGREDIENTS:

Rotenone	1.00%
Other Associated Resins	1.53%

INERT INGREDIENTS: 97.47%

TOTAL: 100.00%

[NOTE TO EPA: Front panel of label may include graphics representing product use; e.g., flea control on dog]

Keep Out of Reach of Children

CAUTION

See back/side/other panel(s) for additional precautions.

NET WT. _____

[BACK/SIDE/OTHER PANEL(S)]

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS; AND IN CONFORMITY WITH FEDERAL & STATE REGULATIONS.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Avoid inhalation of dust. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin. Wear long-sleeved work clothing. Take shower or bath after work. Wash hands before eating or smoking.

FIRST AID

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Call a physician or Poison Control Center. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration, preferably mouth-to-mouth, if indicated.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing. Wash skin with soap and water. Launder clothes before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

VEGETABLES & ORNAMENTAL PLANTS

Use Restrictions: For use on home vegetables and ornamentals only.

Mixing: Do not mix the contents of this package in water.

Application Method: Apply a thin, uniform covering to the upper and lower leaf surfaces with a garden hand duster. One pound treats approximately 400 linear feet of row.

Application Directions

BEANS: To control Mexican Bean Beetle, Bean Leaf Beetle, Cucumber Beetle, Flea Beetle, Thrips, Twelve-spotted Beetle, dust as the adult beetles appear. Repeat application as necessary.

CUCUMBERS, PUMPKINS, SQUASH: Apply as directed above to control Cucumber Beetle. Begin early and repeat as necessary. To control Squash Vine Borer on pumpkins and squash, apply once or twice a week to stems and vines at base of plants.

BROCCOLI, CABBAGE, CAULIFLOWER, CARROTS, COLLARDS, KALE, TURNIPS, MUSTARD GREENS: Apply as directed above to control Vegetable Weevil, Imported Cabbageworm.

ASPARAGUS: Apply as directed above, as soon as larvae appear, to control Asparagus Beetle.

SWEET CORN: To control European Corn Borer, make the first application as soon as young borers appear on leaves. Start applications in late May or early June for first brood, and in late July or early August for second brood. Make four applications at exactly five day intervals. Direct the dust downward into the whorls or crowns and leaf axils.

POTATOES: Apply as directed above to control Potato Beetle, as soon as larvae begin feeding.

FLOWERS & SHRUBS: To control many external leaf-chewing insects, apply as soon as insects appear and repeat at weekly intervals as long as the insects continue to appear. Examples of the types of insects that may be controlled are Cabbage Looper on carnation, chrysanthemum and geranium; Flea Beetle on petunia and primrose; Imported Cabbageworm on nasturtium, mignonette and sweet alyssum; Rose Chafer on rose and peony; Asiatic Garden Beetle on petunia, phlox and rose.

DOGS & CATS

Pre-treatment Directions

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR CATS TO KILL FLEAS AND LICE: Do not use on animals under 12 weeks.

Special Animals: Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals.

Adverse Reaction Information: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Application Directions

Dust pet thoroughly, including head (except eyes, mouth and nose), back, sides, legs, ears and tail. Avoid any sores. Rub into fur. Dust sleeping quarters and replace bedding if necessary.

Reapplication Directions: Do not reapply product for 10 days.

