and a start of the second		(	-98		10	33	
	EPA Environmental Protection Washington, DC 204		on Agency			0PP Identifier Number 229747	
	Appli	cation for Pe	esticide - Section	1			
1. Company/Product Number 16–98			2. EPA Product Manager Edwards		3. Proposed Classification		
4. Company/Product (Name) DRAGON 10% SEVIN	r	PM#					
5. Name and Address of App	(	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)					
Dragon Corporati P. O. Box 7311 Roanoke, VA 240	l t	(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No					
Check if this	is a new address		Product Name				
			on - II				
Amendment - Explain below.      Resubmission in response to Agency letter dated     X   Notification - Explain below.     Explanation: Use additional page(s) if necessary. (For section Notification to add the following section for the following secting secting section for the f			Final printed labels in response to Agency letter dated "Me Toc" Application. Other - Explain below. MOTIFICATION d Section II.) headings to Label: MAR 2 4 1996				
Precautionary S Directions for	Statements Hazards Use		and Domestic An	1ma1S			
1. Material This Product Will	Re Recked in:	Geoti		<u></u>			
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" No. I Unit Packaging wgt. cont		Water Soluble Packaging 2. Type of Container   Yes Metal   No Plastic   Glass Paper   Package wst container				
3. Location of Net Contents Information 4. Size(s) Ret			il Container 5. Location of Label Directions On Label On Label On Label				
6. Manner in Whieh Label is	Affixed to Product	Lithograph Paper glued Stenciled	• Other	-			
			on - IV				
	items directly below for iden						
Name Rebecca M. Horton			Title Regulatory & Sales Support Manager		Telephone No. (Include Area Code) (540)362-3657		
Certificatio I certify that the statements I have made on this form and all I acknowledge that any knowingly false or misleading statem both under applicable law.						* * * * * * * *	
2. signature Rebec <i>cia</i> M	1	3. Title Regulatory & SAles Support					
4.Typed Name Rebecca M. HOrt	5. Date 2	5. Date 2/28/96					
EPA Form 8570-1 (Rev. 8-94	4) Previous editions are obsol	ete.	White	EPA File Copy	(original) Yellow - Ar	pplicant Copy	

AFTER 2 7 3

## DRAGON® 10% SEVIN® brand carbaryl insecticide DUST

### [ADDITIONAL BRAND NAME: DRAGON SEVIN 10% Dust.]

#### Nothing Beats The Dragon!

44

For control of certain insects on vegetables and lawns. Controls: Leafhoppers, Corn rootworm, Japanese beetle, Stink bug and other listed insects on vegetables.

[NOTE TO EPA: Front panel of label may include graphics representing use, e.g., listed insects - Cucumber beetle, Stink bug, Corn borer, Tarnished plant bug.]

## **ACTIVE INGREDIENT:**

Carbaryl (1-naphthyl N-methylcarbamate)	10%
INERT INGREDIENTS:	<u>90%</u>
<b>TOTAL</b> 1	00%

# Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional cautions.

# NET WEIGHT 4 LB/25 LB

# READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS; AND IN CONFORMITY WITH FEDERAL AND STATE REGULATIONS.

# PRECAUTIONARY STATEMENTS

## Hazards to Humans and Domestic Animals

CAUTION: HARMFUL IF INHALED OR SWALLOWED. DO NOT breathe dust. DO NOT take internally. Skin contact may be harmful. Wash hands before eating. Take shower or bath after work. Wear regular longsleeved work clothing. Change to clean clothing daily. NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protective information may be obtained from your Cooperative Agricultural Extension Service.

GENERAL INFORMATION: FOR HOMEOWNER USE ONLY. DRAGON® 10% SEVIN® DUST controls a wide range of insect pests. At first signs of insect infestation, preferably before damage from feeding occurs, apply thoroughly to upper and lower leaf surfaces. If needed, repeat application every 7-10 days. DO NOT use with lime or other alkaline material. May be applied up to harvest except where noted.

STAINING PRECAUTION: Staining may occur on certain surfaces such as stucco, brick, cinder block, ' wood, fabrics and carpet. Deposits on painted or stained surfaces or finishes (e.g., cars, house trailers, boats, etc.) should be immediately removed by washing to prevent discoloration. Avoid application to surfaces where ...

EPA Est. [6-VA-1 Page 1

EPA Reg. No. 16-98 February 28, 1996 visible residues are objectionable. Staining of fabrics and carpet may be permanent.

## **DIRECTIONS FOR USE**

. Solanda manager and bar and the second state and the second second state and the second second second second

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

## VEGETABLES

- BEANS: For Mexican bean beetle use ¼ lb. per 2000 sq. ft. For Bean leaf beetle, Cucumber beetles, Flea beetles, Japanese beetles, Leafhoppers, Velvet bean caterpillar and Western bean cutworm, use ¼ lb. per 1000 sq. ft. For Armyworms, Corn earworms, Stink bugs and Tarnished plant bug, use ¼ ¹/₃ lb. per 1000 sq. ft. Use up to the day of harvest. DO NOT feed treated vines to domestic animals.
- CORN: For Corn earworm, Corn rootworm adults, European corn borer, Fall armyworm, Flea beetles, Japanese beetle, Sap beetles and Leafhoppers, use ¼ ½ lb. per 1000 sq. ft. For Corn earworm, apply to silks as soon as they appear. Make 3-4 applications at 2-3 day intervals. Re-apply immediately after rain. For Corn Borer and larvae in whorls (budworm damage) and for foliage feeders, apply thoroughly into the whorls when plants are about knee high. Repeat at weekly intervals until control is achieved. Allow 7 days before harvest, or before allowing domestic animals to feed in treated areas. Application of this product to the tassel of corn during the pollen shed period will seriously reduce bee populations.

CABBAGE, BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER AND KOHLRABI, CUCUMBERS, MELONS, PUMPKIN, SQUASH, HEAD LETTUCE, CARROTS, POTATOES, TOMATOES, EGGPLANT, PEPPER AND OKRA: For Pickleworm, Melonworm, Flea beetles and Harlequin bug, use ¼-½ lb. per 2000 sq. ft. For Cucumber beetles, Leafhoppers, Squash bugs, Cabbage caterpillars, Armyworms and Corn earworms, use ¼ - ¼ lb. per 1000 sq. ft. Avoid excessive applications. Some leaf injury may occur if treatments are made when tender foliage is wet or during periods of prolonged high humidity. DO NOT apply to cabbage, broccoli, brussels sprouts, cauliflower, kohlrabi or head lettuce within 3 days of harvest.

### LAWNS

For Chinch bugs, Fall armyworms, Leafhoppers, Sod webworms (lawn moths), Ants, Earwigs, Fleas, Millipedes, Mosquitoes, use 2 lbs. per 1000 sq. ft. Chinch bugs in Florida use 12<sup>1</sup>/<sub>2</sub> lbs. per 5000 sq. ft.

## **STORAGE & DISPOSAL**

- **STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs.
- **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bag. Discard bag in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

SEVIN<sup>®</sup> is a registered trademark of Rhóne Poulenc Ag Company.

Manufactured by DRAGON CORPORATION Roanoke, VA 24019

> EPA Est. 16-VA-1 Page 2

3

3

EPA Reg. No. 16-98 February 28, 1996