

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95

	United States <b>Environmental Protection Agency</b> Washington, DC 20460.	<input type="checkbox"/> Registration	OPP Identifier Number <b>229771</b>
		<input checked="" type="checkbox"/> Amendment	
		<input type="checkbox"/> Other	

**Application for Pesticide - Section I**

1. Company/Product Number 16-127	2. EPA Product Manager Edwards	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) COPPER DRAGON Bug & Blight Dust	PM# 19	
5. Name and Address of Applicant (Include ZIP Code) Dragon Corporation P. O. Box 7311 Roanoke, VA 24019-7311 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: 1) Add "marketing copy" to label of record. 2) Amend Precautionary Statements & Directions to comply with July 19 label language negotiated between EPA and Rhone-Poulenc, per enclosed July 31, 1996 letter from Rhone-Poulenc. 3) Amend First Aid section (moved NOTE TO PHYSICIAN from Precautionary Statements where previously located to FIRST AID.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Regulatory/Sales Support Mgr.	Telephone No. (Include Area Code) (540) 362-3657
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Rebecca M. Horton</i>	3. Title Regulatory & Sales Support Manager	
4. Typed Name Rebecca M. Horton	5. Date Sept. 17, 1996	

AFTER 2 7 4

[FRONT PANEL]

**COPPER DRAGON® BUG & BLIGHT DUST**

[Additional brand names: Copper Dragon Tomato & Vegetable Dust, Dragon Tomato & Vegetable Dust II]

*Nothing Beats The Dragon!*

Ready-to-Use!

Protects your garden from many of the most common pests and diseases.

Excellent Tomato Protection

Contains SEVIN® brand carbaryl insecticide.

**KILLS:** Japanese Beetle, Mexican Bean Beetle, Tomato Hornworm, Flea Beetle and other listed insects.

**CONTROLS:** Early and Late Blight, Leaf Spot on tomatoes and potatoes, Downy Mildew, Black Spot, Anthracnose, Bacterial Wilt on cucumbers, squash and melons.

Two-Way Garden Protection

Controls Plant Diseases

Kills Listed Insects

**Active Ingredients:**

Carbaryl (1-Naphthyl N-methylcarbamate) .....	2%
Copper Expressed as Metallic .....	7%
(Derived from Basic Copper Sulfate)	

<b>Inert Ingredients:</b> .....	91%
<b>TOTAL</b> .....	100%

NOTIFICATION

Keep Out of Reach of Children  
CAUTION

See back/side panels for additional cautions.

NET WEIGHT 14 OZ / 4 LB / 25 LB

[BACK/SIDE/OTHER PANEL(S)]

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing.

**USER SAFETY REQUIREMENTS**

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Avoid contamination of food and feed.
- Do not allow children or pets to contact treated area until dust has settled.

**FIRST AID**

**IF SWALLOWED:** Promptly drink a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Call a physician immediately.

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF IN EYES:** Immediately flush eyes with plenty of water for at least 15 minutes, call a physician.

**NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

**ENVIRONMENTAL HAZARDS**

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This product is toxic to fish. Keep out of lakes, streams or ponds. This product is extremely toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**COPPER DRAGON® Bug & Blight Dust** is an effective combination insecticide-fungicide dust that controls many insects and diseases at the same time. Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster available. [Note to EPA: (when packaged in plastic puffer can) - Wearing household latex or rubber gloves, apply product directly from this container.] Dust lightly go cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before re-entering. For plants above chest height, consider using a **DRAGON® SEVIN® Liquid**. Apply when insects first appear. For diseases apply when plants are young and **BEFORE** damage occurs. Do not repeat applications more than once a week. Do not use with lime or other alkaline material. To avoid possible injury to tender foliage, do not apply when foliage is wet or when rain or excessive humidity is expected during the next two days. **COPPER DRAGON®** may be applied up to harvest except when noted. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl labels.

**BEANS:** For control of Mexican bean beetle, Leafhopper, Flea beetles, Japanese beetles, Velvet bean caterpillar, apply  $\frac{3}{4}$  lb. per 1,000 sq. ft. For control of Lygus, Stink bug, Corn earworm, Tarnished plant bug, apply  $1\frac{1}{4}$  to 2 lbs. per 1,000 sq. ft. ( $\frac{1}{2}$  to 1 lb. per 500 sq. ft.).

**POTATOES, TOMATOES, EGGPLANT AND PEPPERS:** For control of Colorado potato beetle, Flea beetles, Leafhoppers, Leaf spot, early and late Blight on potatoes and tomatoes and Cercospora (leaf spot), Anthracnose on eggplant and peppers, apply  $\frac{3}{4}$  to  $1\frac{1}{4}$  lbs. per 1,000 sq. ft. For control of Tomato fruitworm, Fall armyworm, Tomato hornworm, European corn borer, Stink bugs, Lace bugs, Lygus bugs, apply  $1\frac{1}{4}$  to 2 lbs. per 1,000 sq. ft. ( $\frac{1}{2}$  to 1 lb. per 500 sq. ft.).

**CUCUMBERS, SQUASH, PUMPKINS, MELONS (Cantaloupe, watermelon, honeydew):** For control of Pickleworm, Melonworm, Cucumber beetles, Squash bugs, Flea beetle, Leafhoppers, Anthracnose, Bacterial wilt, Downy mildew, Scab, Alternate leaf spot, apply  $\frac{3}{4}$  to  $1\frac{1}{4}$  lbs. per 1,000 sq. ft.

**LETTUCE, COLLARDS, KALE, TURNIP GREENS, MUSTARD GREENS, SPINACH:** For control of Flea beetles, Leafhoppers, Harlequin bug, Downy mildew, Leaf spot, apply  $\frac{3}{4}$  to  $1\frac{1}{4}$  lbs. per 1,000 sq. ft. For Six-spotted Leafhoppers, Corn earworm, Armyworm, Cabbage caterpillar, Spittlebugs, Lygus and

Stink bugs, apply 1¼ to 2 lbs. per 1,000 sq. ft. (½ to 1 lb. per 500 sq. ft.). Do not apply within 14 days of harvest (except head lettuce - 3 days).

**ASPARAGUS:** For control of Asparagus beetle on spears - Apply 1¼ to 2½ lbs. per 1,000 sq. ft. (½ to 1¼ lbs. per 500 sq. ft.) Apply during cutting season; do not repeat application within three days. Do not apply within 1 day of harvest.

**CABBAGE, CARROTS, BROCCOLI, BRUSSELS SPROUTS:** For control of Flea beetles, Harlequin bugs, Leaf spot, Downy mildew - Apply ¾ to 1¼ lbs. per 1,000 sq. ft. For Corn earworm, Stink bug, Armyworm, Cabbage caterpillar - Apply 1¼ to 2 lbs. per 1,000 sq. ft. (½ to 1 lb. per 500 sq. ft.) Do not apply within 3 days of harvest.

**ROSES, AZALEA AND OTHER ORNAMENTALS:** For control of Japanese beetle, Bagworm, Flea beetles, Leafhoppers, Scale insects, Tent caterpillars and many others - Apply 2 to 2¼ lbs. per 1,000 sq. ft. (½ lb. per 250 sq. ft.).

**GRAPES:** For control of Leafhoppers, Japanese beetles, Grape berry moth, June beetles, Black rot, Downy and Powdery mildew - Apply ¾ to 2 lbs. per 1,000 sq. ft.

**STRAWBERRIES:** For control of Meadow spittle bug, Leaf roller, Strawberry weevil, Leaf spot - Apply 1¼ to 2 lbs. per 1,000 sq. ft. (½ to 1 lb. per 500 sq. ft.). Do not apply within 1 day of harvest.

**STORAGE:** Store only in original container, in a cool dry place inaccessible to children and pets and away from feed and foodstuffs.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bag. Discard bag in trash.

**STAINING PRECAUTION:** Staining may occur on certain surfaces such as stucco, brick, cinder block, wood, fabrics and carpet. Deposits on painted or stained surfaces or finishes (e.g., cars, house trailers, boats, etc.) should be immediately removed by washing to prevent discoloration. Avoid application to surfaces where visible residues are objectionable. Staining of fabrics and carpet may be permanent.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

SEVIN® is the registered trademark of Rhône-Poulenc for carbaryl.

Manufactured by  
**DRAGON CORPORATION**  
Roanoke, VA 24019