

ACCEP

NOV 2 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 16-131

**DRAGON
BENOMYL WETTABLE**

EPA Reg. No. 16-131
EPA Est. No. 16-VA-1

NET WT. 4 OZ/2 OZ/1 OZ

Systemic control for certain diseases on lawns.

Controls Dollar Spot and Large Brown Patch on Lawns.

[Note to EPA: Front panel of label may include graphics representing product use; e.g., dollar spot on lawn.]

ACTIVE INGREDIENT:

Benomyl [Methyl 1-(Butylcarbamoyl)-2-benzimidazolecarbamate]	50%
INERT INGREDIENTS:	50%
TOTAL	100%

Keep Out of Reach of Children
CAUTION

See back/side/other panel(s) for additional cautions.

PRECAUTIONARY STATEMENTS

Hazards to Humans

KEEP OUT OF REACH OF CHILDREN. May irritate eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Do not enter or allow entry into treated areas until sprays have dried unless wearing the protective clothing specified under **PROTECTIVE MEASURES**. Keep all unprotected persons, children, livestock and pets away from treated areas or where there is danger of drift.

PROTECTIVE MEASURES: Always spray with your back to the wind. Wear long-sleeved shirt, long pants and rubber gloves. Wash gloves thoroughly with soap and water before removing. Change clothes immediately after using this product and launder separately from other laundry items before reuse. Shower immediately after use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, areas where surface water is present, or areas below the mean high tidal mark. Drift and runoff from treated areas may be hazardous to fish in adjacent areas. Do not contaminate water when disposing of equipment washwater.

BEST AVAILABLE COPY

282

PHYSICAL & CHEMICAL HAZARDS: Keep product away from fire and sparks.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Never allow Benomyl to become wet during storage. This may lead to certain chemical changes which will reduce the effectiveness of Benomyl. Store in the tightly closed, original container in a cool, dry, preferably locked storage area out of reach of children.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

BENOMYL is a systemic fungicide recommended for the control of listed lawn diseases. If treatment is not effective following use of Benomyl as recommended, a tolerant strain of fungus may be present - consideration should be given to prompt use of another suitable fungicide.

LAWN & TURF GRASSES

For Dollar Spot and Large Brown Patch, apply at the rate of 2 oz. (12 level Tbs.) per 1,000 sq. ft. in sufficient water to obtain thorough coverage - usually 2 to 5 gals. per 1,000 sq. ft. Apply at earliest appearance of disease and continue at 10 to 14 day intervals as long as needed. When conditions are unusually favorable for development of disease, reduce intervals to 5 to 7 days. Do not graze or feed clippings from treated areas to livestock.

Do not mix Benomyl with lime or alkaline pesticides such as Bordeaux mixture or Lime Sulfur.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with label directions and cautions.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019



BEST AVAILABLE COPY