
[FRONT PANEL]

DRAGON® BENOMYL WETTABLE



Systemic control for Dollar Spot, Large Brown Patch and other listed diseases on home lawns and recreational areas.

[Note to EPA: Front panel of label may include graphics representing product use; e.g., dollar spot on lawn.]

ACTIVE INGREDIENT:		BY	WT.
Benomyl [Methyl 1-(butylcar	bamoyl)-2-		
			50%
INERT INGREDIENTS:			50%
TOTAL	·		100%

Keep Out of Reach of Children CAUTION

See back/side/other panel(s) for additional cautions.

NET WT. 4 OZ

[BACK/SIDE/OTHER PANEL(S)]

GENERAL INFORMATION: FOR OUTDOOR DOMESTIC (HOMEOWNER) USE ONLY. **BENOMYL** is a systemic fungicide recommended for the control of Dollar spot, Large brown patch, Fusarium patch (pink snow mold), Fusarium blight and Stripe smut in home lawns and recreational turf areas. If treatment is not effective following use of Benomyl as recommended, a tolerant strain of fungus may be present — consideration should be given to prompt use of another suitable fungicide.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LAWN & TURF GRASSES

Dollar Spot, Large Brown Fatch, and Fusarium Patch (Fusarium rivale)—a cool season disease: Apply at the rate of 2 oz. (12 level Tbs.) per 1,000 sq. ft. in sufficient water to obtain thorough coverage — usually 2 to 5 gals. per 1,000 sq. ft. Apply at earliest appearance of disease and continue at 10 to 14 day intervals as long as needed. When conditions are unusually favorable for development of disease, reduce intervals to 5 to 7 days.

EPA Reg. No. 16-131 November 17, 1992 EPA Est. 16-VA-1

Page 1

- Fusarium Blight (Fusarium roseum and F. Tricinctum)—a warm season disease: Apply at rate of 2½ to 4 oz. (15 to 24 level Tbs.) per 500 sq. ft. (1 to 2½ gals. of water) at earliest appearance of disease at repeat 10 to 14 days later. Immediately after application, water sufficiently to thoroughly wet soil to a depth of 1 inch below any mat or thatch present.
- Stripe Smut (Ustilago striformis): Make a single application at rate of 3 oz. (18 level Tbs.) per 500 sq. ft. (1 to 2½ gals. of water) in October or in early spring before grass begins growth. After application, water sufficiently to carry product to base of plants.

DO NOT graze or feed clippings from treated areas to livestock. DO NOT mix Benomyl with lime or alkaline pesticides such as Bordeaux mixture or Lime Sulfur.

PRECAUTIONARY STATEMENTS Hazards to Humans

KEEP OUT OF REACH OF CHILDREN. May irritate eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Do not enter or allow entry into treated areas until sprays have dried unless wearing the protective clothing specified under PROTECTIVE MEASURES. Keep all unprotected persons, children, livestock and pets away from treated areas or where there is danger of drift.

PROTECTIVE MEASURES: Always spray with your back to the wind. Wear long-sleeved shirt, long pants and rubber gloves. Wash gloves thoroughly with soap and water before removing. Change clothes immediately after using this product and launder separately from other laundry items before reuse. Shower immediately after use.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, areas where surface water is present, or areas below the mean high tidal mark. Drift and runoff from treated areas may be hazardous to fish in adjacent areas. Do not contaminate water when disposing of equipment washwater.

PHYSICAL & CHEMICAL HAZARDS: Keep product away from fire and sparks.

STORAGE & DISPOSAL

- STORAGE: Never allow Benomyl to become wet during storage. This may lead to certain chemical changes which will reduce the effectiveness of Benomyl. Store in the tightly closed, original container in a cool, dry, preferably locked storage area out of reach of children.
- PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
- CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with label directions and cautions.

Distributed by DRAGON CORPORATION Roanoke, VA 24019

EPA Reg. No. 16-131 November 17, 1992 EPA Est. 16-VA-1