



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FEB 10 1994

Dragon Corporation  
P.O. Box 7311  
Roanoke, VA 24019

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 7/29/93 in Response to PR Notice 93-7  
EPA Reg. No. 16-132  
Dragon Ready-To-Use Garden Pest Control

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed. The comments follow.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable  
Printed with Soy/Candela ink on paper  
contains at least 50% recycled fiber

1/1/94

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs (7505C)  
U.S. Environmental Protection Agency  
401 M Street, SW  
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Sincerely,




Jim Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Attachment

3 9 5

**DRAGON®  
READY TO USE GARDEN PEST CONTROL**

Fast Acting Organic Spray for Vegetables, Flowers and Ornamentals.



[Note to EPA: Front panel of label may include graphics representing product use, e.g., sites listed on label - roses, carnations, listed vegetables, etc.]

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.02%
*Piperonyl Butoxide, Technical .....	0.20%
<b>INERT INGREDIENTS**:</b> .....	<u>99.78%</u>
<b>TOTAL</b> .....	100.00%

\*Equivalent to 0.15% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.  
\*\*Contains petroleum distillates.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

Keep Out of Reach of Children  
**CAUTION**

See side/back/other panel(s) for additional precautionary statements.

NET CONTENTS 8 OZ / 1 QT (32 FL OZ)

FEB 10 1994  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
16-132

Kills: Aphids, Whiteflies, Beetles, Leafhoppers, Stink bugs, Caterpillars and many other listed insects.

Controls Insects on Ornamental and Delicate House Plants.

May be applied on day of harvest.

Apply with conventional mechanical compressed air equipment or non-aerosol pump.

Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously.

**TO OPERATE: SHAKE BEFORE USING.** Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

**TO OPERATE: SHAKE BEFORE USING.** Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage.

**TO OPERATE: SHAKE BEFORE USING.** Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**FOR HOMEOWNER USE ONLY.** This insecticide may be used indoors, outdoors or in home greenhouses throughout the growing season, or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leave surfaces. Repeat treatment weekly or as needed to control infestation. **May be applied on day of harvest.**

**USE ON THE FOLLOWING CROPS:**

Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes.

**To Control:** Asparagus beetles, Aphids, Leafhoppers, Whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, Cabbage loopers, Cross-striped cabbageworms, Diamondback moth larvae, Flea beetles, harlequin bugs, Imported cabbageworms, Stink bugs, Green peach aphids, Leaf tiers, Fireworms, Blister beetles, Colorado potato beetles, and Webworms.

**USE ON THE FOLLOWING ORNAMENTALS:**

African violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Rubber plants, Wandering Jew, etc.

**To Control:** Aphids, Flea beetles, Leafhoppers and Whiteflies.

**To Kill Gypsy Moth Caterpillars and adults, adult Japanese beetles and Eastern and Forest Tent Caterpillars on contact.**

**ON TREES AND SHRUBS:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

**ON ROSES AND IN FLOWER GARDENS:** Treat plants and flowers as soon as insects appear. spray plants and flowers, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**INDOORS AS A SPACE SPRAY**

To control house flies, fruit flies, mosquitoes, gnats and small flying moths: Apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure, filling the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

5 7 5

### OUTDOOR, ADULT MOSQUITO CONTROL

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest, particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at rate of 4 oz. per 1,000 sq. ft.

To control mosquito larvae, apply at the rate of 1 pint per 703 sq. ft. (approx. 20'x35' area). Apply as a coarse wetting spray to the border or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposal of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

### STORAGE & DISPOSAL

**STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty container. Discard container in trash.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions for use and cautions stated on this label.

Distributed by  
**DRAGON CORPORATION**  
Roanoke, VA 24019