

PM-10

Reg # 16-132

124

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
250122

Application for Pesticide - Section I

1. Company/Product Number 16-132	2. EPA Product Manager Keigwin	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DRAGON Ready-to-Use Garden Pest Control	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Dragon Corporation P. O. Box 7311 Roanoke, VA 24019-7311 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
Notification of Administrative Amendment: add "marketing copy" to label of record.

NOTIFICATION  
DEC 6 1996

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		No. per container	If "Yes" Package wgt.	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Rebecca M. Horton	Title Regulatory & Sales Support Manager	Telephone No. (Include Area Code) (340) 362-3657
2. Signature <i>Rebecca M. Horton</i>		8. Date Application Received (Stamped)
3. Title Regulatory & Sales Support Manager		
4. Typed Name Rebecca M. Horton	5. Date Nov. 13, 1996	

294

**DRAGON®**  
**READY TO USE GARDEN PEST CONTROL**

[ADDITIONAL BRAND NAMES: DRAGON® Ready-to-Use Vegetable Garden Insect Spray, DRAGON® Gentle Care™ House Plant Spray, Ready-to-Use DRAGON® Rose & Flower Insect Spray, DRAGON® Tomato & Vegetable Insect Spray, DRAGON® Rose & Flower Insect Spray]

*Nothing Beats The Dragon!*

**Insect Protection For Delicate Plants**

Fast Acting Organic Spray for Vegetables, Flowers and Ornamentals.

Kills: Aphids, Whiteflies, Beetles, Leafhoppers, Stink bugs, Caterpillars and many other listed insects.

Controls Insects on Ornamental and Delicate House Plants.

May be applied on day of harvest.

Apply with conventional mechanical compressed air equipment or non-aerosol pump.

Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously.

**Kills On Contact!**

Aphids, Caterpillars, Flea Beetles, Leafhoppers, Webworms & More.

[Note to EPA: Front panel of label may include graphics representing product use, e.g., sites listed on label - roses, carnations, listed vegetables, etc.]

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.02%

\*Piperonyl Butoxide, Technical ..... 0.20%

**INERT INGREDIENTS\*\*:** ..... 99.78%

**TOTAL** ..... 100.00%

\*Equivalent to 0.16% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.

\*\*Contains petroleum distillates.

**NOTIFICATION**

**Keep Out of Reach of Children**

**CAUTION**

See side/back/other panel(s) for additional precautions.

**NET CONTENTS 8 FL OZ / 1 PT (16 FL OZ) / 1 QT (32 FL OZ)**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. **IF SWALLOWED:** Call a physician or Poison Control Center immediately.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

**TO OPERATE: SHAKE BEFORE USING.** Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

**TO OPERATE: SHAKE BEFORE USING.** Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage.

**TO OPERATE: SHAKE BEFORE USING.** Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR HOMEOWNER USE ONLY.** This insecticide may be used indoors, outdoors or in home greenhouses throughout the growing season, or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestation. May be applied on day of harvest.

**USE ON THE FOLLOWING CROPS:**

Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes.

**To Control (Kill):** Asparagus beetles, Aphids, Leafhoppers, Whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, Cabbage loopers, Cross-striped cabbageworms, Diamondback moth larvae, Flea beetles, harlequin bugs, Imported cabbageworms, Stink bugs, Green peach aphids, Leafhoppers, Fireworms, Blister beetles, Colorado potato beetles, and Webworms.

**USE ON THE FOLLOWING FLOWERS, ORNAMENTALS & HOUSE PLANTS:**

African violets, Aralia, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Dracena, Ferns, Ficus, Geraniums, Gladioli, Marigolds, Palms, Roses, Rubber plants, Schefflera, Spathiphyllum, Wandering Jew, etc.

**To Control (Kill):** Aphids, Flea beetles, Leafhoppers and Whiteflies.

**To Kill Gypsy Moth Caterpillars and adults, adult Japanese beetles and Eastern and Forest Tent Caterpillars on contact.**

**ON TREES AND SHRUBS:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

**ON ROSES AND IN FLOWER GARDENS:** Treat plants and flowers as soon as insects appear. Spray plants and flowers, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**INDOORS AS A SPACE SPRAY**

To control house flies, fruit flies, mosquitoes, gnats and small flying moths: Apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure, filling the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

**BEST AVAILABLE COPY**

494

**OUTDOOR, ADULT MOSQUITO CONTROL**

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest, particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at rate of 4 oz. per 1,000 sq. ft.

To control mosquito larvae, apply at the rate of 1 pint per 703 sq. ft. (approx. 20'x35' area). Apply as a coarse wetting spray to the border or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

**STORAGE & DISPOSAL**

**STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty container. Discard container in trash.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions for use and cautions stated on this label.

Manufactured by  
**DRAGON CORPORATION**  
Roanoke, VA 24019

