

PM 03

16-132

9/18/97

page 1 of 3

**DRAGON®  
READY TO USE GARDEN PEST CONTROL**

[ADDITIONAL BRAND NAMES: DRAGON® Ready-to-Use Vegetable Garden Insect Spray, DRAGON® Gentle Care™ House Plant Spray, Ready-to-Use DRAGON® Rose & Flower Insect Spray, DRAGON® Tomato & Vegetable Insect Spray, DRAGON® Rose & Flower Insect Spray]

*Nothing Beats The Dragon!*

Insect Protection For Delicate Plants

Fast Acting Organic Spray for Vegetables, Flowers and Ornamentals.

Kills: Aphids, Whiteflies, Beetles, Leafhoppers, Stink bugs, Caterpillars and many other listed insects.

Controls Insects on Ornamental and Delicate House Plants.

May be applied on day of harvest.

Apply with conventional mechanical compressed air equipment or non-aerosol pump.

Kills On Contact!

Aphids, Caterpillars, Flea Beetles, Leafhoppers, Webworms & More.

[Note to EPA: Front panel of label may include graphics representing product use, e.g., sites listed on label - roses, carnations, listed vegetables, etc.]

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.02%
*Piperonyl Butoxide, Technical .....	0.20%
<b>INERT INGREDIENTS**:</b> .....	<u>99.78%</u>
<b>TOTAL</b> .....	100.00%

\*Equivalent to 0.16% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.

\*\*Contains petroleum distillates.

**ACCEPTED**  
**SEP 18 1997**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 16-132

**Keep Out of Reach of Children  
CAUTION**

See side/back/other panel(s) for additional precautions.

**NET CONTENTS 8 FL OZ / 1 PT (16 FL OZ) / 1 QT (32 FL OZ)**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[for pressure sprayer] **FOR HOMEOWNER USE ONLY. SHAKE BEFORE USING.** Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

[for nozzle sprayer] **FOR HOMEOWNER USE ONLY. SHAKE BEFORE USING.** Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower surfaces are thoroughly covered. Use caution on new growth and tender foliage.

[for gallon nozzle sprayer] **FOR HOMEOWNER USE ONLY. SHAKE BEFORE USING.** Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

This insecticide may be used indoors, outdoors or in home greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestation. May be applied on day of harvest.

**KILLS:** Ants, Aphids, Armyworms, Asparagus beetles, Bagworms, Beetles, Blister beetles, Cabbage loopers, Cankerworms, Caterpillars, Chinch bugs, Cicadas, Clover mites, Colorado potato beetles, Crickets, Cross-striped cabbageworms, Cutworms, Diamondback moth larvae, Earwigs, Firebrats, Fireworms, Flea beetles, Fruit flies, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Green peach aphids, Harlequin bugs, Imported cabbageworms, Japanese beetles, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Leaf tiers, Maggots, Mealybugs, Mexican bean beetles, Millipedes, Mites, Moths, Pillbugs, Rootworms, Sow bug, Spittle bugs, 12-spotted cucumber beetles, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils, Whiteflies.

**USE ON MOST VEGETABLES, HERBS, FRUITS & NUTS, INCLUDING:** Almond, Apple, Apricot, Arrugula, Asparagus, Basil, Bean, Beet, Blackberry, Blackeyed peas, Blueberry, Broccoli, Brussels sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Collards, Corn, Cranberry, Currant, Curry leaf, Eggplant, Endive, Garden peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kale, Lemon, Lentils, Lettuce, Lime, Melon, Mustard greens, Nectarine, Onion, Orange, Parsley, Peach, Pear (bitter melon), Peppers (including bell, chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap bean, Soybean, Spinach, Strawberry, Summer squash, Sweet bay (bayleaf), Sweet potato, Tangerine, Tomato, Turnips, Watermelon, Yam, Zucchini.

**USE ON ROSES, FLOWERS, ORNAMENTALS & HOUSE PLANTS, INCLUDING:** African violets, Aralia, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Dracena, Ferns, Ficus, Geraniums, Gladioli, Marigolds, Palms, Roses, Rubber plants, Schefflera, Spathiphyllum, Wandering Jew.

**KILLS:** Gypsy moth caterpillars and adults, Adult Japanese beetles, and Eastern and Forest Tent Caterpillars.

**USE ON TREES AND SHRUBS:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

**USE ON ROSES AND IN FLOWER GARDENS:** Treat plants and flowers as soon as insects appear. Spray plants and flowers, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**KILLS:** House flies, fruit flies, mosquitoes, gnats and small flying moths.

**USE INDOORS AS A SPACE SPRAY.** Apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure, filling the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

**CONTROLS:** Mosquitoes.

**USE OUTDOORS FOR ADULT MOSQUITO CONTROL.** Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest, particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at rate of 4 oz. per 1,000 sq. ft.

To control mosquito larvae, apply at the rate of 1 pint per 703 sq. ft. (approx. 20'x35' area). Apply as a coarse wetting spray to the border or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

**STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs. Do not transport or store under 32°F. If freezing occurs, thaw and agitate vigorously.

**PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty container. Discard container in trash.

3 7 3

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed. **IF SWALLOWED:** Call a physician or Poison Control Center immediately.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions for use and cautions stated on this label.

Manufactured by  
**DRAGON CORPORATION**  
Roanoke, VA 24019