	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input checked="" type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number 196864
	Application for Pesticide:		

Section I

1. Company/Product Number 16-134	2. EPA Product Manager Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DRAGON Ferbam Wettable Fungicide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Dragon Corporation P. O. Box 7311 Roanoke, VA 24019 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary (For section I and Section II.)

Compliance with PR Notice 933: Statement Prohibiting Application to Water


NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 88-8

DATE: 7/12/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt. _____	No. per container _____	If "Yes," Package wgt. _____	No. per container _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container 6 OZ		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Other (_____) <input checked="" type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)					
Name Rebecca M. Horton	Title Executive Assistant	Telephone No. (include Area Code) (703) 362-3657			
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Executive Assistant		
4. Typed Name Rebecca M. Horton		5. Date 6/22/93		

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-8
DATE 7/12/93

**DRAGON®
FERBAM WETTABLE FUNGICIDE**

Controls certain diseases of tomatoes, apples, pears, peaches, ornamentals and other plants.

[Note to EPA: Front panel of label may include graphics representing product use, e.g., diseases controlled such as scab, black rot, rust, etc.]

ACTIVE INGREDIENT:

Ferbam (Ferric dimethyl dithiocarbamate)	76%
INERT INGREDIENTS:	<u>24%</u>
TOTAL	100%

**Keep Out of Reach of Children
CAUTION**

See side/back/other panel(s) for additional precautionary statements.

NET WT. 6 OZ

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May cause irritation of eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush with plenty of water; for eyes, get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

PHYSICAL OR CHEMICAL HAZARDS: Keep packages or dust away from sparks, flames or hot surfaces.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty containers; wrap and place in trash collection.

304

To Mix, place the proper amount of this product into the spray tank. Add enough water to make the product into a thick paste by stirring. Bring to the proper dilution by continuing to stir as the additional quantity of water is added. THE DILUTION RATES GIVEN ARE LEVEL TEASPOONFULS TO BE ADDED TO ONE GALLON OF WATER. Wet plants to the dripping point. Observe days interval between last application and harvest indicated by number in () following crop.

APPLES (7): For early season control of Scab, Cedar Rust, Blotch use 1-1½ teaspoonfuls in prebloom and calyx stage spray. Use 1-1½ teaspoonfuls 10 days after petal fall and then space next two sprays 14 days apart. For Rust control, make an additional bloom application using ½ teaspoonful. For late season control of Scab, Black Rot, Sooty Blotch, Fly Speck and Brook's Spot use ¾ teaspoonful. Where Bitter Rot and Brook's Spot are severe problems, increase dosage to 1½-2 teaspoonfuls. On Golden Delicious, Jonathan, Baldwin and other varieties of apples which are especially apt to Russet, some injury may result from the use of this product if used in the early season or bloom applications. The best time for use is after petal fall. When used in combination with sulfur, do not apply within 10 days to 2 weeks of an oil spray, nor just prior to or during periods of excessively high temperatures.

CABBAGE - Plant Beds Only: Downy Mildew - use 1½ teaspoonfuls, making 2 or 3 applications each week.

GRAPES (7): Black Rot - Use 2 teaspoonfuls, applying just before bloom, just after bloom and two weeks later.

ORNAMENTALS: Black Spot and Rust on Roses; Rust on Snapdragons and Carnations; Leaf Spot on Chrysanthemums; Botrytis Blight on Peonies and Tulips - Use 1-1½ teaspoonfuls, applying at 7 to 10 day intervals during growing season.

PEACHES (21): Leaf Curl - Use 1½ teaspoonfuls. Apply in the fall after leaves drop or in the spring before buds begin to swell.

PEARS (7): Scab, Sooty Blotch - Use 1½ teaspoonfuls in pink and calyx stages. Use 1½ teaspoonfuls 10 days after petal fall and 14 days later. Spray at rate of 1 teaspoonful every 14 days until 7 days before harvest.

TOMATOES: Gray Mold (Botrytis) - Use 3 teaspoonfuls. Spray for complete coverage. Make seed bed application just before seedlings break the soil surface and repeat at 7 day intervals. Make garden application when disease threatens and repeat at 7 to 10 day intervals as necessary to maintain control.

NOTICE: Buyer assumes all risk of use, handling or storage of this material not in strict accordance with label directions and precautions. This package is filled by weight, and not by volume. Product settling occurs after product is packaged.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019

4044

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

16-134

DATE OF ISSUANCE

SEP 9 1982

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Dragon Ferbam Wettable Fungicide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Dragon Chemical Corporation
P. O. Box 7311
Roanoke, VA 24019

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 16-134."

b. Under Pears, change "2 tablespoonsful" to "1 teaspoonful."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/9/82

5077

(Front panel)

DRAGON
FERBAM WETTABLE FUNGICIDE

Controls certain diseases of tomatoes, apples, pears, peaches, grapes, ornamentals and other plants.

ACTIVE INGREDIENT:

Ferbam (Ferric dimethyl dithiocarbamate) 76%

INERT INGREDIENTS: 24%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

Net Weight 6 oz.

ACCEPTED
with Comment
SEP 9 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 16-134

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: May cause irritation of eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush with plenty of water; for eyes, get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

PHYSICAL OR CHEMICAL HAZARDS

Keep packages or dust away from sparks, flames or hot surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container; wrap and place in trash collection.

To mix, place the proper amount of this product into the spray tank. Add enough water to make the product into a thick paste by stirring. Bring to the proper dilution by continuing to stir as the additional quantity of water is added. THE DILUTION RATES GIVEN ARE LEVEL TEASPOONFULS TO BE ADDED TO ONE GALLON OF WATER. Wet plants to the dripping point. Observe days interval between last application and harvest indicated by number in () following crop.

Apples (7) For early season control of Scab, Cedar Rust, Blotch use 1 - 1½ teaspoonfuls in bloom & calyx stage spray. Use 1 - 1½ teaspoonfuls 10 days after petal fall and then space next two sprays 14 days apart. For Rust control, make an additional bloom application using ½ teaspoonful. For late season control of Scab, Black Rot, Sooty Blotch, Fly Speck and Brook's Spot use 3/4 teaspoonful. Where Bitter Rot and Brook's Spot are severe problems, increase dosage to 1½ - 2 teaspoonfuls. On Golden Delicious, Jonathan, Baldwin and other varieties of apples which are especially apt to Russet. Some injury may result from the use of this product if used in the early season or bloom applications. The best time for use is after petal fall. When used in combination with sulfur, do not apply within 10 days to 2 weeks of an oil spray, nor just prior to or during periods of excessively high temperatures.

Cabbage (Plant Root Only) Downy Mildew - use 1½ teaspoonfuls, making 2 or 3 applications each week.

Grapes (7) Black Rot - Use 2 teaspoonfuls, applying just before bloom, just after bloom and two weeks later.

Ornamentals Black Spot and Rust on Roses; Rust on Snapdragons and Carnations; Leaf Spot on Chrysanthemums; Botrytis Blight on Peonies and Tulips - Use 1 - 1½ teaspoonfuls, applying at 7 to 10 day intervals during growing season.

Peaches (21) Leaf Curl - Use 1½ teaspoonfuls. Apply in the fall after leaves drop or in the spring before buds begin to swell.

Pears (7) Scab, Sooty Blotch - Use 1½ teaspoonfuls in pink & calyx stages. Use 1½ teaspoonfuls 10 days after petal fall and 1½ days later. Spray at rate of 2 tablespoonfuls every 14 days until 7 days before harvest.

Tomatoes Gray Mold (Botrytis) - Use 3 teaspoonfuls. Spray for complete coverage. Make seed bed application just before seedlings break the soil surface and repeat at 7 day intervals. Make garden application when disease threatens and repeat at 7 to 10 day intervals as necessary to maintain control.

NOTICE: Buyer assumes all risk of use, handling or storage of this material not in strict accordance with label directions and precautions. This package is filled by weight, and not by volume. Product coddling occurs after product is packaged.

EPA Reg. No. 16 - 134

EPA Est. 16 - VA - 1

Manufactured For

DRAGON CHEMICAL CORPORATION
Roanoke, VA 24019