

PM 23

16-134

Page 1 of 4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 10 1994

Dragon Corporation
P.O. Box 7311
Roanoke, VA 24019

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 7/29/93 in Response to PR Notice 93-7
EPA Reg. No. 16-134
Dragon Ferbam Wettable Fungicide

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed. The comments follow.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling.
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy Inks
contains at least 50% recycled paper

1994

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,

James A. Downing
for
Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

3 of 4

[FRONT PANEL]

**DRAGON®
FERBAM WETTABLE FUNGICIDE**

Controls certain diseases of tomatoes, apples, pears, peaches, grapes, ornamentals and other plants.

[Note to EPA: Front panel of label may include graphics representing product use, e.g., diseases controlled such as scab, black rot, rust, etc.]

ACTIVE INGREDIENT:

Ferbam (Ferric dimethyl dithiocarbamate)	76%
INERT INGREDIENTS:	<u>24%</u>
TOTAL	100%

Keep Out of Reach of Children

CAUTION

See side/back/other panel(s) for additional precautionary statements.

NET WT. 6 OZ

ACCEPTED
with COMMENTS
In EPA Letter Dated

FEB 10 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

16-134

[BACK/SIDE/OTHER PANEL(S)]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR HOMEOWNER USE ONLY. To Mix, place the proper amount of this product into the spray tank. Add enough water to make the product into a thick paste by stirring. Bring to the proper dilution by continuing to stir as the additional quantity of water is added. **THE DILUTION RATES GIVEN ARE LEVEL TEASPOONFULS TO BE ADDED TO ONE GALLON OF WATER.** Wet plants to the dripping point. Observe days interval between last application and harvest indicated by number in () following crop.

APPLES (7): For early season control of Scab, Cedar Rust, Blotch use 1-1½ teaspoonfuls in prebloom and calyx stage spray. Use 1-1½ teaspoonfuls 10 days after petal fall and then space next two sprays 14 days apart. For Rust control, make an additional bloom application using ½ teaspoonful. For late season control of Scab, Black Rot, Sooty Blotch, Fly Speck and Brook's Spot use ¾ teaspoonful. Where Bitter Rot and Brook's Spot are severe problems, increase dosage to 1½-2 teaspoonfuls. On Golden Delicious, Jonathan, Baldwin and other varieties of apples which are especially apt to Russet, some injury may result from the use of this product if used in the early season or bloom applications. The best time for use is after petal fall. When used in combination with sulfur, do not apply within 10 days to 2 weeks of an oil spray, nor just prior to or during periods of excessively high temperatures.

CABBAGE - Plant Beds Only: Downy Mildew - use 1½ teaspoonfuls, making 2 or 3 applications each week.

GRAPES (7): Black Rot - Use 2 teaspoonfuls, applying just before bloom, just after bloom and two weeks later.

ORNAMENTALS: Black Spot and Rust on Roses; Rust on Snapdragons and Carnations; Leaf Spot on Chrysanthemums; Botrytis Blight on Peonies and Tulips - Use 1-1½ teaspoonfuls, applying at 7 to 10 day intervals during growing season.

PEACHES (21): Leaf Curl - Use 1½ teaspoonfuls. Apply in the fall after leaves drop or in the spring before buds begin to swell.

PEARS (7): Scab, Sooty Blotch - Use 1½ teaspoonfuls in pink and calyx stages. Use 1½ teaspoonfuls 10 days after petal fall and 14 days later. Spray at rate of 1 teaspoonful every 14 days until 7 days before harvest.

TOMATOES: Gray Mold (Botrytis) - Use 3 teaspoonfuls. Spray for complete coverage. Make seed bed application just before seedlings break the soil surface and repeat at 7 day intervals. Make garden application when disease threatens and repeat at 7 to 10 day intervals as necessary to maintain control.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May cause irritation of eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with eyes, skin or clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, flush with plenty of water; for eyes, get medical attention.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

PHYSICAL OR CHEMICAL HAZARDS: Keep packages or dust away from sparks, flames or hot surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container; wrap and place in trash collection.

NOTICE: Buyer assumes all risk of use, handling or storage of this material not in strict accordance with label directions and precautions. This package is filled by weight, and not by volume. Product settling occurs after product is packaged.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019