



**WETTABLE OR DUSTING  
GARDEN SULPHUR**

# WETTABLE OR DUSTING GARDEN SULPHUR

**CONTROLS**  
Powdery Mildew, Brown Rot,  
Scab, Black Spot on listed  
Fruit Trees, Grapes and  
Ornamentals.

Active Ingredient:	
Sulfur.....	90%
Inert Ingredients.....	10%
<b>Total</b>	<b>100%</b>

ACCEPTED

JUN 11 1982

Federal Insecticide

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

May cause irritation of eyes and skin. Avoid contact with eyes or skin. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food and feed.

### STATEMENT OF PRACTICAL TREATMENT

If on Skin — Wash with mild soap and water.  
If in Eyes — Wash eyes with water for at least 15 minutes and get medical attention.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL HAZARD

When dusting, keep fire and sparks away from duster and dust stream. Do not smoke while applying this product.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. NOTICE: Do not use within 4 weeks of an oil spray or when temperature is above 90°F as injury to foliage may occur. Sulphur may cause injury to open blooms. Do not apply to cucumbers, melons, or squash. Sulphur may cause injury to certain apple and bean varieties, pears, and concord and other labrusca type grapes.

**AS A DUST** — Dust lightly to both upper and undersides of the leaves avoiding dusting of open blooms. Do not apply heavily as burning may occur. **AS A SPRAY** — Mix 2 1/2 level tablespoonfuls in a small amount of water, stirring until a thin paste is formed, then add water to make 1 gallon of mixture. Stir thoroughly and agitate occasionally while spraying. Do not store diluted spray. Make new dilution for each use.

### STORAGE AND DISPOSAL

**STORAGE** Store in cool, dry place away from feed and foodstuffs.  
**DISPOSAL** Do not reuse empty container. Wrap container and put in trash collection.

### VEGETABLES

**BEANS, PEAS**, Powdery Mildew, Rust (on beans). Dust or spray every 7 to 10 days during growing season. Sulphur may injure certain varieties of beans. Check plant tolerance prior to use. **TOMATOES**, Russet Mite. To clean up early infestations dust or spray when fruit begins to set. Repeat treatments as necessary. Do not apply sulphur to tomatoes within 40 days of harvest if they are to be canned in metal containers. For red Spiders on tomatoes dust or spray when pests appear. Repeat as necessary.

### FLOWERS AND ORNAMENTALS

**ASTER, AZALEA, CALENDULA, CHRYSANTHEMUM, CREPE MYRTLE, DOGWOOD, DAHLIA, DELPHINIUM, LIGUSTRUM, LILAC, MAPLE, PHLOX, RHODENDRON, ROSE, SNAPDRAGON & ZINNIA**, Powdery mildew. Dust or spray at 7-10 day intervals. For black spot on **ROSES** dust or spray at 7-10 day intervals. **ARBORVITAE, CARNATION, CEDARS, CHRYSANTHEMUM, CLEMATIS, HYDRANGEA, ROSE, SNAPDRAGON & SWEET PEAS**, red spiders, dust or spray at 5-7 day intervals.

### FRUIT TREES AND GRAPES

**CHERRIES, PEACHES, PLUMS, PRUNES**, Brown Rot: Spray or dust just before fruit starts to ripen. **APPLES**, **PEARS**, Scab: Spray when buds begin to swell and at 10 day intervals until 2 weeks after petal fall. During wet weather make additional treatments. Sulphur may injure certain apple varieties. Check plant tolerance prior to use. Do not apply to pears after fruit begins to turn down. **GRAPES**, Powdery Mildew, dust or spray when buds begin to break and at intervals of 2 weeks for at least 4 applications (6 treatments may be necessary). Do not apply to Concord or other Sulphur-sensitive grape varieties.

EPA Reg. No. 16-136

EPA Est. 16-VA-1

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See back panel for additional  
precautionary statements.

NET WT. 1 LB. 9 OZ.

### NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS FOR USE & PRECAUTIONARY STATEMENTS stated on this label.

Packaged by

**DRAGON CHEMICAL CORPORATION**  
Roanoke, Virginia 24019

Reverse type black to yellow