



### WETTABLE OR DUSTING GARDEN SULPHUR

# WETTABLE OR DUSTING GARDEN SULPHUR

**CONTROLS**  
Powdery Mildew, Brown Rot,  
Scab, Black Spot on listed  
Fruit Trees, Grapes and  
Ornamentals.

Active Ingredient  
Sulfur  
Inert Ingredients

**ACCEPTED**  
**REREGISTERED**  
JUN 25 1984

90%  
10%  
Total 100%

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May cause irritation of eyes and skin. Avoid contact with eyes or skin. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food and feed.

#### STATEMENT OF PRACTICAL TREATMENT

On Skin - Wash with mild soap and water.  
On Eyes - Wash eyes with water for at least 15 minutes and get medical attention.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL HAZARD

When dusting keep fire and sparks away from dusting and dusting area. Do not breathe dusting.

#### DIRECTIONS FOR USE

Use as directed. Federal law to use this product in a manner consistent with its labeling. NOTICE: Do not use within 4 weeks of and 1 spray or when temperature is above 90. Fungus on foliage may cause injury to open blooms. Do not apply to cucumbers, melons, or squash. Do not apply to certain apple and bean varieties, pears, and conifers. Do not use on plants in flower. Do not water treated area within 24 hours of application. Do not use on plants with open wounds. Do not apply heavily as burning may occur. AS A SEED - Mix 2 level tablespoons in a small amount of water, stirring until a thin paste is formed. Then add water to make 1 gallon of mixture. Stir thoroughly and agitate occasionally while spraying. Do not store diluted spray. Make new dilution for each use.

#### STORAGE AND DISPOSAL

STORAGE: Store in cool, dry place away from feed and foodstuffs.  
DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

#### VEGETABLES

BEANS, PEAS: Powdery Mildew, Rust on beans: Dust or spray every 7 to 10 days during growing season. Sulfur may injure certain varieties of beans. Check plant tolerance prior to use. TOMATOES: Rust, Mosaic, Toad skin, leafy infections: Dust or spray when fruit begins to set. Repeat treatments as necessary. Do not apply sulfur to tomatoes within 30 days of harvest if they are to be canned in metal containers. FURFUR Spiders on tomatoes: Dust or spray when pests appear. Repeat as necessary.

#### FLOWERS AND ORNAMENTALS

ASTER, AZALEA, CALENDULA, CHRYSANTHEMUM, CREPE MYRTLE, DOGWOOD, DANIELA, GELTHERUM, LIG-STRUM, M. LAC, MAPLE, PHLOX, RHODODENDRON, ROSE, SNAPDRAGON, ZINNIA, FLOWERS: Dust or spray when buds are opening. Repeat treatments as necessary. ROSES: Spray when buds are opening. Repeat treatments as necessary. CARNATION, CHOCARS, CHRYSANTHEMUM, CLEMATIS, HYDRANGEA, ROSE, SNAPDRAGON, SWEET PEAS, and other flowers: Dust or spray when buds are opening. Repeat treatments as necessary.

#### FRUIT TREES AND GRAPES

CHERRIES, PEACHES, PLUMS, PEARLINES: Dust or spray when buds are opening. Repeat treatments as necessary. APPLES: Dust or spray when buds are opening. Repeat treatments as necessary. PEARS: Dust or spray when buds are opening. Repeat treatments as necessary. GRAPES: Dust or spray when buds are opening. Repeat treatments as necessary. Do not use on plants with open wounds. Do not apply heavily as burning may occur. Do not use on plants with open wounds. Do not apply heavily as burning may occur. Do not use on plants with open wounds. Do not apply heavily as burning may occur.

EPA Reg. No. 16-136

EPA Est. 16-1A-1

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for additional  
precautionary statements

NET WT. 1 LB. 9 OZ.

#### NOTICE

Buyer assumes all risks of use, storage or handling of this material. Not to be used in accordance with the label and the PRECAUTIONARY STATEMENTS on the label.

Packaged by

**DRAGON CHEMICAL CORPORATION**  
Roanoke, Virginia 24019