Reg. # 16 - 13(PM-21

MAR 30 1992

Ms. Sandra J. Hurst
Regulatory & Graphics Coordinator
Dragon Corporation
P.O. Box 7331
Roanoke, VA 24019

Dear Ms. Hurst:

Subject: DRAGON Wettable or Dusting Garden Sulfur

EPA Reg. No. 16-136

Application for Pesticide Amendment of 03/05/91

Resubmission of 11/26/91

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) is acceptable provided you make the labeling changes listed below you release the product for shipment bearing the amended labeling:

- 1. The EPA Reg. No. 16-139 is on the label copies submitted under your cover letter of 11/26/91 which refers to EPA Reg. No. 16-136. Please correct the EPA Reg. No.
- 2. Change becanned to two words.
- 3. Separate the lot numbers from the EPA Est. No.
- 4. A 24-hour reentry interval statement requirement was waived for all registered homeowner plant pest and disease control uses of sulfur products in the 12/18/91 Agency response to the AD HOC Coalition of Sulfur Registrants request for waiver of product pecific data requirements. This includes home and garden uses on your label. Therefore, the 24-hour reentry statement on your label is optional since your product is named a garden sulfur and if only used in home and garden plantings. However, if your product is marketed for agricultural uses such as apple or peach orchards and ornamental plant nurseries, the following 24-hour reentry label statements are required:

"Do not enter into treated area until at least 24 hours after the completion of application to the area unless wearing the protective clothing listed below. During early entry into treated areas (less than 24 hours after the completion of application) to perform hand labor tasks, wear long pants (or coveralls), long sleeved shirt, shoes, socks, chemical/water resistant gloves, goggles or face shield."

"Pesticide Handlers: During mixing, loading and application of this product, wear long pants (or coveralls) long sleeved shirt, shoes, socks, chemical/water resistant gloves and goggles or face shield."

Submit five copies of your final printed label.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

5-

Susan T. Lewis Product Manager (21) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure



WETTABLE **OR DUSTING**

Controls Powdery Mildew, Brown Rot, Scab, Black Spot on listed Fruit Trees, Grapes and Ornamentals.





Brown Rot



Powdery Mildew



Miles

ACTIVE INGREDIENT: -

INERT INGREDIENTS: ...

Keep Out of Reach of Children CAUTION

See back and side panels for additional precautionary statements. Net Weight 4 Lb.

BEST AVAILABLE COPY



WETTABLE OR DUSTING GARDEN SULPHUR

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. **NOTICE:** Do not use within 4 weeks of an oil spray or when temperature is above 90° F, as injury to foliage may occur. Sulphur may cause injury to open blooms. Do not apply to cucumbers, melons, or squash. Sulphur may cause injury to certain apple and bean varieties, pears and concord and other labrusca type grapes. **Do not re-enter area within 24 hours of application.**

- AS A DUST—Dust lightly to both upper and undersides of leaves avoiding dusting of open blooms. Do not apply heavily as burning may occur.
- AS A SPRAY—Mix 21/2 level tabelspoons in a small amount of water, stirring until a thin paste is formed, then add water to make 1 gallon of mixture. Stir thoroughly and agitate occasionally while spraying. Do not store diluted spray. Make new dilution for each use.
- VEGETABLES—BEANS, PEAS: Powdery Mildew, Rust (on beans). Dust or spray every 7 to 10 days during growing season. Sulphur may injure certain varieties of beans. Check plant tolerance prior to use. TOMATOES: Russet Mite. To clean up early infestations, dust or spray when fruit begins to set. Repeat treatments as necessary. Do not apply sulphur to tomatoes within 40 days of harvest if they are to becanned in metal containers. For Red Spiders on tomatoes, dust or spray when pests appear. Repeat as necessary.
- FLOWERS AND ORNAMENTALS—ASTER, AZALEA, CALENDULA, CHRY-SANTHEMUM, CREPE-MYRTLE, DOGWOOD, DAHLIA, DELPHINIUM, LIGUSTRUM, LILAC, MAPLE, PHLOX, RHODODENDRON, ROSE, SNAP-DRAGON & ZINNIA: Powdery Mildew. Dust or apray at 7-10 day intervals. For Black Spot on ROSES, dust or spray at 7-10 day intervals. ARBORVITAE, CARNATION, CEDARS, CHRYSANTHEMUM, CLEMATIS, HYDRANGEA, ROSE, SNAPDRAGON & SWEETPEAS: Red Spiders. Dust or spray at 5-7 day intervals.
- FRUIT TREES AND GRAPES—CHERRIES, PEACHES, PLUMS, PRUNES: Brown Rot. Spray or dust just before fruit starts to ripen. APPLES, PEARS: Scab. Spray when buds begin to swell and at 10 day intervals until 2 weeks after petal fall. During wet weather, make additional treatments. Sulphur may injure certain apple varieties. Check plant tolerance prior to use. Do not apply to peais after fruit begins to turn down. GRAPES: Powdery Mildew. Dust or spray when buds begin to break and at intervals of 2 weeks for at least 4 applications (6 treatments may be necessary). Do not apply to Concord or other sulphursensitive grape varieites.


EPA Reg No 16-139

С

}

Packaged by DRAGON CORPORATION Roanoke, VA 24019-0311

EPA Est. 769-GA-1 (1); 19713-GA-1 (2). Number in () folk: sing EPA Est. No corresponds to first digit in Lot No.





WETTABLE OR DUSTING GARDEN SULPHUR

PRECAUTIONARY STATEMENTS
Hazards to Humans and
Domestic Animals

CAUTION: May cause irritation of eyes and skin. Avoid contact with eyes or skin. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food and feed.

STATEMENT OF PRACTICAL TREATMENT:

If On Skin—Wash with mild soap and water If In Eyes—Wash eyes with water for at least 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS:

)

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.



WETTABLE OR DUSTING GARDEN SULPHUR

PHYSICAL HAZARDS

When dusting, keep fire and sparks away from duster and dust stream. Do not smoke while applying this product.

STORAGE AND DISPOSAL

STORAGE: Do not store near feed or foodstuffs. Store in the tightly closed original container in a cool, dry preferably locked storage area, out of reach of children.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash collection.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS FOR USE & PRECAUTIONARY STATEMENTS stated on this label.





UPC Code No. 22001-07204

)

WETTABLE OR DUSTING GARDEN SULPHUR