

16-136

10/21/2003

5745 308 1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Thomas C. McEntee
VP Regulatory Compliance
Dragon Chemical Corporation
71 Carolyn Blvd.
Farmingdale, NY 11735-1527

OCT 21 2003

Subject: Dragon Wettable or Dusting Garden Sulphur
EPA Reg. No. 16-136
Amendment dated August 27, 2003

Dear Mr. McEntee:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following changes are made:

1. Delete the phrase "Organic Disease Protection" from the label. This is considered to be an implied safety claim and therefore is unacceptable according to 40CFR156.10(a)(5)(ix).
2. If the First Aid statements do not appear on the front panel of the final printed labeling, add the following referral statement to the front panel of the label: "See additional first aid statements elsewhere on label."
3. Add the "Net Weight" to the front panel.
4. In the First Aid block, delete the statement "FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: CHEMTREC AT: 1-800-424-9300". Chemtrec only deals with pesticide spills, not human exposures.
5. Move the "Storage and Disposal" box to below the "DIRECTIONS FOR USE" header, either near the beginning or at the end of this section.

One copy of the label stamped "Accepted with comments" is enclosed for your records. This label supercedes all labels previously accepted for this product. Please submit one copy of the final printed label that incorporates the required changes before the product is released for shipment.

EPA Reg. No. 16-136
Dragon Wettable or Dusting Garden Sulphur
Page 2 of 2

If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,



Mary Waller
Product Manager (21)
Fungicide Branch
Registration Division (7505C)

Enclosure

DRAGON WETTABLE OR DUSTING GARDEN SULPHUR

Organic Disease Protection

Use On Flowers, Vegetables, Fruit Trees And Ornamentals Listed

ACTIVE INGREDIENT:

Sulphur 90%

OTHER INGREDIENTS:..... 10%

TOTAL: 100%

Keep Out of Reach of Children

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

When dusting, keep fire and sparks away from duster and dust stream. Do not smoke while applying this product.

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

OCT 21 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

16-136

FIRST AID

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL:
CHEMTREC AT: 1-800-424-9300

IF INHALED:

Move person to fresh air.
If person is not breathing, call 911, or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.
Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING

Take off contaminated clothing.
Rinse skin immediately with plenty of water for 15 to 20 minutes.
Call a poison control center or doctor for further treatment advice.

IF IN EYES

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
Call a poison control center or doctor for further treatment advice.

IF SWALLOWED

Call Poison Control Center or Doctor immediately for treatment advice.
Have person sip a glass of water if able to swallow.
Do not induce vomiting unless told to do so by the poison control center or doctor.
Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1 - 800 - 222- 1222 for emergency medical treatment information.

Storage & Disposal

If Empty: Do Not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency or call CHEMTREC AT 1-800-424-9300 for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
NOTICE: Do not use within 4 weeks of an oil spray or when temperature is above 90° F, as injury to foliage may occur. Sulphur may cause injury to open blooms. Do not apply to cucumbers, melons, or squash. Sulphur may cause injury to certain apple and bean varieties, pears, and concord and other labrusca type grapes.

AS A DUST: Dust lightly to both upper and undersides of leaves avoiding dusting of open blooms. Do not apply heavily as burning may occur.

AS A SPRAY: Mix 2½ level tablespoons in a small amount of water, stirring until a thick paste is formed, then add water to make 1 gallon of mixture. Stir thoroughly and agitate occasionally while spraying. Do not store diluted spray. Make new dilution for each use.

VEGETABLES - BEANS, PEAS: Powdery Mildew, Rust (on Beans). Dust or spray every 7 to 10 days during growing season. Sulphur may injure certain varieties of beans. Check plant tolerance prior to use. **TOMATOES:** Russet Mite. To clean up early infestations, dust or spray when fruit begins to set. Repeat treatments as necessary. Do not apply sulphur to tomatoes.

within 40 days of harvest if they are to be canned in metal containers. For *Red Spiders* on tomatoes, dust or spray when pests appear. Repeat as necessary.

FLOWERS AND ORNAMENTALS - ASTER, AZALEA, CALENDULA, CHRYSANTHEMUM, CREPE-MYRTLE, DOGWOOD, DAHLIA, DELPHINIUM, LIGUSTRUM, LILAC, MAPLE, PHLOX, RHODODENDRON, ROSE, SNAPDRAGON & ZINNIA: *Powdery Mildew*. Dust or spray at 7-10 day intervals. For *Black Spot* on ROSES dust or spray at 7-10 day intervals. ARBORVITAE, CARNATION, CEDARS, CHRYSANTHEMUM, CLEMATIS, HYDRANGEA, ROSE, SNAPDRAGON & SWEETPEAS: *Red Spiders*. Dust or spray at 5-7 day intervals.

FRUIT TREES AND GRAPES - CHERRIES, PEACHES, PLUMS, PRUNES: *Brown Rot*. Spray or dust just before fruit starts to ripen. APPLES, PEARS: *Scab*. Spray when buds begin to swell and at 10 day intervals until 2 weeks after petal fall. During wet weather, make additional treatments. Sulphur may injure certain apple varieties. Check plant tolerance prior to use. Do not apply to pears after fruit begins to turn down. GRAPES: *Powdery Mildew*. Dust or spray when buds begin to break and at intervals of 2 weeks for at least 4 applications (6 treatments may be necessary). Do not apply to Concord or other sulphur-sensitive grape varieties.

NOTICE

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS FOR USE & PRECAUTIONARY STATEMENTS stated on this label.

EPA Reg No. 16-136

Distributed by
DRAGON CHEMICAL CORPORATION
Roanoke, VA 24019-7311
www.dragonchemical.com
7204AY20037

