

(back panel)

PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
IF ON SKIN: Wash contaminated skin with soap and water.
IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before smoking or eating.

ENVIRONMENTAL HAZARDS

Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label. Do not apply directly to lakes, streams or ponds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store near feed or foodstuffs. Do not store diluted spray. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.
PESTICIDE DISPOSAL: Do not drain or flush pesticide onto desirable plants or vegetation, as injury or loss may result.
CONTAINER DISPOSAL: Do not reuse empty container; wrap and put in trash collection.

DRAGON Brush & Poison Ivy Killer¹⁵ highly effective for killing most woody plants, including hardwood and coniferous species such as alder, ash, birch, cedar, elm, gum, hickory, maple, oak, pine and willow. It is intended for use in noncrop areas such as around buildings, under power lines and fence lines and other noncrop areas where control of woody vegetation is desired.

FOLIAGE SPRAY: To kill woody plants, such as poison ivy, poison oak & poison sumac, prepare spray solution by mixing 1 1/2 pts. (3 cups) Dragon Brush & Poison Ivy Killer per 1 gal. water in a hose-end or pump-type sprayer. Apply any time after brush has reached the full-leaf stage until foliage begins to discolor, preferably during periods of high temperature & humidity. Thoroughly spray all foliage, stems, limbs

and base of brush to point of run-off. On tall, dense brush, it is often necessary to spray from both sides to obtain adequate coverage. Some regrowth may be expected on resistant species such as Ash, Maple, Oak & Hickory. Repeat treatment to kill regrowth. Avoid drift to desirable plants.

STUMP TREATMENT: Paint or daub liberal amounts of undiluted Dragon Brush & Poison Ivy Killer to the freshly cut stump surface and exposed roots to prevent stump from resprouting.

TREATMENT of UNDESIRABLE HARDWOOD TREES (frill method). To kill hardwood species, such as blackjack oak, sweetgum, poplar, pecan, maple, ash, red oak, post oak and hickory, treat at any time of year. At a convenient chopping height, make a continuous cut completely around tree with downward axe strokes, cutting well into the sapwood. Saturate Frilled area with undiluted Dragon Brush & Poison Ivy Killer. Hard-to-kill woody plants, such as beech, Hickory and Sweet Gum may require a second treatment.

IMPORTANT: In order to avoid killing desirable plants with herbicide residue, do not use the same sprayer used for this or other herbicides when spraying insecticides, fungicides and other sprays onto desirable plants.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with DIRECTIONS FOR USE & PRECAUTIONARY STATEMENTS stated on this label.

EPA Reg. No. 16-XXXX

EPA Est. No. 16-VA-1 (1); 11561 WV-1(2)

Number following Est. No. corresponds to first digit in Lot No.

Distributed by
DRAGON CHEMICAL CORPORATION
Roanoke, Virginia 24019