

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO.	DATE OF ISSUANCE <i>October 21, 1970</i>
	TERM OF ISSUANCE <i>Until Reregistration</i>	
	NAME OF PESTICIDE PRODUCT <i>DRAGON Fruit tree Spray Wettable</i>	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The product is conditionally distributed in accordance with FIFRA Section 1(c)(7)(C) in that you

are required to file data for registration/reregistration of your product under FIFRA section (c)(5) when the Agency requires all registrants of similar products to submit such data

2. Add the phrase "EPA Registration No. 16-152" to your label before your release of the product for shipment.

A 15-month storage stability study is required for this product. The material of the product must be analyzed for its active ingredient at time zero and during a year of storage. The storage should be in warehouse conditions of temperature and humidity and stored in similar containers as you will be using in the trade. Submit a storage stability study within 15 months from the date of this letter.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards</i>	DATE <i>10/29/70</i>
-------------------------------------------------------------	-------------------------

DRAGON

FRUIT

TREE SPRAY

WETTABLE

Contains: Methoxychlor, Malathion, Captan.
A complete insecticide, fungicide and miticide
for listed insect and disease control on
apple and peach trees.

Japanese Beetle	Codling Moth
Brown Rot	Aphid

Keep Out of Reach of Children
DANGER

NET WEIGHT 1 LB

DRAGON FRUIT TREE SPRAY

BEFORE USE READ CAUTIONS AND NOTICE STATEMENTS CAREFULLY

PRECAUTIONARY STATEMENTS

Hazardous to Humans & Domestic Animals
DANGER: Captan causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing. Avoid inhalation of dust or spray mist. Use with adequate ventilation. Wash thoroughly with soap and water after handling.

STORAGE & DISPOSAL

Storage: Do not store near feed or foodstuffs. Store in the tightly closed original container in a cool, dry, preferably locked storage area, out of reach of children.
Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.
Container Disposal: Do not use empty container. Wrap and put in trash collection.

STATEMENT OF PRACTICAL TREATMENT

|| In Eye: Flush eyes with plenty of water. Call a physician.
|| Swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions or, if these are not available, drink large quantities of water. Avoid alcohol. Never give anything by mouth to unconscious person. Call a physician.
|| Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
|| On Skin: Wash contaminated skin with soap and water.

SPRAY APPLICATION: One pound of this material will make 10 gallons of fruit tree spray. For smaller quantities, use 5 level tsp. to each gallon of water. Mix well. Agitate solution while spraying.

AMOUNT OF SPRAY NEEDED PER TREE: SIZE DILUTED SPRAY

Young or Dwarf	1 to 2 pints
Medium	1 to 2 quarts
Large	2 to 3 gallons

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and all basic life stages of amphibians. Do not apply directly to water or wetlands (i.e., swamps, bogs, marshes and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

APPLES: To control codling moth, brooks fruit spot, woolly and green apple aphids, pacific clover and red spider mites, codling moth, curculio, apple maggot, Japanese beetle, and bitter rot, apply as follows:

1. When blossom stems separate and before blossoms open
2. When 75% of the petals have fallen
3. 10 days later
4. 10 days to 2 weeks later
5. Continue at 2-week intervals to 21 days before harvest.

BEE CAUTION: This product is highly toxic to bees exposed to direct treatment or residues remaining in treated areas. Do not apply when bees are actively visiting the crop. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PEACHES: To control brown rot, peach scab, European red mite, red spider, plum curculio, Japanese beetle, European fruit scale, pacific and clover mites, apply as follows:

1. Full bloom
2. When shucks begin to split
3. 10 days later
4. 2 weeks later
5. Do not apply within 21 days of harvest.

DIRECTIONS FOR USE

In accordance with Federal law to use this product in a manner consistent with its labeling.

Wear goggles or face shield when handling. Wear chemically resistant gloves when using indoors or outdoors. When using outdoors wear long pants and long sleeved shirt and apply with the wind to your back. Wash non disposable gloves thoroughly with soap and water before removing. Remove contaminated clothing and separately launder clothing before reuse.

If control of disease on above fruit crops is necessary within 21 days of harvest, apply a wettable sulfur spray. Remove residues by washing, wiping, brushing or other effective means.

NOTICE: Buyer assumes all risk and liability of use, storage and/or handling of this material not in strict accordance with DIRECTIONS and CAUTION Statement on this label.

UPC Code No
22001 05601

Manufactured by
DRAGON CORPORATION
Danoke, VA 24019

EPA Reg. No. 101-101-0101 EPA Est. 16 VA 1

ACCEPTED
with COMMENTS
in EPA Letter 1/20/80

OCT 29 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

BEST AVAILABLE COPY

16-152