

16-154

DEC 11 1992

5391898

Dragon Rotenone/Pyrethrin Insect Spray

Dragon Corporation
P.O. Box 7311
Roanoke, VA 24019

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 16-154."
- b. Since "organic" is an implied safety claim, the word organic at the start and middle of the front label must be deleted.
Recommended for organic gardeners is acceptable.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

57944:I:Hutton:C.Disk:KEVRIC:09/18/92

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton
Product Manager (18)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

PRECAUTIONARY STATEMENTS **Hazards to Humans & Domestic Animals** — **WARNING:** May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT — **IF SWALLOWED:** Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard. **IF IN EYES OR ON SKIN:** Flush with plenty of soap and water. Get medical attention if irritation persists.

PHYSICAL HAZARDS: DO NOT STORE OR USE NEAR HEAT OR OPEN FLAME. Flashpoint minimum 120° F (48.9° C).

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a locked storage area. **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and put in trash.

NOTICE: Buyer assumes all risks of storage, use and handling of this material not in accordance with directions for use and cautions.

Distributed by **DRAGON CORPORATION**, Roanoke, VA 24019 A
EPA Reg. No. 16- EPA Est. 16-VA-1

DRAGON

ROTENONE/PYRETHRIN INSECT SPRAY

Organic control of insects on vegetables, fruits & berries, ornamentals and flowers. Controls fleas, ticks & lice on dogs & cats



MAKES UP TO 48 GALLONS
OF SPRAY SOLUTION

ACTIVE INGREDIENTS
Rotenone 0.005
Pyrethrin 0.005
INERT INGREDIENTS
TOTAL

0.010
0.010
0.010
0.010
0.010


Keep Out of Reach of Children
WARNING
See other panel for first aid instructions. For use only on ornamentals and vegetables.

NET CONTENTS 8 FL OZ

DIRECTIONS FOR USE —
In a manner inconsistent with
VEGETABLES: For use on
Beets, Cabbages, Carrots,
Muskmelon, Onion, Peas,
Use hand or automatic sprayer
give complete coverage of
of harvest. Repeat every 5
from light. Use 1 tsp/gal.
posed Thrips. Use 2 tsp/gal.
beetles, Beet webworms,
beetles, Lygus bugs, White
Oblique-banded leaf roller,
Tortoise beetles, Garden
gal of water to control: Cut
Squash bugs (nymphs), Cut

UPC Code No.
22001-00000

EPA Reg. No. 16-



ACCEPTED
with COMMENTS
by EPA Letter Dec. 1

DEC 11 1992

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

16-154

FRUITS & BERRIES: For use on fruits and berries such as Apple, Blackberry, Blueberry, Cherry, Currant, Gooseberry, Grape, Peach, Pear, Plum, Raspberry and Strawberry. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of harvest. Repeat every 5 to 10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gal. of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gal. of water to control: Imported currant worms, Gooseberry fruit worms, Raspberry fruit worms, Blueberry maggots, Cherry fruit flies, Strawberry root worms (adult), Red-necked borers, Japanese beetles & Mites. Use 4 tsp./gal. of water to control: Strawberry leaf rollers & Rose chafers.

FLOWERS, ORNAMENTALS & TREES: For use on ornamental and flowering plants such as: Aster, Birch, Boxelder, Carnation, Cedar, Chrysanthemum, Dahlia, Dogwood, Elm, Geranium, Gladiolus, Lilac, Linden, Maple, Marigold, Oak, Petunia, Phlox, Pine, Poplar, Rose, Spirea, Spruce, Sweet Pea, Willow, Yew and Zinnia. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gal. of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gal. of water to control: Oblique-banded leaf rollers, Sawfly larvae, Boxelder bug, Japanese beetle, Elm leaf beetle larvae, Mites, Lygus bug, Lace bug, Greenhouse whiteflies, Stink bugs, Garden fleahoppers, Greenhouse leafhoppers. Use 4 tsp./gal. of water to control: Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles.

FLEAS, TICKS & LICE (ON DOGS, CATS & PREMISES): Avoid contact with eyes, nose or mouth of animal. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse. To prevent reinfestation, thoroughly spray the animal's living quarters with this product.

ON DOGS—Do not use more than 1 fl. oz. (2 Tbsp.) per gallon on puppies. For fleas and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water. (For young animals, use 1/2 fl. oz. (1 Tbsp.) per 1 gal. of water). For ticks, dilute this product at the rate of 2 fl. oz. (4 Tbsp.) per 1 gal. of water. (For young animals, use 1 fl. oz. (2 Tbsp.) per 1 gal. of water.)

ON CATS—Do not use on young kittens. On adult animals, do not use more than 1 fl. oz. (2 Tbsp.) per 1 gal. of water. For fleas, ticks and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water.

W D

W D

0