211 18 16-15.

POSO 19 4

Please read instructions on reverse before completing form. Form Approved OMB No 2070-0060, Approval expires 11-30-93 United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 196860 Application for Pesticide: Other Section I 2. EPA Product Manager 3. Proposed Classification 1. Company/Product Number Hutton 16-154 x None PM# Restricted: 4. Company/Product (Name) DRAGON Rotenone/Pyrethrin 18 Insect Spray 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5 Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling Dragon Corporation P. O. Box 7311 Roanoke, VA 24019 EPA Reg. No. Check if this is a new address **Product Name** Section II Final printed labe is in response to Amendment - Explain below Agency tter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Compliance with PR Notice 93-3: Labeling Statement Prohibiting Application to Water Section III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Child-Resistant Packaging Unit Packaging 2. Type of Container Metal Yes Yes* Yes Plastic Glass No No Paper If "Yes." If "Yes," No. per No. per Other (Specify) Unit Package wgt container Package wgt. container * Certification must be submitted. 5. Location of Label Directions 4. Size(s) of Retail Container 3. Location of Net Contents Information On Label ___ Container 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telef ligne No. (Include Area Code) Executive Assistant Rebecca M. Horton Certification Date Application Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law Executive Assistant Typed Name 5. Date 6/17/93 Rebecca M. Horton

[FRONT PANEL]

DRAGON[®] ROTENONE/PYRETHRIN INSECT SPRAY

For control of insects on vegetables, fruits and berries, ornamentals and flowers. Controls fleas, ticks & lice on dogs and cats.

RECOMMENDED FOR ORGANIC GARDENERS

[NOTE TO EPA: Front panel of label may include graphics representing product use, e.g., listed fruits, vegetables, etc.]

ACTIVE INGREDIENTS:

Rotenone	1.1%w/w
Other Associated Resins	2.2%
Pyrethrins	0.8%
INERT INGREDIENTS:	
TOTAL	100.0%w/w

Keep Out of Reach of Children WARNING

See other panels (booklet, when necessary) for additional precautionary statements and statement of practical treatment.

NET CONTENTS 8 FL OZ

MAKES UP TO 48 GALLONS OF SPRAY SOLUTION

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

VEGETABLES: For use on vegetable plants such as Asparagus, Beans, Beets, Cabbage, Carrot, Celery, Corn, Cucumber, Eggplant, Lettuce, Muskmelon, Onion, Peas, Pepper, Potato, Spinach, Squash and Tomato. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gal. of water to control: Aphids, Leafhoppers & Exposed Thrips, Use 2 tsp./gal. of water to control: Cabbage worms, Bean beetles, Beet webworms, Sod webworms, Asparagus beetles, Japanese beetles, Lygus bugs, Whiteflies, Garden fleahoppers, Harlequin bugs. Oblique-bantled leaf rollers, Stink bugs, Celery leaftiers, Melon worms, Tortoise beetles, Garcen webworms, Alfalfa webworms & Mites. Use 4 tsp./gal. of water to control: Cucumber heetles, Flea heetles, Vegetable weevils, Squash bugs (nymphs), Squash vine borers, European corn borers—3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.

EPA Est. 16-VA-1

Page 1

- FRUITS & BERRIES: For use on fruits and berries such as Apple, Blackberry, Blueberry, Cherry, Currant, Gooseberry, Grape, Peach, Pear, Plum, Raspberry and Strawberry. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of harvest. Repeat every 5 to 10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gal. of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gal. of water to control: Imported currant worms, Gooseberry fruit worms, Raspberry fruit worms, Blueberry maggots, Cherry fruit flies. Strawberry root worms (adult), Red-necked borers, Japanese beetles and Mites. Use 4 tsp./gal. of water to control: Strawberry leaf rollers and Rose chafers.
- FLOWERS, ORNAMENTALS & TREES: For use on ornamental and flowering plants such as: Aster, Birch, Boxelder, Carnation, Cedar, Chrysanthemum, Dahlia, Dogwood, Elm, Geranium, Gladiolus, Lilac, Linden, Maple, Marigold, Oak, Petunia, Phlox, Pine, Poplar, Rose, Spirea, Spruce, Sweet Pea, Willow, Yew and Zinnia. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gal. of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gal. of water to control: Oblique-banded leaf rollers, Sawfly larvae, Boxelder bug, Japanese beetle, Elm leaf beetle larvae, Mites, Lygus bug, Lace bug, Greenhouse whiteflies, Stink bugs, Garden fleahoppers, Greenhouse leaftiers. Use 4 tsp./gal. of water to control: Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles.
- FLEAS, TICKS & LICE (ON DOGS, CATS & PREMISES): Avoid contact with eyes, nose or mouth of animal. Apply directly to animal as a spray, sponge-on or a wash. Dip until Animal's skin is wet. Do not rinse. To prevent reinfestation, thoroughly spray the animal's living quarters with this product.

On Dogs—Do not use more than 1 fl. oz. (2 Tbsp.) per gallon on puppies. For fleas and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water. [For young animals, use ½ fl. oz. (1 Tbsp.) per 1 gal. of water.] For ticks, dilute this product at the rate of 2 fl. oz. (4 Tbsp.) per 1 gal. of water. [For young animals, use 1 fl. oz. (2 Tbsp.) per 1 gal. of water.]

On Cats—Do not use on young kittens. On adult animals, do not use more than 1 fl. oz. (2 Tbsp.) per 1 gal. of water. For fleas, ticks and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING: May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.
- IF IN EYES OR ON SKIN: Flush with plenty of soap and water. Get medical attention if irritation persists.

PHYSICAL HAZARDS: DO NOT STORE OR USE NEAR HEAT OR OPEN FLAME. Flashpoint minimum 120°F (48.9°C).

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container in a locked storage area.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

NOTICE: Buyer assumes all risks of storage, use and handling of this material not in accordance with directions for use and cautions.

Distributed by DRAGON CORPORATION Roanoke, VA 24019