

Pm

14

16-154

pages, 1/9/95 5

MAR 6 1995

S 482724 $\frac{300}{18}$

Dragon Corporation
P.O. Box 7311
Roanoke, VA 24019

Attention: Ms. Rebecca M. Horton

Subject: Dragon Rotenone Pyrethrin Insect Spray
EPA Reg. No. 16-154
Your letter of December 16, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following label changes to the label and General Information Booklet:

A. Comments on Label

1. Place the statement, "For Homeowner Use Only", directly under your product name.
2. Change "Statement of Practical Treatment" to "First Aid".
3. Change "Physical Hazards" heading to "Physical or Chemical Hazards". If you want this section on the label, place it after the "Environmental Hazards" section.
4. Place your referral statement for the precautionary text at the end of this section. Modify as follows:

Refer to booklet for additional precautionary statements.
5. Structure your use directions as follows:

DIRECTIONS FOR USE

It is ... with its labeling.

Refer to booklet for use directions.

B. General Information Booklet

1. Move the title of this labeling, "General Information Booklet", directly under the product name.
2. Since you have not formally removed the site, "cats", from your label, it should remain this site on your labeling of record until you send us a request under PR Notice 91-1.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

You have 18 months in which to complete these changes on your labeling.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures: 1. Stamped label
2. A-79 Enclosure

Peacock WP#5:A:16-154.ROT:305-5407,-6600:3/3/95

DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Homeowner Use Only

STORAGE & DISPOSAL
Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original container in a locked storage area. **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and put in trash.

NOTICE: Buyer assumes all risks of storage, use and handling of this material not in accordance with directions for use and cautions.

SEE ADDITIONAL PRECAUTIONS & COMPLETE DIRECTIONS FOR USE IN ATTACHED BOOKLET

EPA Reg. No. 16-154 EPA E:1 16-VA-1

Distributed by
DRAGON CORP.
Roanoke, VA
24019



C 0 2200109208 2

DRAGON[®] ROTENONE PYRETHRIN INSECT SPRAY

Controls insects on vegetables, fruits & berries, and flowers.



Controls fleas and ticks on dogs and puppies.

ACTIVE INGREDIENTS:
Rotenone 1.1% w/w
Other Associated Resins . 2.2%
Pyrethrin 0.8%
INERT INGREDIENTS: 95.9%
TOTAL 100.0% w/w

Keep Out of Reach of Children

WARNING

See other panels and booklet for additional precautionary statements and statement of practical treatment.

NET CONTENTS 8 FL OZ

PRECAUTIONARY STATEMENTS
Hazards to Human
Domestic Animals
WARNING: May be fatal if swallowed if absorbed through skin. Caution. May cause substantial eye injury. Wear safety glasses, eyes, on skin, or on clothing. Wash thoroughly with water after handling. Remove clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call a physician or Poison Control Center. Drink plenty of water. Do not induce vomiting unless directed by a physician. These are not available, drink 1-2 glasses of water. Avoid alcohol. Do not use if you are pregnant. This product contains a flammable solvent. Aspiration may be a hazard.
IF IN EYES OR ON SKIN: Flush with water. Get medical attention if irritation persists.
PHYSICAL HAZARDS: DO NOT STORE NEAR HEAT OR OPEN FLAME. Flashpoint minimum 120° F (49° C)

BEST AVAILABLE COPY

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 16-154.

Japanese beetles & Mites. Use 4 tsp./gallon of water to control: Strawberry leaf rollers & Rose chafers.

FLOWERS, ORNAMENTALS & TREES:

For use on ornamental and flowering plants such as: Aster, Birch, Boxelder, Carnation, Cedar, Chrysanthemum, Dahilla, Dogwood, Elm, Geranium, Gladiolus, Lilac, Linden, Maple, Marigold, Oak, Petunia, Phlox, Pine, Poplar, Rose, Spiraea, Spruce, Sweet Pea, Willow, Yew and Zinnia. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gallon of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gallon of water to control: Oblique-banded leaf rollers, Sawfly larvae, Boxelder bugs, Japanese beetle, Elm leaf beetle larvae, Mites, Lygus bug, Lace bug, Greenhouse whiteflies, Stink

bugs, Garden fleahoppers, Greenhouse leafhoppers. Use 4 tsp./gallon of water to control: Cucumber beetles, Rose chafers, Ants, Aster beetles, Flea beetles.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Harmful if absorbed through skin. Causes skin irritation. May cause substantial but temporary eye injury. Wear safety glasses. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. This product contains aro-

matic petroleum solvent. Aspiration may be a hazard.

IF IN EYES OR ON SKIN: Flush with plenty of soap and water. Get medical attention if irritation persists.

PHYSICAL HAZARDS:

DONOT USE OR STORE NEAR HEAT OR OPEN FLAME. Flashpoint minimum 120° F (48.9° C).

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

STORAGE & DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container in a locked storage area.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

NOTICE:

Buyer assumes all risks of storage, use and handling of this material not in accordance with directions for use and cautions.

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019

EPA Reg. No. 16-154
EPA Est. 16-VA-1

BEST AVAILABLE COPY

5677

DRAGON[®]

ROTENONE PYRETHRIN INSECT SPRAY




TO CONTROL FLEAS AND TICKS ON DOGS AND PUPPIES:

Avoid contact with eyes, nose or mouth of animal. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse. To prevent reinfestation, thoroughly spray the animal's living quarters with this product.

ON DOGS: Do not use more than 1 fl. oz. (2 Tbsp.) per gallon on puppies. For fleas and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water. [For young animals, use 1/2 fl. oz. (1 Tbsp.) per gal. of water.] For ticks, dilute this product at the rate of 2 fl. oz. (4 Tbsp.) per 1 gal. of water. [For young animals, use 1 fl. oz. (2 Tbsp.) per 1 gal. of water.]

For control of insects on vegetables, fruits and berries, ornamentals and flowers.



Controls fleas and ticks on dogs and puppies

ACTIVE INGREDIENTS:

Rotenone 1.1%w/w
Other Associated Resins ... 2.2%
Pyrethrins 0.8%

INERT INGREDIENTS: 95.9%

TOTAL 100.0%w/w

GENERAL INFORMATION
BOOKLET

KEEP OUT OF REACH OF CHILDREN
WARNING

ON CATS—Do not use on young kittens. On adult animals, do not use more than 1 fl. oz. (2 Tbsp.) per 1 gal. of water. For fleas, ticks and lice, dilute this product at the rate of 1 fl. oz. (2 Tbsp.) per 1 gal. of water.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR HOMEOWNER USE ONLY

VEGETABLES:

For use on vegetable plants such as Asparagus, Beans, Beets, Cabbage, Carrot, Celery, Corn, Cucumber, Eggplant, Lettuce, Muskmelon, Onion, Peas, Pepper, Potato, Spinach, Squash and Tomato. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gallon of water to control: Aphids, Leafhoppers & Exposed Thrips. Use 2 tsp./gallon of water to control: Cabbage worms, Bean beetles, Beet webworms, Sod webworms, Asparagus beetles, Japanese beetles, Lygus bugs, Whiteflies, Garden fleahoppers, Harlequin bugs, Oblique-banded leaf rollers, Stink bugs, Celery leaf-tiers,

Melon worms, Tortoise beetles, Garden webworms, Alfalfa webworms & Mites. Use 4 tsp./gallon of water to control: Cucumber beetles, Flea beetles, Vegetable weevils, Squash bugs (nymphs), Squash vine borers, European corn borers - 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.

FRUITS & BERRIES:

For use on fruits and berries such as Apple, Blackberry, Blueberry, Cherry, Currant, Gooseberry, Grape, Peach, Pear, Plum, Raspberry and Strawberry. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of harvest. Repeat every 5 to 10 days or as needed. Keep diluted spray away from light. Use 1 tsp./gallon of water to control: Aphids, Leafhoppers, Exposed Thrips. Use 2 tsp./gallon of water to control: Imported currant worms, Gooseberry fruit worms, Raspberry fruit worms, Blueberry maggots, Cherry fruit flies, Strawberry root worms (adult), Red-necked borers,

BEST AVAILABLE COPY

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended (see 7 U.S.C. 136) and authorized under FIFRA, 16-154

ACCEPTED
with COMMENTS
in EPA Letter Dated
MAR 6 1995

545