Ì	LIC CARRONIAGAGA PROTECTION AC	EPA REGISTRATION NO.	DATE OF ISSUANCE		
1	US ENVIRONMENTAL PROTECTION AG ( OFFICE OF PESTICIDES PROGRAM.	16-158	AUG 1 - 100		
	REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	<del></del>		
-		Conditional			
1	NOTICE OF PESTICIDE: HEEGISTAATION	Dragon Total V	egetation		
	(Under the Federal Insecticide, Fungicide,	Killer Formula			
	and Rodenticide Act, as amended)	N2232 572			
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		<del></del>		
	· ·	٦			
1	'	·			
	n Gamemation				
1	Dragon Corporation P.O. Box 7311				
	Roanoke, Va. 24019				
٠	L	<b>ا</b> ــ			
1	NCTE: Changes in labeling formula differing in substance	of from that accounted in connection wi	th this registration must be		
	submitted to and accepted by the Registration Division p product always refer to the above U.S. EPA registration r	prior to use of the label in commerce.	In any correspondence on this		
	On the basis of information furnished by the registrant, to the Federal Insecticide, Fungicide, and Rodenticide Act		egistered/Reregistered under		
	A copy of the labelling accepted in connection with this	Registration/Reregistration is returned	d herewith.		
	Registration is in no way to be construed as an indorsem	nent or approval of this product by this	Agency. In order to protect		
	health and the environment, the Administrator, on his mo icide in accordance with the Act. The acceptance of any Act is not to be construed as giving the registrant a righ by others.	otion, may at any time suspend or candy name in connection with the registra	el the registration of a pest- tion of a product under this		
•	This product is conditionall FIFRA sec. 3(c)(7)(A) provid	y registered in accor led that you:	dance with		
<b>1</b> ~	1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit 'such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4."				
	2. Add the phrase, "EPA Reg submit five (5) copies of before you release the p	of your final printed	' and labeling		
	<ol> <li>In the proposed labeling inert ingredients indicated petroleum distillates ar</li> </ol>	ating: Contains aroma	atic		
	SIGNATURE OF APPROVING OFFICIAL		PATE //3/93		
1	EPA Form \$570-6 (Rev. 5/16)   PREVIOUS EDIT	TION - AY BE USED UNTIL SUPPLY IS E	RHAUSTED.		

4. The "Storage and Disposal" statement should read as follows:

Pesticide Disposal: Pesticide, spray, mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 156, subpart K, section 156.200 (c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

Sincerely,

Robert J. Taylor Product Manager (25) Fungicide-Herbicide Branch Registration Division (H7505C) [FRONT PANEL]

# DRAGON® TOTAL VEGETATION KILLER Formula II

AG with : in Englished AFA

Under the Pedagel Incereside, Pungicides and Roders's select as an exact for the selection of

AUG 1 3 1930

Contains PRAMITOL®
MAKES SOIL BARREN

ONE QUART COVERS UP TO 300 SQ. FT. (ONE GALLON COVERS UP TO 1200 SQ FT.)

FOR TOTAL VEGETATION CONTROL

PREVENTS PLANT GROWTH THROUGHOUT THE GROWING SEASON

CONTROLS DOWNY BROMEGRASS, OATGRASS, GOOSEGRASS, QUACKGRASS, PUNCTUREVINE, GOLDENROD, PLANTAIN, BINDWEED, JOHNSONGRASS, COMMON MULLEIN, WILD CARROT, AND OTHER HARD-TO-KILL ANNUAL AND PERENNIAL BROADLEAF AND GRASS WEEDS.

**ACTIVE INGREDIENT:** 

)

....

 Prometon: 2,4-bis(ispropylamino)-6-methoxy-s-triazine
 3.75%

 INERT INGREDIENTS\*:
 :
 96.25%

 TOTAL:
 :
 100.00%

\*Contains petroleum distillates.

This product contains 0.273 lbs. of prometon per gallon and weighs 7.27 lbs. per gallon.

[NOTE TO EPA: Front panel of label may include graphics representing product use; e.g., "before" and "after" use on weeds along fence row.]

# Keep Out of Reach of Children WARNING

See back/side/other panel(s) for additional precautions.

NET CONTENTS 1 OT (32 FL OZ) / 1 GAL (128 FL OZ)

#### [BACK/SIDE/OTHER PANEL(S)]

GENERAL INFORMATION: For total weed control on certain areas around the home, the business, or workplace where no plant growth is desired, use as specified in label directions.

DRAGON® TOTAL VEGETATION KILLER Formula II is a nonselective product intended for use after dilution with water, or an appropriate oil, or other approved carrier. The addition of DRAGON® Spreader Sticker (1 tsp. per 2½ gal. solution) will help provide uniform coverage, increase spray retention and help sprays resist run-off from rain. For best results, apply to bare ground or when weed growth is just starting. Weeds taller than 4-6 inches should be heed before treatment or it may be necessary to make a second application. A second application may be necessary to control deeprooted perennial weeds. Use for bare ground vegetation control in driveways, brick walks, paths, patios, parking areas, play areas, along fences and curbs, around buildings and under graveled puthways where plant growth has come through these surfaces.

EPA Reg. No. 16-\_\_\_\_ October 8, 1992



Page	•	 - /							
Pago			 	$\overline{}$					
					1	<b>'</b> as	e	1	ı

EPA Est

# DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For control of annual and susceptible perennial weeds such as downy bromegrass, oatgrass, goosegrass, quackgrass, puncturevine, goldenrod and plantain add 10 - 16 fluid ounces (5/8-1 pint) of DRAGON® TOTAL VEGETATION KILLER Formula II to a 2½ gallon sprinkling can or similarly-sized spraying device. Use of a sprinkling can or coarse spray is recommended to avoid spray drift to desirable plants. Add water to fill container and apply to cover 100 sq. ft.

For control of hard-to-kill perennial broadleaf weeds and grasses such as bindweed and johnsongrass, as well as the biennials common mullein and wild carrot, add I quart of DRAGON® TOTAL VEGETATION KILLER Formula II to a 2½ gallon sprinkling can or similarly-sized spraying device. Use of a sprinkling can or coarse spray is recommended to avoid spray drift to desirable plants. Add water to fill container and apply to cover 100 sq. ft. Different grades of mineral oil, diesel fuel, petroleum-based oil, fuel oil or kerosene may be substituted for water.

Triple rinse sprinkling can or sprayer and pour rinsate on area treated once application is completed. Mix only the quantity needed and use immediately. Do not store dilute solution. To minimize movement of product in soil to desirable plants, sprinkle lightly with a watering can or similar sprinkler device immediately after application.

#### IMPORTANT! PRECAUTIONS TO AVOID DAMAGE TO DESIRABLE PLANTS:

- (1) Apply when air is calm to avoid the possibility of drift onto desirable plants or grass.
- (2) Keep away from the roots of desirable plants and trees.
- (3) Use only in areas where complete control of all vegetation is desired.
- (4) DRAGON® TOTAL VEGETATION KILLER FORMULA II SHOULD NOT BE USED ON CULTIVATED AREAS, ON GROUND THAT IS TO BE CULTIVATED, IN GREENHOUSES, OR NEAR THE DRIP LINE OF TREES OR SHRUBS.
- (5) Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces).
- (6) Avoid using where adjacent desirable trees, shrubs, or plants may be injured from leaching of the chemical through the soil.
- (7) Keep children and animals off treated areas until these areas are dry.

#### PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin or clothing. Avoid breathing vapor or spray mist. Wear safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

## STATEMENTS OF PRACTICAL TREATMENT

- IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water. Get medical attention.
- IF SWALLOWED: Call a physician or Poison Control Center. Give water if conscious. May present aspiration hazard. DO NOT induce vomiting.
- IF ON SKIN: Wash with plenty of soap and water. Get medical advice.
- IF INHALED: Remove victim to fresh air.

1

**)**.

F. V. Reg., No. 16-		EPA Est.
October 8, 1992	THE MANAGES ASSET	Page

2

·. of 5

- NOTE TO PHYSICIAN: If swallowed, lavage stomach, taking care to avoid aspiration of stomach contents into the lungs.
- ENVIRONMENTAL HAZARDS: Do not use on slopes or in areas where runoff is likely to occur (apply only to level surfaces). Do not contaminate water used for irrigation or domestic purposes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.
- PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.

#### STORAGE AND DISPOSAL

Do not contaminate waste, food or feed by storage or disposal.

- STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs.
- PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.
- **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

PRAMITOL® is a registered trademark of Ciba-Geigy Corporation.

)

)

Distributed by
DRAGON CORPORATION
Roanoke, VA 24019

EPA Reg. No. 16 October 8, 1992		EPA Est. Page 3
CDA Day No. 16		
	1 1	• • •