

A-8

## HEXZENE No. 2

### USE DIRECTIONS

#### As a DISINFECTANT

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use Hexzene No. 2 with a cloth or mop and apply to walls, floors and other hard surfaces.

#### As a SANITIZER


If used for sanitization of food equipment or food contact items, limit the level of active quaternaries to 200 ppm. active quaternaries (2.8 ounces per 5 gallons.)

#### NO RINSE REQUIRED.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Net Contents

# HEXZENE No. 2



**CLEANER DISINFECTANT DEODORIZER FUNGICIDE**

Designed for Hospital and Institutional Use

#### PHENOL COEFFICIENTS

Guaranteed	Minimum
<i>S. aureus</i>	42
<i>S. typhosa</i>	27

Rinse empty container thoroughly with water and discard.

#### ACTIVE INGREDIENTS

n-Alkyl (60% C <sub>14</sub> , 20% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl trimethyl benzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
INERT INGREDIENTS	92.50%

100.00%

Batch No.

EPA Reg.No. 19-3

**DANGER**

Keep out of reach of children.

See right side panel for additional precautionary statements.

## emulso CORPORATION

301 Ellicott Street

Buffalo, N. Y. 14203

## HEXZENE No. 2

Hexzene No. 2 is a cleaner, disinfectant, and sanitizer designed for institutional use, such as HOSPITALS, NURSING HOMES, and SCHOOLS where housekeeping will be of prime importance in controlling the hazard of cross-infection. Hexzene No. 2 can provide the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

When used for sanitization of food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level No Potable Water Rinse is required.

## DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.