KILL mice

Sweeney's

poison wheat WITH ROZOL

CAUTION KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON BACK PANEL

ACCEPTED
OCT 1 1 70
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the product registered under EPA Reg. No.

DIRECTIONS FOR USE

HOW TO MIX: Tablespoon amounts (.5 oz.) of bait should be placed 8 to 12 feet apart. An uninterrupted supply of bait should be maintained for at least 15 days. Place bait in locations where mice feed, water and or travel. Bait placements along walls in corners and in concealed locations where mice can feed unobserved are desirable. Continued or spread bait should be replaced promptly. Where a continuous source of infestation is present, nearby during period bait stations should be established and the bait replenished as needed.

CAUTION: Keep away from children, domestic animals and birds. Swallowed absorbed by animals, death may occur if ingested in the mouth and stomach. Vitamin K compound is the blood thinning agent. Vitamin K administered by injection or orally is a specific antidote. Consult a physician immediately.

ENVIRONMENTAL HAZARDS

Treated baits must be used in a local area not accessible to children, pets, domestic animals and domestic animals. Prior to bait placement, kill out all pests. Dispose of contaminated equipment and unused bait or empty containers as specified.

ACTIVE INGREDIENT: 3-(3-(4'-trifluoromethylbiphenyl-4-yl)-1-phenylpropyl)-4-hydroxycoumarin 0.005%
INACTIVE INGREDIENTS: 99.995%

EPA Reg. No. 1-1
EPA Reg. No. 1-23

Net Weight 2 Ounces

KEEP FROM FOODSTUFFS

W.R. SWEENEY MFG., INC. • SALISBURY, MO.