

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY **0822**



WESTOFUME is a liquid formulation specifically prepared for the control of insects infesting bulk stored grain seeds flour mill and bakery equipment such as bins, spouts, conveyors, elevators, roller mills and sifters. WESTOFUME, when used according to directions, controls the Grain Weevil, Rice Weevil, Confused Flour Beetle, Red Flour Beetle, Flat Grain Beetle, Saw-toothed Grain Beetle, Yellow Meal Worm Beetle, Cadelle, Angoumois Grain Moth, Cigarette Beetle, Drug Store Beetle, Black Carpet Beetle, Common Carpet Beetle, Mediterranean Meal Moth, Indian Meal Moth, Flour Mite and Grain Mite.


DIRECTIONS FOR USE:

Apply WESTOFUME by pouring onto the binned material. WESTOFUME quickly becomes a heavy vapor, killing insects as it settles through the grain mass. Bins should be leveled off to within six inches of the top prior to applying WESTOFUME.

Elevator storage: Concrete or steel bins: apply 3 to 4 gallons of WESTOFUME per 1000 bushels of material. For crib bins, use 6 to 8 gallons per 1000 bushels. Exposure period is 5 days. For best results apply WESTOFUME as the grain is turned from one bin to another.

Farm storage: Steel bins: apply 4 to 5 gallons per 1000 bushels of material. Wooden bins apply 6-8 gallons per 1000 bushels. Exposure period 5 days. Do not feed to stock until all odor has disappeared.

Flour Mill and Bakery Flour Equipment: If location or equipment are airtight, use 1 quart per 100 cubic feet, otherwise use 2 quarts per 100 cubic feet. Exposure period 24-72 hours. Aerate treated equipment and space after treatment. For vault treatment of bagged grain and feed, apply WESTOFUME at 2 1/2 to 3 gallons per 1000 cubic feet of vault space. Exposure period is 48 hours.



52-6

westofume®

THIS PRODUCT HAS BEEN AUTHORIZED BY U.S.D.A. FOR USE ONLY IN FLOUR MILL AND BAKERY FLOUR EQUIPMENT, IN FEDERALLY INSPECTED MEAT, POULTRY, RABBIT, AND EGG-PROCESSING PLANTS.

ACTIVE INGREDIENTS: 100%
Ethylene Dichloride 70.2%
Carbon Tetrachloride 29.8%

EPA Reg. No. 52-6-AA

DANGER: Keep Out Of Reach Of Children.



HAZARDOUS VAPOR AND LIQUID MAY BE FATAL IF INHALED OR SWALLOWED, CONTAINS CARBON TETRACHLORIDE

Use only with adequate ventilation. Do not breathe vapor. Do not get in eyes, on skin or on clothing. Do not take internally—store in a tightly closed container, in a cool location. Do not re-enter treated areas without an airline respirator or a full face gas mask with a canister for protection against organic vapors unless room has been thoroughly cleared of all vapors. Such equipment should be Bureau of Mines approved. Avoid contact with flames or hot surfaces. Wash thoroughly after handling. **SEE RIGHT PANEL FOR ANTIDOTE, AND ADDITIONAL CAUTIONS.**

NET CONTENTS:

CAUTION:

The use of WESTOFUME, like any other fumigant, does not obviate the necessity of acceptable procedures of temperature and humidity control. It is impractical to use fumigants at temperatures below 70°F. or where storage facilities or equipment will not retain vapors for the recommended exposure period.

NOTE: DO NOT POUR ON DIRTY SACKS, ASPHALT-LINED PAPER BAGS OR BAGS PRINTED WITH SOLUBLE DYES.

NOTE: NOT RECOMMENDED FOR TREATING EDIBLE NUTS, COCOA BEANS, FURS, OR FOAM RUBBER.

NOTE: DO NOT USE CONTAINERS OR HANDLING EQUIPMENT OF ALUMINUM, MAGNESIUM, OR THEIR ALLOYS, AS UNDER CERTAIN CONDITIONS THIS PRODUCT MAY BE SEVERELY CORROSIVE TO SUCH METALS.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY. NOT FOR STORAGE IN OR AROUND THE HOME.

ANTIDOTE:

If swallowed, make the patient vomit immediately (finger down throat or give warm mustard water or saltwater freely). Keep patient warm and give coffee. Never give anything by mouth to an unconscious person. If affected by exposure to fumes, remove to fresh air. If breathing has stopped, apply artificial respiration. In all cases call a physician immediately.



MANUFACTURED BY: **WEST CHEMICAL PRODUCTS, INC.,** NEW YORK, N.Y. 11101. Branches in principal cities.

0822-C064

MADE IN U.S.A.

2 x 5/8 2 2 6 35

R

