

FEB, 1, 1975
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 52-17 SUBJECT
TO ATTACHED COMMENTS

FOR INDUSTRIAL USE ONLY 0209



Teramine®

SANITIZER AND DISINFECTANT

ACTIVE INGREDIENTS:
Methyldodecylbenzyl Trimethyl Ammonium Chloride 8.00%
Methyldodecylxylylene bis(Trimethyl Ammonium Chloride) 2.00%
INERT INGREDIENT: 90.00%

TERAMINE when tested by the A.O.A.C. Method, is guaranteed to have:
A phenol coefficient of 20 against Salmonella typhosa.
A phenol coefficient of 25 against Staphylococcus aureus

DANGER: Keep Out Of Reach Of Children.

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful or fatal if swallowed. Avoid contamination of food.

First Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 52-17-AA

NET
CONTENTS:
1 GALLON
U.S.



MANUFACTURED BY
WEST CHEMICAL PRODUCTS, INC. NEW YORK, N. Y. 11101 Branches in principal cities.



teramine

DIRECTIONS FOR GENERAL DISINFECTION:

Use TERAMINE in a dilution of 2½ ounces to 5 gallons of water for previously cleaned non-porous surfaces and 5 ounces to 5 gallons for previously cleaned porous surfaces. An odorless detergent such as Westolite may be used for cleaning.

All floors, walls, outer surfaces of equipment, locker rooms, lockers, toilets and washrooms, should be disinfected with the recommended solution of TERAMINE.

TERAMINE will not deteriorate upon storage or after being frozen. Do not dilute or store TERAMINE in Iron, Galvanized Iron or in Tin Containers. Do not mix with soap.

OPERATIONAL DIRECTIONS:

(a) Empty residual beverages and food from all utensils before washing in detergent solution.

(b) Clean with adequate detergent solution such as DISHTERGENT, one half to one ounce per gallon water, with or without brushes. Rinse in clear water.

(c) Rinse for at least two minutes in sanitizing solution, consisting of ½ ounce TERAMINE to 1 gallon of water.

(d) Remove from sanitizing solution. Rinse with potable water.

Operational directions may be altered to comply with local and State Public Health Regulations.

Rinse empty container thoroughly with water and discard it.