


FOR INDUSTRIAL USE ONLY **0223**



# WESCOL®

**DIRECTIONS FOR USE:**

**IMPORTANT:** To make a satisfactory emulsion, always use fresh water. Pour required quantity of WESCOL into the vessel first; then add fresh water and mix well.

WESCOL is to be used primarily for dosing soluble cutting oils. The practice of most plants is to dilute the soluble cutting oil with water before placing into the machines. We recommend the addition of one (1) part of WESCOL to about 300 to 400 parts of the diluted cutting oils, or in other words, one and one half (1½) pints of WESCOL to each 50 gallons of diluted Cutting Oil for emulsion compound.

WESCOL should be first diluted with a portion of water used in diluting the cutting oil solution and then added to the diluted cutting oil or emulsion compound to give a final dilution of one (1) part WESCOL to 300 to 400 parts diluted cutting oil.

Recirculate only. Do not discard. Spent oil should be taken to recycling center.

Clean all machines, particularly sludge pans, every 30 days. Change oil in machines frequently.

Disinfect catch basins with a solution of 3 oz. of WESCOL per gallon of fresh water.

Systematic and periodic cleaning of all premises at regular intervals with a solution of one (1) part WESCOL to 300 parts of fresh water is highly important as an aid to general sanitation.

Rinse empty container thoroughly with water and discard it.

**ACCEPTED**

JAN 10 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 27223 SUBJECT  
TO ATTACHED COMMENTS.

**DISINFECTANT AND CLEANER FOR INDUSTRIAL PLANT MAINTENANCE. BACTERIOSTAT FOR DOSING SOLUBLE CUTTING OILS.**

**ACTIVE INGREDIENTS:**

Coal Tar Neutral Oils .....	41.5%
Soap .....	20.3%
Coal Tar Phenols .....	18.2%
Sodium salt of 4-chloro-2-phenylphenol .....	8.0%
Sodium salt of 6-chloro-2-phenylphenol .....	2.0%

**INERT INGREDIENT:**

Water .....	10.0%
	100.0%

WESCOL, when tested by the AOAC Method, is guaranteed to have a phenol coefficient of 22 against Salmonella typhosa.

EPA Reg. No. 52-23-AA

**DANGER:** Keep Out Of Reach Of Children.

**CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE.** Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapors. **HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN.** Avoid contamination of food.

(See antidote statement on right panel.)


**NET CONTENTS: 1 GALLON U.S.**



MANUFACTURED BY  
**WEST CHEMICAL PRODUCTS, INC., NEW YORK, N.Y. 11101.** Branches in principal cities.

1-0223-A113

FIRST  
in ca  
flush  
water  
eyes,  
and v  
befor  
If sw  
large  
gelati  
availa  
water  
cian i  
**NOTE**  
Prob  
contr  
lavag  
tory s  
and c



FOR INDUSTRIAL USE ONLY **0223**

# WESCOL®

DISINFECTANT AND CLEANER FOR INDUSTRIAL PLANT MAINTENANCE. BACTERIOSTAT FOR DOSING SOLUBLE CUTTING OILS.

**ACTIVE INGREDIENTS:**

Coal Tar Neutral Oils .....	41.5%
Soap .....	20.3%
Coal Tar Phenols .....	18.2%
Sodium salt of 4-chloro-2-phenylphenol .....	8.0%
Sodium salt of 6-chloro-2-phenylphenol .....	2.0%

**INERT INGREDIENT:**

Water .....	10.0%
	100.0%

WESCOL, when tested by the AOAC Method, is guaranteed to have a phenol coefficient of 22 against Salmonella typhosa.

EPA Reg. No. 52-23-AA

**DANGER:** Keep Out Of Reach Of Children.

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapors. HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. Avoid contamination of food.

(See antidote statement on right panel.)

NET CONTENTS: 1 GALLON U.S.



MANUFACTURED BY WEST CHEMICAL PRODUCTS, INC., NEW YORK, N.Y. 11101. Branches in principal cities.

**FIRST AID:**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**ACCEPTED**

JAN 13 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 52-23-AA. SUBJECT TO ATTACHED COMMENTS.

MADE IN U.S.A.