

[52-39]

DIRECTIONS FOR USE:

Fly Control: Exposed stages of flies (adults, pupae, larvae, grubs, maggots, wasps, hornets, house flies, moths, any other flying insects, multi-maned flour moths).

To control these flying insects, turn off all ventilating equipment, close all windows and doors. Fog VAPOSECTOR at the rate of 1 ounce per 1,000 cubic feet, using the Jet-Fogger, WEST 1600 Fogger, or Permanent Atomizer.

Keep treated area closed for at least 10 minutes, repeat as necessary. Do not remain in treated area, do not eat the food after treatment is completed.

Trawling Insects: Exposed stages of cockroaches, waterbugs, silverfish, firebrats, booklice, etc., crickets, spider beetles, meal worms, earwigs, millipedes, flour beetles, saw-toothed meal beetles, fire and granary weevils, dermestids, spiders, ticks, millipedes, centipedes, scorpions.

Turn off all ventilating equipment, close all windows and doors. Fog VAPOSECTOR at 2 ounces per 1,000 cubic feet, using a Jet-Fogger, WEST 1600 Fogger, or Permanent Atomizer. Keep treated area closed for at least 1 hour.

Fogging treatments should be in conjunction with an appropriate surface treatment. Repeat as necessary.


For Contact or Surface Spray: Apply VAPOSECTOR using the WEST 1645 or 161 Sprayer. Spray directly on insects or where they are seen.

Spray VAPOSECTOR at the rate of 1 ounce per 1,000 cubic feet directly on the surface with a low pressure mist.

Thorough treatment of harborage and breeding areas, cracks, crevices, undersides of work tables, wall, window and door frames, electrical outlets and pits, behind and under equipment, laundry carts, garbage area, warm, dark, moist areas, and storage shelves. Repeat as necessary. Empty containers and dispose of them in a safe place.

0902-0061

AMERICAN
1952



Vaposector®

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY **0902**

THIS PRODUCT HAS BEEN AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT, POULTRY, RABBIT AND EGG-PROCESSING PLANTS



WEST CHEMICAL PRODUCTS, INC.

WEST CHEMICAL PRODUCTS, INC. NEW YORK, N.Y. 11101 Branches in principal cities

ACTIVE INGREDIENTS:

Petroleum Hydrocarbons	98.60%	100.00%
Technical Piperonyl Butoxide	0.50%	
N-Octyl Bicycloheptene Dicarboximide	0.50%	
Pyrethrins	0.40%	

Equivalent to 0.40% of (Butylcarbityl)-(6-Propylpiperonyl)-Ether and 0.10% Related Compounds.

VAPOSECTOR insecticide is to be used in WEST equipment. VAPOSECTOR is effective as a fog contact or surface spray.

CAUTION: Keep Out Of Reach Of Children. Do Not Take Internally.

HARMFUL IF SWALLOWED. If accidentally swallowed, do not induce vomiting.

(See right panel for additional cautions.)

EPA Est. 52-NY-1 EPA Reg. No. 52-39-AA

NET CONTENTS:

CAUTION: Avoid contamination of foods. Food processing plants should be fogged when not in operation. Food should be removed or covered during treatment. Food processing equipment should be covered or thoroughly cleaned before using. Store away from heat or open flames. Fabrics which are soiled or dusty may be stained by insecticidal fogs.

Keep out of reach of children. Do not use in homes, schools, hospitals, or other public places. Do not use in food processing plants, restaurants, hotels, or other places where food is prepared or served. Do not use in areas where food is stored.

INDEX

1645	161
1600	161
161	161
161	161

MADE IN U.S.A.