

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

52-277 V.P. 17
P.M. 17

DIRECTIONS FOR USE

FLYING INSECTS: Exposed stages of flies, fruit flies, mosquitoes, gnats, bees, wasps, hornets, indian meal moths, angoumois grain moths, mediterranean flour moths.

To control these flying insects, turn off all ventilating equipment, close all windows and doors. Fog VAPOSECTOR at the rate of 1 ounce per 1,000 cubic feet, using the Jet Fogger, Penetone 1600 Fogger or Permanent Atomizer. Keep treated area closed for at least 10 minutes. Repeat as necessary.

CRAWLING INSECTS: Exposed stages of cockroaches, waterbugs, silverfish, firebrats, booklice, ants, crickets, spider beetles, meal worms, cadelles, confused flour beetles, saw-toothed grain beetles, rice and granary weevils, dermestids, spiders, ticks, millipedes, centipedes, sowbugs.

Turn off all ventilating equipment, close all windows and doors. Fog VAPOSECTOR at 2 ounces per 1,000 cubic feet, using a Jet Fogger, Penetone 1600 Fogger or Permanent Atomizer. Keep treated area closed for at least 1 hour.

These fogging treatments should be in conjunction with appropriate surface treatment. Repeat as necessary.

For Contact or Surface Spray—Apply VAPOSECTOR, using the Penetone 1930-A or 191 Sprayer. Spray directly on insects or where they are seen. Spray VAPOSECTOR at the rate of 1 gallon per 1,000 square feet, coating the surface with a dew-like mist.

Thoroughly treat all harborages and breeding areas, cracks, crevices, undersides of work tables, walls, window and door frames, elevator shafts and pits, behind and under equipment, laundry carts, garbage areas, warm, dark, moist areas, void spaces, shelves. Repeat as necessary. (continued on right panel)



VAPOSECTOR®

**EFFECTIVE FOG, CONTACT OR SURFACE SPRAY INSECTICIDE
FOR INDOOR USE ONLY**

ACTIVE INGREDIENTS:

Petroleum Hydrocarbons	98.60%
* Technical Piperonyl Butoxide	0.50%
N-Octyl Bicycloheptene Dicarboximide	0.50%
Pyrethrins	0.40%
INERT INGREDIENT:	98.60%
	100.00%

*Equivalent to 4% of (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.10% Related Compounds.

VAPOSECTOR insecticide is to be used in Penetone equipment.

EPA Reg. No. 52-39

CAUTION: Keep Out Of Reach Of Children.

DO NOT TAKE INTERNALLY. HARMFUL IF SWALLOWED.

If swallowed, do not induce vomiting.

(See right panel for additional precautions.)



MANUFACTURED BY:

WEST CHEMICAL PRODUCTS, INC., 1000 Herrontown Road, Princeton, N.J. 08540.

NET CONTENTS: Gallons

EPA Est. 10190-NJ-cl
EPA Est. 52-CA-1

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 32° or above 100°F.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal, or cleaning of equipment. In case of spill, flood area with water, washing to sewer or pick up and store in collection vessel. Wastes resulting from use of this product may be disposed of on site or at any approved waste disposal facility. Triple rinse empty container. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill.

CAUTION:

Avoid contamination of food. Food processing plants should be fogged when not in operation. Food should be removed or covered or thoroughly cleaned before using. Fabrics which are soiled or dusty may be stained by insecticidal fogs.




Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

Keep out of any body of water. Apply this product only as specified on the label. **STORE AWAY FROM HEAT OR OPEN FLAME.**

(1284)

CLASSIFIED BY UNDERWRITERS LABORATORIES
INC # ASTO FIRE HAZARD ONLY VAPOSECTOR CLASSED
20 TO 25 BETWEEN PARAFFIN OIL AND KEROSENE IN
RESPECT TO FIRE HAZARD 987P

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.



3902-562-PC