

ACCEPTED

June 4, 1971

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT FOR A FUMIGANT, POISON, REGISTERED UNDER NO. 52-63 SUBJECT TO ATTACHED COMMENTS.

52-63

sanikleen®



A HEAVY DUTY CLEANER-DISINFECTANT

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₀ 50%, C ₁₂ 40%, C ₁₄ 10%) Dimethyl Benzyl Ammonium Chlorides	3.00%
Sodium Carbonate	2.00%
Tetrasodium Salt of Ethylene Diamine Tetraacetic acid	0.38%

INERT INGREDIENTS:

10.5% of the inert is active as a detergent but not as a germicide	94.62%
--	--------

This product fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1965 recommendations of the United States Public Health Service when tested by the Chambers Method in waters up to 500 ppm hardness.



CAUTION: Keep Out Of Reach Of Children. Do not take internally. Avoid Contamination of Food. Avoid contact of concentrate with skin. Avoid contact with eyes. In case of contact, wash thoroughly with water. If eye irritation persists, get medical attention.

manufactured by **PROFESSIONAL DIVISION WEST CHEMICAL PRODUCTS, INC.**

42-16 West Street • Long Island City N.Y. 11101
branches in principal cities

USDA Reg. No. 52-63

NET CONTENTS: 1 GALLON U.S.

FOR INDUSTRIAL AND INSTITUTIONAL USE ON

sanikleen

Sanikleen is an economical and powerful cleaner-disinfectant which acts quickly in ridding surfaces of dirt and grime, at the same time leaving these surfaces disinfected. Sanikleen eliminates odors by killing the odor-causing bacteria and has a phenol coefficient of 14 against Salmonella typhosa (S. typhosa) and 20 against Staphylococcus aureus. This product will pass the Use Dilution Confirmation Test at 2 ounces per gallon when tested against the organisms S. aureus, S. choleraesuis and P. aeruginosa.

DIRECTIONS FOR USE

To clean and disinfect most surfaces, use 2 ounces of Sanikleen per gallon of water.

For cleaning and disinfecting in and around toilet bowls, urinals, sinks, fixtures, etc, use 3 ounces of Sanikleen per gallon of water.

Ⓢ

m.



3.00%
2.00%
0.38%
94.62%

in accordance with 1965 recommendations of the United States Pharmacopoeia for a maximum of 500 ppm hardness.

Do not take internally.
Do not use on skin. Avoid contact with water. If eye irritation persists,

Manufactured by PROFESSIONAL DIVISION
PHARMACEUTICAL PRODUCTS, INC.
16 West Street • Long Island City N.Y. 11101
branches in principal cities

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

sanikleen

Sanikleen is an economical and powerful cleaner-disinfectant which acts quickly in ridding surfaces of dirt and grime, at the same time leaving these surfaces disinfected. Sanikleen eliminates odors by killing the odor-causing bacteria and has a phenol coefficient of 14 against *Salmonella typhosa* (*S. typhosa*) and 20 against *Staphylococcus aureus*. This product will pass the Use Dilution Confirmation Test at 2 ounces per gallon when tested against the organisms *S. aureus*, *S. choleraesuis* and *P. aeruginosa*.

DIRECTIONS FOR USE

To clean and disinfect most surfaces, use 2 ounces of Sanikleen per gallon of water.

For cleaning and disinfecting in and around toilet bowls, urinals, sinks, fixtures, etc, use 3 ounces of Sanikleen per gallon of water.

For cleaning and disinfecting floor surfaces such as Wood, Linoleum, Cement, Terrazzo, Asphalt Tile, Rubber, etc., use 2 ounces of Sanikleen per gallon of water— may be used on conductive floors without any deleterious effects.

To clean and disinfect office telephones, industrial eye shields, eyeglasses and other protective garments, use 2 ounces of Sanikleen per gallon of water. Use double strength for porous or difficult-to-clean surfaces. Sanikleen may also be used for cleaning and disinfecting dishes, glassware, food handling equipment and eating utensils. Use 2 to 4 ounces per gallon of water, followed by a rinse with potable water. Local health department codes should be followed.

Rinse empty container thoroughly with water and discard it.

KEEP FROM FREEZING

11/70

Ⓢ