



0803

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

ratmort

WITH PROLIN
warfarin
RAT & MOUSE KILLER PELLETS

ACTIVE INGREDIENTS:

2-Chloro-N-(4-hydroxyphenyl)-5-methyl-4-pyridinamine 100%
4-Hydroxywarfarin 0.025%

INERT INGREDIENTS

100%
100%
100%

EPA Reg. No. 5-157-00A

CAUTION: Keep out of Reach of Children

NET WEIGHT: 5 LBS



WEST CHEMICAL PRODUCTS, INC., 1000 W. 10th St., Oklahoma City, Okla. 73106

FOR CONTROLLING NORWAY RATS
(Rattus norvegicus) and Roof rats (Rattus rattus)

PLACE 4 PELLETS OF RATMORT PROLIN PELLET bait stations, well known to food storage. Protect from children, pets, and livestock by covering with wire mesh or suitable protective cover. Replenish as necessary.

DO NOT FEED TO OR CONSUME. Never use on live stock or decomposed bait. Never let a bait station remain empty for more than 48 hours.

IMPORTANT NOTICE - BAITING MUST BE CONTINUOUS UNTIL COMPLETE LACK OF FEEDING IS NOTED. USUALLY NOT LESS THAN 12 DAYS.

Near dumps and other sources of continual infestation use permanent bait stations and replenish as needed.

FOR CONTROLLING MICE
(Mus musculus)

FOR CONTROLLING MICE USE RATMORT PROLIN PELLET in smaller quantities. 1 to 2 pellets per bait station at 10 day intervals. For best results use recommended. Mice are more difficult to bait than rats and complete control may take longer. An uninterrupted supply of bait should be maintained for at least 15 days.

WARNING: RATMORT and WARFARIN are anticoagulant chemicals which may cause serious hemorrhage in humans, pets, wildlife or livestock. To reduce the amount of salt in a glass of water, add a repeat dose until vomit is clear. Call a physician immediately. **NOTE TO PHYSICIANS:** In case of accidental poisoning with RATMORT, avoid treatment with vitamin K until the patient is stabilized. The above information is provided by over the counter products. For more information, call 1-800-451-4511.

CAUTION: KEEP OUT OF REACH OF CHILDREN. THIS PRODUCT IS INTENDED FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. IT IS NOT TO BE USED IN RESIDENTIAL AREAS. DO NOT FEED TO LIVESTOCK. DO NOT FEED TO OR CONSUME. Never use on live stock or decomposed bait. Never let a bait station remain empty for more than 48 hours. For best results use recommended. Mice are more difficult to bait than rats and complete control may take longer. An uninterrupted supply of bait should be maintained for at least 15 days. **NOTE TO PHYSICIANS:** In case of accidental poisoning with RATMORT, avoid treatment with vitamin K until the patient is stabilized. The above information is provided by over the counter products. For more information, call 1-800-451-4511.

WEST CHEMICAL PRODUCTS, INC., 1000 W. 10th St., Oklahoma City, Okla. 73106

Handwritten scribble or signature.